

**WHEELS/ROLLERS & GUIDES****QUICK LOCATOR GUIDE**

<b>Roller Guide Assemblies</b>	3-15/16" OD .....	498	3.39" OD .....	505	
10" OD .....	492	3.82" OD .....	498	3-3/8" OD .....	505-506
7-7/8" OD .....	492	3-3/4" OD .....	498	3-5/16" OD .....	506
6-1/2" OD .....	492	3-1/2" OD .....	498-499	3-1/4" OD .....	506-507
6" OD.....	492	3-3/8" OD .....	499	3.25" OD .....	507
5-3/4" OD .....	492	3-1/4" OD .....	499	3.135" OD .....	508
4.92" OD .....	493	3.16" OD .....	499	3" OD.....	508
4-1/2" OD .....	493	2.36" OD .....	499	2.95" OD .....	508
3-3/4" OD .....	493	3.15" OD .....	499-500	2.91" OD .....	508
3-1/4" OD .....	493	3-1/8" OD .....	500	2-7/8" OD .....	508
3.156" OD .....	493	3.132" OD .....	500	2.83" OD .....	508
3" OD.....	493	3" OD.....	500	2.76" OD .....	508
2.98" (76MM) OD ...	493	2-7/8" OD .....	500	2-3/4" OD .....	508
Cover Plates .....	494	2-3/4" OD .....	500	2.68" OD .....	508
		2-5/8" OD .....	500	2-5/8" OD .....	508
<b>Guide Rollers</b>	2-9/16" OD .....	500	2.56" OD .....	508	
10-1/4" OD .....	495	2-1/2" OD .....	500	2-1/2" OD .....	509
10" OD.....	495			2.44" OD .....	509
8" OD .....	495	<b>Hanger Assemblies</b>		2.35" OD .....	509
7-7/8" OD .....	495	4-3/8" OD .....	502	2-1/4" OD .....	509
7-3/4" OD .....	495	4-14" OD.....	502	2.2" OD .....	509
7" OD.....	495-496	3-3/8" OD .....	502	2.19" OD .....	509
6-1/2" OD .....	496	3-1/4" OD .....	502	2.13" OD .....	509
6-5/16" OD .....	496	3-5/16" OD .....	502	2" OD.....	509
6" OD.....	496-497	2-7/8" OD .....	502	1.98" OD .....	509
5.91" OD .....	497	2-3/4" OD .....	502	1.89" OD .....	509
5.875" OD .....	497	2-1/4" OD .....	503	1.8" OD .....	509
5-3/4" OD .....	497	<b>Hanger Rollers</b>		1.73" OD .....	509
5" OD.....	497	5.12" OD .....	505	1.69" OD .....	509
4.92" OD .....	497	4-3/8" OD .....	505	1.42" OD .....	509
4-7/8" OD .....	497-498	4-1/4" OD .....	505	<b>Bearings</b>	
4-1/2" OD .....	498	3.812" OD .....	505	Bearings.....	510
4.48" OD.....	498	3.7" OD .....	505	<b>Slide Guides</b>	
4-3/8" OD .....	498	3-11/16" OD .....	505	Slide Guides.....	510
4" OD.....	498	3.54" OD .....	505	<b>Miscellaneous Rollers</b>	
3.94" OD .....	498			Misc. Rollers .....	501

## Roller Guides

### Roller Guide Assemblies



URG-004



MW-11A



MW-11B



WRG-001



WRG-004

HWRG-002



URG-002



URG-009



URG-007



URG-010

S.E.E.S. #	O.E.M. #	Description
KOGS-9A	KM600655G03	<b>Roller Guide Assembly</b> , 5.91" x 1.5" (150mmx 38mm x 2mm) 6003 ID:17mm
MW-11A	P28305	<b>Roller Guide Assembly</b> , 10" wheels with poly tire, 3-wheel
MW-11AK	P28305	<b>Roller Guide Assembly</b> , 10" 3 wheel replacement to P28305, includes URG-004 and MW-11B
<b>MW-11B</b>		<b>Adapter Plate</b> , for URG-004
OW-10D	B261AM3	<b>Roller Guide Assembly</b> , 10" O.D. for #1 Rail, Top
OW-10E	B261AM4	<b>Roller Guide Assembly</b> , 10" O.D. for #1 Rail, Bottom
OW-10F	B261AM5	<b>Roller Guide Assembly</b> , 10" O.D. for #1/2 Rail, Top
OW-10G	B261AM6	<b>Roller Guide Assembly</b> , 10" O.D. for #1/2 Rail, Bottom
OW-10H	B6261AM1	<b>Roller Guide Assembly</b> , 10" O.D. for #3/4 Rail, Top
OW-10K	B261AM7	<b>Roller Guide Assembly</b> , 10" O.D. for #0A Rail, Top
OW-10L	B261AM8	<b>Roller Guide Assembly</b> , 10" O.D. for #0A Rail, Bottom
OW-7E	6261C1	<b>Roller Guide assembly</b> , 7-7/8" O.D. for #1 & #1-1/2 Rail, Top
OW-7F	6261C4	<b>Roller Guide assembly</b> , 7-7/8" O.D. for #1 & #1-1/2 Rail, Bottom
OW-7K	F6261C2	<b>Roller Guide Assembly</b> , 7-7/8" O.D. for #3/4 Rail, Top
OW-7L	F6261C5	<b>Roller Guide Assembly</b> , 7-7/8" O.D. for #3/4 Rail, Bottom
OW-7M	F6261C3	<b>Roller Guide Assy</b> , counterweight, 7-7/8" O.D. for #1 and #1-1/2 Rail, Top
MW-6AK	P25220	<b>Roller Guide assembly</b> , 6-1/2" 3-wheel
WRG-001	627D989G08	<b>Roller Guide assembly</b> , 6", 5-18 lb rail
WRG-004	627D989G05	<b>Roller Guide assembly</b> , 6" CWT Rail 5219D47G0
HWRG-002	378	<b>Roller Guide assembly</b> , 6" diameter 3-Wheel
URG-002	P25220	<b>Roller Guide assembly</b> , 6" universal 3-wheel, Type B
URG-004		<b>Roller Guide assembly</b> , 10" universal 3-wheel
URG-006		<b>Roller Guide assembly</b> , 6-wheel 3-1/4" trolley roller guide Type C
URG-007	33SRG	<b>Roller Guide assembly</b> , 3-1/4", 3-Wheel, Adjustable Spring Roller guide, sold individually
<b>URG-002H</b>		<b>Roller Guide Assy</b> , 3 Wheel, 6" O.D. Model B, with 90Duro Wheel
URG-002N	Model B	<b>Roller Guide assembly</b> , 3 Wheel, 6" O.D. Model B, with Neoprene Rollers
<b>URG-005-SRB</b>		<b>Rebuild Kit</b> , for URG-005 Adjusting Hub & Spring
URG-R3		<b>Roller Guide assembly</b> , 5.92" O.D and 3.87" O.D.
URG-R6		<b>Roller Guide assembly</b> , 5.88" O.D.
URG-009	36SRG	<b>Roller Guide assembly</b> , 5-3/4", 3-Wheel, Adjustable Spring Roller guide, sold individual
URG-010	815RG	<b>Roller Guide assembly</b> , 5-3/4", 3-Wheel, Adjustable Roller guide, sold individually



■ Cover Plates available. See page 494.

#### Features

- **Long Lasting** Polyurethane Rollers
- **Strong** cast iron base and roller arms
- Adjustable tensioning springs for light load or heavy load applications
- Offering a superior **SMOOTH** ride for passengers

800.526.0026

954.971.1115 / fax 954.917.7337

**Roller Guide Assemblies**

S.E.E.S. #	O.E.M. #	Description
<b>OW-30A</b>	KAA25830A1	<b>Roller Guide assembly</b> , 4.92" O.D., Top for 2 & 1-1/2# Rail, Each, 3-Wheel
<b>OW-30B</b>	KAA25830A2	<b>Roller Guide assembly</b> , 4.92" O.D., Bottom for 2 & 1-1/2# Rail, Each, 3-Wheel
<b>OW-30C</b>	KAA25830A3	<b>Roller Guide assembly</b> , 4.92" O.D., Set of 4 for 2 & 1-1/2# Rail
<b>WRG-003</b>	627D989G03	<b>Roller Guide assembly</b> , 4.5" & 6" roller 8-16# CWT Rail, 3-Wheel
<b>WRG-007</b>	627D989G04	<b>Roller Guide assembly</b> , 4.5" & 6" roller 18.5# CWT Rail, 3-Wheel
<b>OW-9A</b>	6261P1	<b>Roller Guide assembly</b> , 3-3/4" O.D., with three OW-9 rollers
<b>MIS-188J</b>		<b>Roller Guide assembly</b> , 3-3/4" O.D. x 5/8" Face 1-1/4" W, (2) 99502H (5/8" Bore)
<b>URG-001</b>		<b>Roller Guide assembly</b> , 3-1/4" universal 3-wheel, Type D
<b>URG-001N</b>	Model D	<b>Roller Guide assembly</b> , 3 W, 3-1/4" O.D. Type D, Neoprene Rollers
<b>URG-008</b>	803RG	<b>Roller Guide assembly</b> , 3-1/4", 3-Wheel, Adjustable Roller guide, sold individually
<b>HWRG-001</b>	377	<b>Roller Guide assembly</b> , 3-1/4" diameter 3-Wheel
<b>KOGS-7A</b>		<b>Roller Guide assembly</b> , 3.156" O.D. / .625" 80mm O.D. / 16mm rail, Spring 3 wheel
<b>KOGS-7</b>		<b>Roller Guide assembly</b> , 3.15" O.D., .39" rail, 3-wheel, adjustable spring
<b>WRG-002</b>	465D274G01	<b>Roller Guide assembly</b> , 3", 3-wheel, adjustable spring, 8-16# CWT rail
<b>WRG-005</b>	465D274G02	<b>Roller Guide Assembly</b> , 3" roller 8-16# Car Rail, 3-Wheel
<b>WRG-006</b>	465D274G03	<b>Roller Guide assembly</b> , 3" roller, R9264601 Replacement, 3-Wheel
<b>OW-9AC</b>	KAA25830B1	<b>Roller Guide assembly</b> , 3" O.D., Top for 2# Rail, Each, 3-Wheel
<b>OW-9AD</b>	KAA25830B2	<b>Roller Guide assembly</b> , 3" O.D., Bottom for 2# Rail, Each, 3-Wheel
<b>OW-9AE</b>	KAA25830B3	<b>Roller Guide assembly</b> , 3" O.D., Top for 1-1/2# Rail, Each, 3-Wheel
<b>OW-9AF</b>	KAA25830B4	<b>Roller Guide assembly</b> , 3" O.D., Bottom for 1-1/2# Rail, Each, 3-Wheel
<b>OW-9AI</b>	AAA456YS2	<b>Roller Guide assembly</b> , 3" (76mm) O.D., for Roller Guide
<b>OW-9AB</b>	6261P1, KAA25830B5	<b>Roller Guide assembly</b> , New Style 2.98" (76mm) Wheel, KAA25830B5 set of 4, hardware included
<b>OW-210</b>	6161AA1	<b>Roller Guide assembly</b> , 3" Round Rail
<b>OW-210A</b>	384LN2	<b>Roller Guide assembly</b> , Guard for 616AA



WRG-005



WRG-006



OW-9AB



WRG-003

WRG-007



OW-9A



URG-006



URG-001



URG-008



HWRG-001



WRG-002



KOGS-7



## SEES UNIVERSAL ROLLER GUIDE Roller Guides

S.E.E.S. #	O.E.M. #	Description
URG-001	ED02000	3-1/4" Universal 3 wheel roller guide Model D
URG-002	EB02100	6" Universal 3 wheel roller guide Model B
URG-006	EC18400	3-1/4" Universal 6 wheel roller guide Model C

## Replacement Rollers

S.E.E.S. #	O.E.M. #	Description
MIS-143S	EC18405	3-1/4" diameter, .4724 bore wheel
MIS-142	EA18359	6" diameter, .7874 bore wheel

## Cover Plates

S.E.E.S. #	O.E.M. #	Description
URG-001C	ED02013	Cover Plate Model D
URG-002C	EB02123	Cover Plate Model B
URG-005C	EA18333	Cover Plate Model A
URG-006C	EC18403	Cover Plate Model C
URG-001-HDW		Bolts, for Rollers, Set of 3 for URG-001



URG-001C



URG-002C

*For More Guide Roller Options, & Other Wheel and Roller Types  
See Individual Catalog Sections*

## Roller Guides

### Guide Rollers

S.E.E.S. #	O.E.M. #	Description
WW-23	M5594G03	<b>Roller Guide wheel</b> , 10-1/4" dia., .6693" I.D.
URGW-004		<b>Roller Guide wheel</b> for URG-004, 10", bearing 6004 I.D.: .77"
NW-003	112-8001	<b>Roller Guide wheel</b> , Northern 10" Guide Roller, .25" Face, .9843" I.D.
MW-11	P7087	<b>Roller Guide wheel</b> , 10" O.D., wheel with polyurethane tire, .9843" bearing I.D. for P28305 assembly
OW-10	456CV4	<b>Roller Guide wheel</b> , 10" O.D. x 1-1/2" Polyurethane tire, shaft with maintenance free sealed bearing
OW-10C	456ACH1	<b>Roller Guide Wheel</b> , 10" O.D. x 1.5" W x .20 Face, with Shaft
HW-12	35-1159-002	<b>Roller Guide wheel</b> , 8" O.D. x 1-3/8" W, 1/2" W tire face, .630" bearing I.D., bushing with 5/8" dia., Hardware part # HW-12C
HW-12A	3-40329-10	<b>Roller Guide wheel</b> , 8" x 1-1/4", 7/8" I.D.
HW-12AH	3-40329-1	<b>Roller Guide wheel</b> , 8" O.D. x 3/4" Face x .787" I.D., HD 90 Duro
HW-12B	3-40119-75	<b>Roller Guide</b> , 10" O.D. x 1-5/16" W 3/4" Tire, Z995204 Brng
HW-12C	3-40119-75	<b>Roller Guide</b> , 10" O.D. x 1-5/16" W 3/4" Tire, Z995204 Brng
MIS-238	35-1159-002	<b>Roller Guide wheel</b> , 8" x 1-3/8", same as HW-12 but HD 95 Duro
DW-14	9831824, 63182	<b>Roller Guide wheel</b> , 8" O.D., .7874" I.D., two bearings
DW-14H	9831824	<b>Roller Guide wheel</b> , 8" O.D. x .7874" I.D., HD 90 Duro
OW-7	456CL4	<b>Roller Guide wheel</b> , 7-7/8" O.D. x 1-1/2" Polyurethane tire with sealed maintenance free bearing, hub extends past tire width on shaft side, after Dec. '62
OW-7H	456CL4	<b>Roller Guide wheel</b> , 7-7/8" O.D. x 1-1/2" W with shaft, HD 90 Duro
OW-15	456AJ2	<b>Roller Guide wheel</b> , 7-7/8" O.D. x 1-1/2" Polyurethane tire with sealed maintenance free bearing with shaft, hub extends past tire width on side opposite shaft, 1941 thru 1962
OW-15H	456AJ2	<b>Roller Guide wheel</b> , 7-7/8" O.D. x 1-1/2" W with shaft, HD 90 Duro
AW-14	168962G01, 515606	<b>Roller Guide wheel</b> , 7-7/8" O.D. Tire face .375" wide, Hub 1-1/2" wide, Double bearing with shaft, 2-3/4" overall length
ACLAW-003		<b>Roller Guide wheel</b> , 7-7/8" x 1 3/8" 200mm x 35mm w/ 6306 bearing (30mm I.D.)
MW-10	P12592	<b>Roller guide wheel</b> , 7-3/4" O.D., .9843" bearing I.D.
MW-10H	P12592 90 duro	<b>Roller guide wheel</b> , 7-3/4" O.D., 90 Duro
MIS-187B-STEEL		<b>Roller guide wheel</b> , 7" Steel Hub, Rubber Lining, Payne





MIS-187B



NW-002



AW-9



AW-9A



AW-9AH



AW-9H



STW-002



MW-6



OTGS-15



HWW-002



MIS-142A



MIS-142H

## Guide Rollers

S.E.E.S. #	O.E.M. #	Description
<b>MIS-187B</b>	M1292	<b>Roller Guide wheel</b> , 7" O.D. x .7874" bearing I.D. x 1-1/4" W tire. Double bearing. Tire face 1/2"
<b>NW-002</b>	112-2040	<b>Roller Guide wheel</b> , Northern 7" Guide Roller, .25" Face, .6693" I.D.
<b>AW-9</b>	11939-01, B653002	<b>Roller Guide wheel</b> , 7" O.D. with threaded eccentric shaft. Threaded shaft 5/8-11 jam nut, 3-1/2" overall length. Tire face 1/2" wide, hub width 1-1/8"
<b>AW-9A</b>	11940-01, B653003	<b>Roller guide wheel</b> , 7" O.D., double bearing, .6693 I.D. Tire face is 1/2" wide, hub width is 1-1/8" wide. Similar to AW-9 but without eccentric.
<b>AW-9AH</b>	11940-01	<b>Roller Guide wheel</b> , 7" O.D. x 6693" I.D. without Eccentric, HD 90 Duro
<b>AW-9H</b>	11939-01	<b>Roller Guide wheel</b> , 7" O.D. x 6693" I.D. with Eccentric, ARW423 HD 90 Duro
<b>STW-002</b>	2004A-D6B	<b>Roller Guide wheel</b> , 6-1/2" O.D. .9843" I.D. (Double 6205 Brdg)
<b>MW-5</b>	P3174	<b>Roller Guide wheel</b> , 6-1/2" O.D., .9843" bearing I.D., 1-1/4" tire width
<b>MW-6</b>	P2789	<b>Roller Guide wheel</b> , 6-1/2" O.D., .9843" bearing I.D., 1-1/4" tire width tapered to 1/2" wide tire face
<b>OW-29</b>		<b>Roller Guide wheel</b> , Guide Roller 6-5/16" O.D. 1-1/4" W x .9843" I.D. (2x6205)
<b>OTGS-15</b>		<b>Roller Guide wheel</b> , for Guide Shoe 6.3" x 1.88" (160mm x 30mm), bearing 6203 ID:17
<b>THGS-3</b>		<b>Roller Guide wheel</b> , For Roller Guide Assy 6.03" x 1.27" (153mm x 32mm x2 mm) 6204 Brdg
<b>HWW-002</b>	378-14	<b>Roller Guide wheel</b> , Hollister Whitney, 6" diameter face roller, .430" face
<b>HWW-002A</b>	378-15	<b>Roller Guide wheel</b> , Hollister Whitney, 6" diameter side roller, .865" face
<b>WW-21</b>	323C160G01 323C160G02	<b>Roller Guide wheel</b> , 6" diameter., tire face 13/16", .6693", I.D., double bearing
<b>MIS-142</b>	18359	<b>Roller Guide wheel</b> , 6" O.D. x .7874" bearing I.D. x 1-1/4" W poly tire w/ 1/2" face. Double bearing, replacement wheel for URG-005
<b>MIS-142A</b>	18347	<b>Roller Guide wheel</b> , 6" x 1-1/4" W with 7/8" Face
<b>MIS-142H</b>	18359-H	<b>Roller Guide wheel</b> , 6" O.D. x 1-1/4" W x 1/2" F, .7874 I.D., HD 90 DURO
<b>MIS-142AH</b>	18347-H	<b>Roller Guide wheel</b> , 6" O.D. x 1-1/4" W x 7/8" F, .7874 I.D., HD 90 DURO



MIS-142AH



WW-21



MIS-142

**Guide Rollers**

S.E.E.S. #	O.E.M. #	Description
MIS-142N	18359	<b>Roller Guide wheel</b> , 6" O.D. x .7874" bearing I.D. x 1-1/4" W, neoprene tire with 1/2" face. Double bearing, replacement wheel for URG-005
GW-2	378-12	<b>Roller Guide wheel</b> , 6" O.D. with 1/2" face, 2 bearings, .6693" I.D.
GW-2A	378-13	<b>Roller Guide wheel</b> , 6" O.D. with 3/4" face, 2 bearings, .6693" I.D.
ACLAW-002	M1503	<b>Roller Guide wheel</b> , 6" x 1-3/8", 150mm x 35mm with 6306 bearing (30mm I.D.)
CEMW-002A		<b>Roller Guide wheel</b> , 6" x 1-3/8", 150mm x 35mm, 30mm I.D., with Shaft
TW-003		<b>Thyssen Tach Roller</b> , 6" O.D. x 1.25" W 5/8" Face, Roller Only, No bearing
TW-003A		<b>Thyssen Tach Roller</b> , 6" O.D. x 1.25" W 5/8" Face, with Hub-Shaft and Bearings
KOGS-9		<b>Roller Guide wheel</b> , for Guide Shoe 5.91" x 1.5" (150mm x 38mm x 2mm), bearing 6003 ID:17mm
SCGS-15		<b>Roller Guide wheel</b> , for Guide Shoe 5.91" x 1.88" (150mm x 30mm x 2mm), bearing 6201 ID:12
CEMW-002		<b>Roller</b> , 150mm x 35mm, 6306 Brg 30mm I.D., 5-29/32" O.D.
MIS-188C		<b>Roller Guide wheel</b> , 5.875" O.D. x 1.578" W with 6204 brg (.7874" I.D.)
TW-004		<b>Thyssen Roller Guide Wheel</b> , 5-7/8" O.D. x 1" W .984" I.D. 6205 Brg, 3/8" Face
ELCW-001	76-15-001	<b>Roller Guide wheel</b> , DELCO 3" O.D. x 1" W 6203 Bearing, .660" Face
ELCW-001A		<b>Shaft Assembly</b> , for ELCW-001, Bolt, Eccentric Nut, Spacer and Nut
ELCW-002	124.5-15-001	<b>Roller Guide wheel</b> , DELCO 124.5mm (4.90") O.D. x 7.8" W 6203 Bearing, .560" Face
ELPW-001	815RGW	<b>Roller Guide wheel</b> , 5-3/4" O.D. x 5/8" I.D. for URG-009 and URG-010, Offset Bearings
ELPW-002	36SRGW	<b>Roller Guide wheel</b> , 5-3/4" O.D. x 5/8" I.D., for URG-009, Elpro, Centered Bearings
MIS-187A		<b>Roller Guide wheel</b> , 5" O.D. x .7874 bearing I.D. x 1-1/4" W tire. Double Bearing. Tire face 1/2"
MIS-188D	300BS50093/	<b>Roller Guide wheel</b> , 5" O.D. x 1.57" W with BR2-25 (2) 6204 brg (.7874" I.D.), Bucher
HW-5	35-1159-004	<b>Roller Guide wheel</b> , 5" O.D. x 1-1/8" W, 7/16" W tire face, bearing has steel inner sleeve with .630" bearing I.D.
DW-18		<b>Roller Guide wheel</b> , 5" O.D., .985" I.D., replaces Watson roller
KOGS-8		<b>Roller Guide wheel</b> , for Guide Shoe 4.92" x 1.03" (125mm x 26mm x 2mm), bearing 6003
MIS-188A		<b>Roller Guide wheel</b> , ACLA, 4.92" O.D. x 1.185" W 6204 bearing
HLW-007		<b>Roller</b> , for WC Cantalever Roller 4-7/8" O.D. x 1.375" with Ecc Shaft





## Guide Rollers

S.E.E.S. #	O.E.M. #	Description
OW-8	456CM4	<b>Roller Guide wheel</b> , 4-7/8" O.D. x 2-5/8" overall hub width. Polyurethane tire, 1" shaft, maintenance free sealed pump shaft bearing
OW-28		<b>Roller Guide wheel</b> , Guide Roller 4-7/8" O.D. 1-1/16" W x .7874" I.D. (2x6204)
WW-21A	M5594G02	<b>Roller Guide wheel</b> , 4-1/2" O.D., 1-1/4" thick with polyurethane tire, tire face 13/16", bearing .6693" I.D., double bearing
WW-21AH	M5594G02	<b>Roller Guide wheel</b> , 4-1/2" O.D. x 1-1/4" W .6693 I.D., HD 90 Duro
OTGS-14		<b>Roller Guide wheel</b> , for Guide Shoe 4.48" x 1.42" (114mm x 36mm), bearing 6203
OTGS-16		<b>Roller Guide wheel</b> , for Guide Shoe 4.48" x 1.42", bearing 6203 with Shaft
INCW-001		<b>Inclinator Roller</b> , 4.40" O.D., 5205 bearing
MW-4	P2654	<b>Roller Guide wheel</b> , 4-3/8" O.D. 7/8" wide with tapered face to 1/2", .7874" I.D.
DW-8	9832774, 63277	<b>Roller Guide wheel</b> , 4" O.D. x 1-1/4" W, tire face 1/2" W, two bearings, .6693" I.D.
DW-8H	9832774	<b>Roller Guide wheel</b> , 4" O.D. x 1-1/4" W x .6693" I.D., HD 90 Duro
ACW-001	TF-ACR400	<b>Roller Guide wheel</b> , for American Crescent, 4" O.D. x 2" Wide
ACLAW-001	140-424	<b>Roller Guide wheel</b> , ACLA, 3.94" x .98" (100mm x 25mm) with 6205 bearing (4" x 1")
MIS-188H		<b>Roller Guide wheel</b> , CTW, 3.94" x 1.18" x .79" (100mm x 30mm x 20mm), (2) 6204 Brg
SCGS-16		<b>Roller Guide wheel</b> , for Guide Shoe 3.94" x .98" (100mm x 25mm), bearing 6205 ID:25
MW-3	P12963	<b>Roller Guide wheel</b> , 3-15/16", O.D., 7/8" wide, .7874" bearing I.D.
MW-3-SUB		<b>Roller Guide wheel</b> , 3-15/16" x 7/8" No Bag/Label
MW-3B	P5985	<b>Roller Guide wheel</b> , 3-15/16" O.D. 1-1/8" wide, .7874" bearing I.D.
MW-3E		<b>Roller Adaptor</b> , 1-3/8" O.D. x 1/2" I.D. x 13/16" W
FJW-001	FR3187	<b>Roller Guide wheel</b> , 3.82" O.D. .79" I.D. (6204 Brg)
OW-3	456AK2	<b>Roller Guide wheel</b> , 3-3/4" O.D., polyurethane tire, sealed maintenance free bearing with 5/8" shaft
OW-9	456CN4	<b>Roller Guide wheel</b> , 3-3/4" O.D. x 7/8" Polyurethane tire, 5/8" hub, 1" shaft, maintenance free sealed pump shaft bearing
OTGS-5	KAA456K1	<b>Roller Guide wheel</b> , 3-3/4" O.D. x 7/8" Polyurethane tire, 5/8" hub , 1" shaft, maintenance free sealed pump shaft bearing
STW-001	12004A-D2A	<b>Roller Guide wheel</b> , 3-1/2" O.D. .79" I.D., 6204 Bearing
MIS-148		<b>Roller Guide wheel</b> , 3-1/2" O.D. x 15/16" W with 7/16" tire face, two bushings, bearing .7874" I.D., .673" shaft I.D., Serge CWT
HW-3	3-40150-71	<b>Roller Guide wheel</b> , 3-1/2" O.D. x 1-5/16" W, with 3/4" W tire face, .6693" bearing I.D.
MIS-239	3-40151-00	<b>Roller Guide wheel</b> , 3-1/2" O.D. x 1-5/16" W, with 3/4" wide tire face .6693" bearing I.D.
HW-9	3-40158-67	<b>Roller Guide wheel</b> , 3-1/2" O.D. x 1-1/16" W, with 3/4" W tire face, .5119" bearing I.D.

**Guide Rollers**

S.E.E.S. #	O.E.M. #	Description
<b>HW-4</b>	3-40196-74	<b>Roller Guide wheel</b> , 3-1/2" O.D. x 1-5/16" W, 1" tire face, with .7874" bearing I.D.
<b>MIS-148B</b>		<b>Roller Guide wheel</b> , 3-1/2" (no bushing)
<b>MIS-148C</b>		<b>Roller Guide wheel</b> , 3-1/2" x 1" W, .6693" I.D. 1" W Face, Double 6203 Bearing
<b>NW-001</b>	112-2037	<b>Roller Guide wheel</b> , Northern 3-1/2" Guide Roller .30" Face, .6693" I.D.
<b>NW-001A</b>	112-2112	<b>Roller Guide wheel</b> , Northern 3-1/2" Side Roller 1" Face, .6693" I.D.
<b>NW-004</b>	112-2113	<b>Roller Guide wheel</b> , Northern 3-1/2" with 1" face width, .6693" I.D.
<b>WW-21B</b>	M5594G04, M5594G05	<b>Roller Guide wheel</b> , 3-1/2" dia. with polyurethane tire, tire face 5/8", bearing .6693" I.D., double bearing
<b>OW-204</b>		<b>Roller Guide wheel</b> , 3-3/8" O.D. (3" Run dia.) .75" W, w/ 1/2-20 Ext Shaft
<b>WW-28</b>	694B995H01	<b>Roller</b> , For EZ-Oper 3-1/4" O.D. with Stud
<b>HWW-001</b>	377-14 377-12	<b>Roller Guide wheel</b> , 3-1/4" dia. H/W face roller, .420" face
<b>HWW-001A</b>	377-15	<b>Roller Guide wheel</b> , 3-1/4" dia. H/W side roller, .665" face, for HWRG-001
<b>URGW-007</b>		<b>Roller Guide wheel</b> , 3-1/4" for URG-007, 1/2" W for Face
<b>URGW-007A</b>		<b>Roller Guide wheel</b> , 3-1/4" for URG-007, 7/8" W for Side
<b>MIS-143</b>		<b>Roller Guide wheel</b> , 3-1/4" O.D. x .4724" bearing I.D. x .935" polyurethane tire, Double bearing
<b>MIS-143A</b>		<b>Roller Guide wheel</b> , 3-1/4" O.D. x .5906" bearing I.D. x .935" wide polyurethane tire, Double bearing
<b>MIS-143AS</b>		<b>Roller Guide wheel</b> , Soft Poly
<b>MIS-143N</b>		<b>Roller Guide wheel</b> , 3-1/4" x 1" W x .472" I.D., Neoprene Tire
<b>MIS-143S</b>		<b>Roller Guide wheel</b> , 3-1/4" O.D x .4724" bearing I.D. x .935" soft polyurethane tire, Double bearing
<b>GW-1</b>	377-12	<b>Roller Guide wheel</b> , 3-1/4" O.D. with 1/2" face, 2 bearings, .6693" I.D.
<b>GW-1A</b>	377-13	<b>Roller Guide wheel</b> , 3-1/4" O.D. with 3/4" face, 2 bearings, .6693" I.D.
<b>MW-12</b>	513962-00F	<b>Roller Guide wheel</b> , 3-1/4" O.D. with two bearings, 5/8" I.D., 1/2" tire face
<b>MW-13</b>	513962-00S	<b>Roller Guide wheel</b> , 3-1/4" O.D. with two bearings, 5/8" I.D., 7/8" tire face
<b>MW-13B</b>		<b>Shaft</b> , Eccentric for MW-13, 1/2-13 Thrd
<b>DW-15A</b>	155804	<b>Roller Guide wheel</b> , 3-1/4" O.D. 1" W, 1/2" Face .669" I.D.
<b>SDO-036</b>	909-6008	<b>Roller Guide wheel</b> , ECI 3-1/4", 6203 bearing
<b>KOGS-10</b>	KM86789G02	<b>Roller Guide wheel</b> , for Guide Shoe 80mm 3.16" x 1.11" (80mm x 28mm x 2mm), bearing 6203
<b>OW-21</b>	A6037D1	<b>Roller Guide wheel</b> , 3.15" O.D., .587" W, 1/2" face, .875" I.D., aluminum
<b>ACLAW-004</b>	141867.06	<b>Roller Guide wheel</b> , ACLA, 3.15", 80mm x 25mm with 6205 bearing (25mm ID)
<b>ACLAW-005</b>		<b>Roller Guide wheel</b> , ACLA, 2.36", 80mm x 25mm with 6205 bearing (25mm ID)



HW-4



MIS-148B



NW-001



NW-004



WW-21B



HWW-001A



URGW-007



URGW-007A



MIS-143



MIS-143A



MIS-143N



MIS-143S



GW-1




GW-1A



MW-12



MW-13




DW-15A



OW-21



ACLAW-004



ACLAW-006

## Guide Rollers



S.E.E.S. #	O.E.M. #	Description
ACLAW-006		<b>Roller Guide wheel</b> , ACLA, 3.15", 80mm x 30mm with 6005 bearing (25mm ID)
ACLAW-007		<b>Roller Guide wheel</b> , ACLA, 180mm x 35mm w/ (2) 6204 bearing (20mm ID)
ACLAW-007A		<b>Roller Guide wheel</b> , ACLA, 180mm x 35mm w/ (2) 6005 bearing (25mm ID)
CW-001		<b>Carousel Wheel</b> , 3.15" O.D., 80mm x 25mm x 17mm Delring with 6203 Bearing
CWB-001		<b>Carousel Wheel Bumper</b> , PPT95A
CWB-001A		<b>Bumper Back Plate</b> , for CWB-001
CWB-001B		<b>Connector Assembly</b> , for CWB-001
ETNW-001		<b>Roller Guide wheel</b> , ETN 50mm O.D. x 15mm W 6000 Brg, 110mm ID
ETNW-002		<b>Roller Guide wheel</b> , ETN 50mm O.D. x 18mm W 6003 Brg, 117mm ID
TW-002	650C003	<b>Roller Guide wheel</b> , Thyssenkrupp C.W. 3-1/8" O.D. x 7/8" (80mm x 22mm), .6693" I.D.
OTWH-11		<b>Roller</b> , 3-1/8" O.D. x .79" (80mm x 20mm) Bearing 6204
SEES-HLW-001		<b>Roller Guide wheel</b> , 3.132" x 1.185", Hollister Whitney
SEES-HLW-001A		<b>Roller</b> , 3.132" x 1.185" with Eccentric Shaft and Hdw
HLW-002	SP-000138	<b>Roller</b> , for Waupaca 80mm with Ecc Hex Shaft, 3-5/32"
HLW-004	M-005598	<b>Roller</b> , for Cemco\REI 80mm with Eccentric Hex Shaft
HLW-004A		<b>Roller</b> , for Cemco\REI 80mm x 35mm with Straight Hex Shaft
OW-4	456DN1	<b>Roller Guide wheel</b> , 3" O.D., 3/8" flat polyurethane tire face, with 1/2" N.C. threaded eccentric shaft 1" L
OW-4B	456DN3	<b>Roller Guide wheel</b> , shaft 2-3/8" L, 7/8" spacer, O.D. 3"
DW-15	9834734, 103473	<b>Roller Guide wheel</b> , 3" O.D., .668" Bearing I.D., for roller assembly #103477
MIS-188K		<b>Roller Guide wheel</b> , 3" O.D. x 7/8" Face 1-3/16" W, (2) R12RS (3/4" Bore)
MIS-187	M1286	<b>Roller Guide wheel</b> , 3" O.D. x .5906" bearing I.D. x 1" W tire. Double bearing. Tire face 3/8"
MW-2	P2964	<b>Roller Guide wheel</b> , 3" O.D., 1/2" tire face, .7874" bearing I.D.
WW-20	144A277G01	<b>Roller Guide wheel</b> , 3" diameter, .6693" I.D., 1" thick
WW-20A	144A277G02	<b>Roller Guide wheel</b> , 3".6693 bore, steel hub
WW-20AH	144A277G02-H	<b>Roller Guide wheel</b> , 3".6693 bore, steel hub, hard poly
SCWH-20		<b>Roller</b> , 76mm x 25mm, 6204
FJWH-1		<b>Roller</b> , 75mm x 23.5mm, 6204, 2.95" O.D.
FUJ-078		<b>Pressure Roller</b> , 75mm x 70mm x 20mm I.D. (6004 Brg)
TOWH-4		<b>Roller Guide wheel</b> , with Plastic roller, 2-7/8" x 7/16" 73mm O.D. x 11mm I.D. 6200 bearing
MW-13A		<b>Roller Guide Wheel</b> , 2-7/8" O.D. Piston Follower Double 99502H bearing 5/8" Bore
SCWH-5		<b>Roller Guide wheel</b> , Nylon Aluminum Hub Handrail Roller 2.75" (70mm*50mm)
DW-11	9819745	<b>Roller Guide wheel</b> , 2-5/8" O.D. counter weight, Omega
TW-001	9819745	<b>Roller</b> , Thyssen Counter Weight, 2.625" diameter, .6693" I.D., 90 Duro
DCW-002	60400011	<b>Roller Guide wheel</b> , Revolver Boone Olster 2-9/16" O.D. x 3/4" W, 6205 Bearing
MIS-221		<b>Roller Guide wheel</b> , 2.5" home lift, 1/2" I.D., 2-1/2" O.D., 1.485" bearing I.D.
ACW-002	TF-ACR25	<b>Roller Guide wheel</b> , for American Crescent, 2-1/2" O.D. x 2" Wide
ACW-003	TF-ACR25	<b>Roller Guide wheel</b> , for American Crescent, 2-1/2" O.D. x 1" Wide

## Miscellaneous Rollers

S.E.E.S. #	O.E.M. #	Description
<b>ACW-002</b>	TF-ACR250	<b>Roller</b> , for American Crescent, 2-1/2" O.D. x 2" Wide
<b>ACW-003</b>	TF-ACR251	<b>Roller</b> , for American Crescent, 2-1/2" O.D. x 1" Wide
<b>CEMW-001</b>		<b>Cemco Coupling Roller</b> , Roller Only, 1-15/16" O.D. x 1-1/8" I.D.
<b>DW-1</b>	9838351, 63835	<b>Roller kit</b> , 1-5/8" diameter roller, nylon bushing and retaining ring
<b>DW-1S</b>		<b>Pickup Roller</b> , with Shaft and Retaining Ring
<b>DW-1-P</b>	D-803R1-POLY	<b>Roller kit</b> , 1-5/8" O.D. Poly Blue with Bushing and ring
<b>DW-1-PS</b>	D-803R1-POLY-SOFT	<b>Roller kit</b> , 1-5/8" O.D. Poly Black - Soft with Bushing and ring
<b>FJLO-5</b>		<b>Wheel</b> , For Door Lock 38mm O.D. 16mm W, 14mm I.D.
<b>FJLO-6</b>		<b>Wheel</b> , For Door Lock 30mm O.D. 16mm W, 14mm I.D.
<b>HLW-001</b>		<b>Roller</b> , 2-3/8" O.D. x 1-3/16" W
<b>HLW-001E</b>		<b>Roller</b> , for OLS, 2-3/8" O.D. x 1-3/16" W w/ Eccentric Hex Shaft
<b>HLW-003</b>	M-005598	<b>Roller</b> , for Waupaca 60mm with Straight Hex Shaft
<b>HLW-005</b>		<b>Roller</b> , for Garaventa 2-1/4" O.D.
<b>HLW-005A</b>		<b>Roller</b> , for Garaventa 2-1/4" O.D. .765" W, with Straight Shaft
<b>HLW-006</b>		<b>Roller</b> , for Cheney 2.43" O.D. x .595" W, with Straight Shaft
<b>HLW-008</b>		<b>Hanger Roller</b> , for Savaria 3.375" O.D. x 5/8" with Shaft
<b>KOOL-SM2093</b>		<b>Sematic Roller</b> , Radius Groove, M6 Shaft, 60mm O.D. x18mm wide
<b>KOOL-SM2094</b>		<b>Sematic Roller</b> , Radius Groove, M8 Shaft, 36/30mm O.D. x18mm wide
<b>HLW-008</b>		<b>Hanger Roller</b> , for Savaria 3.375" O.D. x 5/8" with Shaft
<b>MOT-WH-5</b>		<b>Wheel</b> , Tach for 1/2" Shaft
<b>OW-205</b>		<b>CW Roller</b> , Convex Tire 2.20" O.D. x 7/8" W x .370" I.D.
<b>REW-001</b>		<b>Roller</b> , for Residential elevator, 3" O.D. x 1-1/2" W with Shaft
<b>SDO-008B</b>	611010220	<b>Roller/Axle Assembly</b> , 30mm x 10mm for Schindler QKS9, D30, 1.18" O.D.
<b>SEMW-001</b>		<b>Sematic Roller</b> , 36/30mm O.D. x 18mm Wide Radius Groove, M8 Shaft
<b>SEMW-002</b>		<b>Sematic Roller</b> , 60mm O.D. x 18mm Wide Radius Groove, M6 Shaft
<b>THLO-1</b>		<b>Roller</b> , for Door Lock 30mm x 20mm ID:15, 1.18" O.D.



ACW-002



HLW-001




HLW-001E



HLW-003



DW-1



DW-1-P



HLW-006



FJLO-5



FJLO-6



OW-205



CEMW-001



WW-4



AW-1



AW-3



DW-2A

DW-3A




WW-1



WW-7RH

## Hanger Assemblies

S.E.E.S. #	O.E.M. #	Description
<b>WW-4</b>	T5409G99	<b>Hanger assembly</b> , complete, with WW-5, 4-3/8" O.D.
<b>WW-11RH</b>	324C083G99	<b>Hanger assembly</b> , complete, R.H., with WW-12, 4-1/4" O.D.
<b>WW-11LH</b>	324C083G99	<b>Hanger assembly</b> , complete, L.H. with WW-12, 4-1/4" O.D.
<b>HW-18</b>	3-40155-59	<b>Door Hanger &amp; Roller</b> , Assembly with 3-5/16" roller
<b>DW-3A</b>	9838533	<b>Hanger assembly</b> , high pocket, consists of mounting bracket DW-3B, hanger roller DW-3, 3-5/16" O.D., and eccentric upthrust shaft DW-9, with roller tire assembly DW-10
<b>AW-1</b>	12103-01, B733004	<b>Hanger assembly</b> , with 3-1/4" steel roller
<b>DW-3-AL</b>	9864295-AL	<b>Hanger assembly</b> , 3-5/16" Alum Hub 90 Duro Urethane
<b>AW-3</b>	12103-01, B733004	<b>Hanger assembly</b> , with 3-1/4" polyurethane roller
<b>DW-2A</b>	9838340	<b>Hanger assembly</b> , low pocket, consists of mounting bracket DW-2B, hanger roller DW-2, 2-7/8" O.D. and eccentric upthrust shaft DW-9, with roller tire assembly DW-10
<b>WW-1</b>	T5411G99	<b>Hanger assembly</b> , 3-3/8" O.D., complete for flat track
<b>WW-1R</b>	T5411G99	<b>Hanger assembly</b> , For Round Track 3-3/8", Individual -Round
<b>WW-14LH-P</b>	W408L-POLY	<b>Hanger assembly</b> , L.H. with Poly Roller, 2-3/4" O.D.
<b>WW-14RH-P</b>	W408R-POLY	<b>Hanger assembly</b> , R.H. with Poly Roller, 2-3/4" O.D.
<b>WW-14LH-PR</b>	W408L-POLY-R	<b>Hanger assembly</b> , L.H. with Poly Roller, Reversed (Backside), 2-3/4" O.D.
<b>WW-14RH-PR</b>	W408R-POLY-R	<b>Hanger assembly</b> , R.H. with Poly Roller, Reversed (Backside), 2-3/4" O.D.
<b>WW-7RH</b>	M7405G99	<b>Hanger assembly</b> , complete, R.H. with WW-18, 2-3/4" O.D.
<b>WW-7LH</b>	M7405G99	<b>Hanger assembly</b> , complete, L.H. with WW-18, 2-3/4" O.D.
<b>WW-7RH-NYLON</b>	M7405G3, G5	<b>Hanger assembly</b> , complete, R.H. with WW-17 nylon roller, 2-3/4" O.D.
<b>WW-7LH-NYLON</b>	M7405G4, G6	<b>Hanger assembly</b> , complete, L.H. with WW-17 nylon roller, 2-3/4" O.D.
<b>WW-14RH</b>	325C798G01	<b>Hanger assembly</b> , complete, R.H., with WW-15, 2-3/4" O.D.
<b>WW-14LH</b>	325C798G02	<b>Hanger assembly</b> , complete, L.H., R.H., with WW-15, 2-3/4" O.D.
<b>OW-23</b>	389J	<b>Hanger assembly</b> , for Type B & 7087, OW-13A, 2-3/4" O.D.



WW-7RH NYLON



WW-14LH



OW-23

## Hanger Assemblies

S.E.E.S. #	O.E.M. #	Description
OW-19	B6037B6	<b>Hanger assembly</b> , 2-1/4" O.D., for hoistway, includes heavy bracket OW-19A, B6037B1 rollers and wiper
GDO-2A	HH10-0041N, OS-NM	<b>Hanger Assembly</b> , includes; nylon wheel 2-1/4" O.D. x 9/16", mounting bracket and hardware required to replace "old style" s steel roller
KOOL-KN-2021	KN2021	<b>Roller</b> , Hanger ADM/ADR 70mm x 17mm with Shaft
SCHR-2A		<b>Hanger assembly</b> , 1.57" x .35", 40mm x 9mm Straight Bracket only
SCHR-2B		<b>Hanger assembly</b> , 1.57" x .35", 40mm x 9mm Straight Bracket with Hardware
SCHR-3A		<b>Hanger assembly</b> , 1.57" x .35", 40mm x 9mm Offset Bracket
SCHR-3B		<b>Hanger assembly</b> , 1.57" x .35", 40mm x 9mm Offset Bracket, with Counter Sunk Holes



OW-19

**SEES, INC.**

# SAVE BIG ON SUPPLIES

**Everything you need for an elevator inspection.**



**SEES-WC-002**

SEES Weight Test Cart, 500lbs

**SEES-TOOL-002**

Voltage Detector with Light



**MIS-211**

Door Pressure Gauge



**SEES-HYD-PG-007**

SEES Pressure Gauge Kit

Hydraulic Elevator - Periodic Test Tag				
Person or Firm Performing Test				
Periodic Test Category - 1		Test Item	Test Date	Test Date
A17.1-2007 & A171a-2008	Report #	Test Item	Test Date	Test Date
B.11.1.2.1	B.6.5.1.2.1	Hand Wheel & System Pressure		
B.11.1.2.2	B.6.5.1.2.2	Cylinder & Pressure Piping		
B.11.1.2.3	B.6.5.1.2.3	Emergency Operation Device		
B.11.1.2.4	B.6.5.1.2.4	Generator		
B.11.1.2.5	B.6.5.1.2.5	Oil Pump		
B.11.1.2.6	B.6.5.1.2.6	Oil Lines		
B.11.1.2.7	B.6.5.1.2.7	Emergency Operation PPS		
B.11.1.2.8	B.6.5.1.2.8	Generator Operation		
B.11.1.2.9	B.6.5.1.2.9	Power Operation of Doors		
B.11.1.2.10	B.6.5.1.2.10	Generator Redundancy		
B.11.1.2.11	B.6.5.1.2.11	Low Oil Protection		
B.11.1.2.12	B.6.5.1.2.12	Flexible Hoses & Fitting		
B.6.5.14.6	A17.1-2010 - Power Operation of			
B.6.5.14.7	A17.1-2010 - Slack Rope Device			

**MIS-166HT**

Test Tag, Hydro Elevator 4x6 A17.1-2007 & A171a-2008



**SEES-DWT-001**

SEES Door Wedge Tool, Poly with Key Chain



**SEES-JUMPER-001**

SEES Jumper Kit, used for temporarily jumping out circuits while under repair. Jumper test lead with pouch, includes alligator clip, spring loaded plunger, and lug terminal.



**WR-MT**

Wire rope measuring gauge, for imperial sizes, go/no go style, use on rope diameters 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4"



**HYD-PSW-002**

Pressure Switch, Low Pressure  
15-150 PSI Range, 250V Max.



@SEESinc



SEESInc.com/blogs



SEESInc

*Always Smooth Sailing*

**SEES**

SOUTHERN ELEVATOR  
& ELECTRIC SUPPLY

2781 West McNab Rd., Pompano Beach, FL 33069 • 800-526-0026 • www.SEESinc.com

**Hanger Rollers**

S.E.E.S. #	O.E.M. #	Description
HIW-3		<b>Hanger Roller</b> , 5.12" O.D., 130mm x 30m with 15mm I.D. Double 6202
WW-5	R8636G98, R8636G01	<b>Hanger roller</b> , 4-3/8" diameter, 1-1/8" bearing, aluminum with polyurethane tire, fits square rail
MIS-188B		<b>Hanger Roller</b> , 4.25" O.D. x .60" W with 6204 brg (.7874" I.D.) Westinghouse
WW-12	323C235G02	<b>Hanger Roller</b> , 4-1/4" diameter, 6204" bearing .7874" I.D., aluminum with polyurethane tire
WW-12N	323C235G01	<b>Roller</b> , Nylon 4-1/4" O.D. with .7874" I.D.
STW-003	ST343	<b>Hanger Roller</b> , 3.812" x .875" .6693" I.D. (6203 Brg)
KOHR-1		<b>Roller</b> , Hanger 3.7" x .75" (94mm x 19mm), bearing 6203 groove diameter 84.5mm
KOHR-6		<b>Roller</b> , Hanger with Eccentric 3.7" x .75" (94mm x 19mm), bearing 6203, groove diameter 84.5mm
HW-7	3-40157-63	<b>Hanger Roller</b> , 3-11/16" diameter with .6299" bearing I.D.
MW-8	MAP344, P31344	<b>Roller</b> , Car door roller, 3-11/16"
MW-8E	P022237	<b>Roller</b> , Car door roller, 3-11/16", with eccentric shaft
HW-2	3-16847-01	<b>Door Hanger Roller</b> , nylon, 3-11/16" O.D. x 3/4" wide, .6299" bearing I.D.
MIS-143B	03-018-037	<b>Hanger Roller</b> , ESCO 3-11/16" 3-1/4" Run O.D. Bushing
MIS-143C	A406AM, 03-018-08	<b>Hanger Roller</b> , ESCO 3-11/16" 3-1/4" Run O.D. without bushing
OTHR-2		<b>Roller</b> , Hanger, 3.54" x .71" (90mm x 18mm)
OTHR-1		<b>Roller</b> , for Hanger Assembly 3.39" x .79" (86mm O.D. x 20mm), bearing 6204 ID:20mm
KOHR-18		<b>Roller</b> , Hanger 85mm x19mm, bearing 6203Z, 3.35" W
MIS-195		<b>Door Hanger Roller</b> , Williamsburg Style, 3-3/8" O.D., x 7/8" W steel roller with flat nylon track 1/2", eccentric threaded shaft 1/2-20 fine x 3/4" long
MIS-195A		<b>Door Hanger Roller</b> , 3-3/8" O.D., x 7/8" W steel roller with convex nylon track, 1/4" radius tire face with eccentric threaded shaft 1/2-20 fine x 3/4" long
MIS-195B		<b>Roller</b> , 3-3/8" O.D. with 1/4" Radius, 3" Running dia. 1/2-20 Eccentric Shaft, no Plate
MIS-195C		<b>Roller</b> , 3-3/8" O.D. with 1/4" Radius, 3" Run dia. 5/8-18 Eccentric Shaft, *Recessed Hub on Both Sides
OW-40		<b>Hanger Roller</b> , 3-3/8" Poly 6203 with Eccentric Shaft 7/16-20
OW-40A		<b>Hanger Roller</b> , 3-3/8" Poly 6203 w/ Straight Shaft 7/16-20
WW-2	R8858G01	<b>Hanger Roller</b> , 3-3/8" diameter, R8858G01 aluminum with polyurethane tire, 6204 bearing
HW-14	AR928A3	<b>Hanger Roller</b> , 3-3/8" diameter, eccentric shaft 5/8"
HW-14A		<b>Hanger Roller</b> , 3-3/8" O.D. with Spec Eccentric
OW-12	456CX4	<b>Door Hanger Roller</b> , 3-3/8" O.D. x 13/16" , .7874 bore I.D., with 11/32" radius on concave polyurethane tire surface
OW-12A		<b>Door Hanger Roller</b> , 3-3/8" O.D. x 13/16" , .7874" I.D., all steel construction for flat track
OW-12C		<b>Door Hanger Roller</b> , 3-3/8" O.D. x 13/16" , .7874" I.D., aluminum with polyurethane tire for flat track
OW-12S		<b>Door Hanger Roller</b> , 3-3/8" O.D. x 13/16" .7874" I.D., steel with polyurethane tire for flat track






## Hanger Rollers

S.E.E.S. #	O.E.M. #	Description
<b>OW-1</b>	456DH1	<b>Door Hanger Roller</b> , 3-3/8" O.D. x 13/16" poly tire with eccentric, 1/2" NF threaded shaft
<b>OW-1BA</b>		<b>Door Hanger Roller</b> , 3-3/8" O.D. Flat/Radius, Roller Only
<b>OW-1E</b>	AAA456YA1/ AAA456YA3	<b>Door Hanger Roller</b> , 3-3/8" Flat/Rad with Ecc Shaft M12 Thrd
<b>OW-1E-A</b>		<b>Hanger Roller</b> , 3-3/8" Flat/Rad w/ Ecc Shaft Reversed
<b>OW-1S</b>		<b>Hanger Roller</b> , 3-3/8" O.D. Steel, Flat Track with eccentric
<b>MDW-001</b>		<b>Modern Elevator Hanger Roller</b> , 3-3/8" O.D. Flat Track
<b>OW-1B</b>		<b>Hanger Roller</b> , 3-3/8" O.D. Flat / Radius, w/ OW-13B
<b>OW-1C</b>		<b>Hanger Roller</b> , 3-3/8" O.D. Flat / Radius, with Shaft
<b>OW-1D</b>	456EW1 456EW2	<b>Hanger Roller</b> , 3-3/8" Flat / Rad with Ecc. Shaft 1/2-20 Thread
<b>MIS-TYL-001</b>		<b>Hanger Roller</b> , Tyler, 3-5/16", with eccentric
<b>MIS-TYL-001B</b>		<b>Hanger Roller</b> , Tyler, 3-5/16", with HW-14 Eccentric
<b>MIS-TYL-002</b>		<b>Tyler Bearing</b> , with eccentric and hardware
<b>MIS-TYL-003</b>		<b>Roller</b> , 3-5/16" with Eccentric Medium Poly
<b>MIS-TYL-005</b>		<b>Hanger Roller</b> , 3-3/8" with ecc. 6204 Brg, 5/8-18 Thread
<b>MIS-TYL-005A</b>		<b>Hanger Roller</b> , Tyler, 3-3/8" without Eccentric Shaft 6204 Brg
<b>MIS-TYL-006</b>		<b>Hanger Roller</b> , 3-3/8" with ecc. 6204 Brg
<b>MIS-TYL-006A</b>		<b>Door Gib</b> , with Brass Insert & Mgt. Screw
<b>MIS-TYL-007</b>		<b>Door Gib Kit</b> , Gib, Bracket # Hdw
<b>KW-005</b>		<b>Roller</b> , Hanger 3-5/16" O.D. x .6693" I.D., with 7/16-20 Shaft
<b>KW-005E</b>		<b>Roller</b> , Hanger 3-5/16" O.D. x .6693" I.D., with 7/16-20 Ecc. Shaft
<b>KOOL-OT2036 OT2036</b>		<b>Hanger Roller</b> , OTIS, Europa 70mm
<b>DW-3</b>	9864295	<b>Hanger Roller</b> , .6693" I.D., steel with polyurethane tires, 3-5/16" diameter
<b>HW-6</b>	3-40130-77, 3-40130-79	<b>Hanger Roller</b> , for B-4 hanger, 3-5/16" O.D. with .625" bearing I.D.
<b>MIW-001</b>	MBH331	<b>Hanger Roller</b> , Flat Track 3.312" O.D. x .687" I.D.
<b>AW-11</b>		<b>Sheave</b> , 3-3/8" O.D., .6693 I.D., #7 Car door hanger For concave track
<b>OW-2</b>	456W1	<b>Door Hanger Roller</b> , 3-1/4" O.D. x 11/16" with .9841 bore I.D., polyurethane tire
<b>OW-18</b>	A456EA1	<b>Steel Hanger Roller</b> , for 6178A assembly 3-1/4" O.D. x 11/16", bore 1/2"
<b>OW-11S</b>	A456W1	<b>Door Hanger Roller</b> , 3-1/4" O.D. x 11/16", 1/2" I.D. steel roller with polyurethane tire
<b>DW-17</b>	9861245	<b>Roller</b> , hanger, 3-1/4" O.D. aluminum wheel with urethane tire for assembly #66137
<b>OW-18A</b>	A456EA1	<b>Hanger Roller</b> , 3-1/4" O.D. 11/16" wide, for 6178A assembly steel with polyurethane tire
<b>DALW-002E</b>		<b>Hanger Roller</b> , 3-1/4" O.D. with Ext Ecc. Shaft, 6203
<b>SCHR-050</b>		<b>Hanger Roller</b> , 3-3/8" O.D. x .80 W with Eccentric 5/8-18 Shaft

## Hanger Rollers

S.E.E.S. #	O.E.M. #	Description
<b>GDO-2S</b>		<b>Hanger Roller</b> , 3-1/4" O.D. Steel Hub with Poly Tire
<b>BW-001</b>		<b>Hanger Roller</b> , Beckett 3-1/4" x .6693" I.D. w/ Shaft
<b>BW-001A</b>		<b>Hanger Roller</b> , Alum, Beckett 3-1/4" x .6693" I.D. with shaft
<b>BW-001AE</b>		<b>Hanger Roller</b> , Alum, Beckett 3-1/4" x .6693" I.D. with eccentric shaft
<b>BW-002AE</b>		<b>Hanger Roller</b> , Alum, Beckett 3-1/4" x .6693" I.D., Ext Ecc-Shft
<b>GDO-2</b>	456DH4	<b>Door Hanger Roller Kit</b> , 3-1/4" diameter roller with bushing and HH1-0025N hardware kit, aluminum hub with polyurethane tire
<b>GDO-2-INSERT</b>		<b>Reducer Bushing</b> , 1/2" I.D. insert for GDO-2, 2N and 2S
<b>GDO-2B</b>		<b>Door Hanger Roller</b> , 3-1/4" diameter roller, aluminum hub with polyurethane tire. Used in GDO-2
<b>GDO-2C</b>	G401AM	<b>Hanger Roller</b> , 3-1/4" O.D. x .6693" I.D. with axle stud
<b>GDO-2N</b>	HH1-0025N	<b>Door Hanger Roller Kit</b> , 3-1/4" diameter roller with wiper, steel hub with nylon tire
<b>GDO-2N-KIT</b>		<b>Door Hanger Roller Kit</b> , 3-1/4" diameter roller with wiper and hardware kit, steel hub with nylon tire
<b>GDO-2N-SET</b>		<b>Door Hanger Roller Set</b> , 3-1/4" O.D. Nylon with Wiper, Hdw, Bushing
<b>GDO-2SKW-B</b>	HH5-0028N	<b>Door Hanger Roller Kit</b> , 3-1/4" steel roller with Type "C" wiper & hardware
<b>GDO-2SK</b>		<b>Hanger Roller</b> , 3-1/4" O.D. with hardware, steel version, made of GDO-2S and GDO-2-XHDW-KIT
<b>FJW-002</b>	FH325	<b>Hanger Roller</b> , 3.25" O.D. with Ecc. .7874" I.D. (6204 Brg)
<b>MEHR-001</b>	30008565	<b>Roller</b> , Meiller Door Hanger 65mm x 17mm 6201 Radius Track, Single Groove
<b>MEHR-002</b>	30008566	<b>Roller</b> , Meiller Door Hanger 65mm x 21mm 6201 Radius Track, Double Groove



GDO-2S



BW-001



BW-001AE




GDO-2



GDO-2-INSERT




GDO-2B



GDO-2N





WW-19A

SCHR-1



SCHR-2

SCHR-3



MW-7

DW-2




DALW-001E

SCHR-8



HIHR-6

OW-13A



WW-18

WW-15

WW-15A

WW-17

WW-18S

WW-15P

KOHR-16



HW-8

HW-15

HIHR-1

## Hanger Rollers

S.E.E.S. #	O.E.M. #	Description
<b>MIS-EW-001</b>		<b>Hanger Roller, ERM Nylon 3.135" O.D. x .6693" I.D. x .720" Wide</b>
<b>WW-19A</b>	7266C866G01	<b>Steel Hanger Roller, 3" dia.</b>
<b>FUJ-072</b>	D00403001	<b>Door Hanger Roller, O.D. 3" (76mm) x .67" (17mm)</b>
<b>SCHR-1</b>		<b>Roller for Hanger, O.D. 3" (76mm)</b>
<b>SCHR-2</b>		<b>Roller for Hanger, 2.95" x .47" (75mm x 12mm), straight panel</b>
<b>SCHR-3</b>		<b>Roller for Hanger, 2.95" x .47" (75mm x 12mm)</b>
<b>SCHR-052</b>		<b>Hanger Roller, Varidor 30, 2.91" x .71", 74/63mm x 18mm, with Shaft/Bush</b>
<b>MW-7</b>	MAP341	<b>Roller, Hatch door roller, 2-7/8"</b>
<b>DW-2</b>	9838302, W-417	<b>Hatch Door Hanger Roller, 2-7/8" dia., .6693" I.D. 63830) aluminum with polyurethane tires</b>
<b>DALW-001E</b>		<b>Hanger Roller, 2-7/8" O.D. with Ext Ecc. Shaft, 6203 Brg</b>
<b>DCW-001</b>		<b>Carroage Hanger Roller, 2-7/8" O.D., Alum with Poly</b>
<b>DCW-004</b>	412498	<b>Roller, Duraglide 1000 Load Wheel Assy, Rev P5</b>
<b>SCHR-8</b>		<b>Roller for Hanger for AD9 2.83" x .59" (72mm x 15mm) GD:64, bearing 6200</b>
<b>HIHR-6</b>		<b>Roller, Freight Lift Hanger 2.76" x .79" (70mm x 20mm) GD:64, 6204 ID:20mm</b>
<b>TOWH-3</b>		<b>Roller, 2-3/4" diameter, nylon roller</b>
<b>WW-17A</b>		<b>Roller, Nylon 2-3/4" O.D. x .6693" bore, 6203 bearing</b>
<b>OW-13</b>	456CC1	<b>Steel Door Roller, 2-3/4" O.D. x 3/4", .7872" bore I.D. (for OW-23)</b>
<b>OW-13A</b>	456CC1	<b>Door Roller same as above but with polyurethane tire (for OW-23)</b>
<b>OW-32</b>		<b>Hanger Roller, 70mm x 14mm x 8mm</b>
<b>WW-15</b>	325C798G09	<b>Aluminum Roller, 2-3/4" dia.</b>
<b>WW-18</b>	576B535G98	<b>Hanger Roller, 2-3/4" diameter, aluminum with poly tire</b>
<b>WW-15A</b>		<b>Aluminum Roller, 2-3/4" dia., .600" thick</b>
<b>WW-17</b>	576B535G04	<b>Nylon Roller, 2-3/4" dia., .5906" I.D.</b>
<b>WW-18S</b>	576B535-G98	<b>Hanger Roller, 2-3/4" Steel with poly, .5906" I.D.</b>
<b>OW-13AW</b>		<b>Hanger Roller, 2-3-4" O.D., Flat track (wide)</b>
<b>WW-15P</b>	W-408W1-POLY	<b>Hanger Roller, Alum w/ Poly 2-3/4" O.D. for WW-14LH/RH-P</b>
<b>THHR-1</b>		<b>Roller for Door Hanger 70mm x 17mm (2.76" x .67"), bearing 6200 ID:10 GD:62</b>
<b>THHR-2</b>		<b>Roller for Door Hanger 70mm x 17mm (2.76" x .67"), bearing 6200 ID:10 GD:62</b>
<b>FJHR-1</b>		<b>Hanger Roller, 2.68" O.D. x .55" W, bearing 6202</b>
<b>KOHR-16</b>		<b>Roller, Hanger 2.68" x .67" (68mm x 17mm), bearing 6203Z</b>
<b>HW-8</b>	3-40157-60	<b>Hanger Roller, 2-5/8" diameter with .6299" bearing I.D.</b>
<b>HW-15</b>	35-727-30	<b>Door Clutch Roller, 2-9/16" O.D. x 3/4" wide with 5/8" bearing I.D., for door clutch arm R.H. or L.H.</b>
<b>HIHR-1</b>		<b>Roller, Hanger 2.56" x .51" (65mm x 13mm), bearing 6202RS, GD:60 ID:15mm</b>



**Hanger Rollers**

S.E.E.S. #	O.E.M. #	Description
KOWH-20		<b>Roller</b> , for SELCOM Hanger 2.52" x .43" (64mm x 11mm), bearing 6202 ID:10
KOWH-20A		<b>Hanger Roller</b> , SELCOM 86mm x 16mm, 6203 Brg
KOHR-27		<b>Roller, Pulley</b> , 2.52" x .354" (64mm x 9mm 8mm I.D.), Counterbore Shaft
KOHR-3		<b>Roller</b> , Nylon Hanger 2.44" x .63" (62mm x 16mm), bearing 6203 groove diameter 52mm, ID:17mm
KOHR-14		<b>Roller</b> , Hanger 2.35" x .51" (59.6mm x 13mm), bearing 6002Z
KOHR-15		<b>Roller</b> , Hanger 2.35" x .51" (59.6mm x 13mm), bearing 6002Z
GDO-2AP		<b>Hanger Roller</b> , 2-1/4" O.D. Alum Hub with Poly Tire
HW-1A	3-16497-00	<b>Roller Guide Assembly</b> , door clutch, 2-1/4" O.D. x 9/16" face with 7/16" bore
KOHR-2		<b>Roller</b> , Hanger 2.20" x .61" (56mm x 15.5mm), bearing 6202
KOHR-28		<b>Roller</b> , Hanger 2.20" x .55" (56mm x 14mm) with Integral Shaft
KOHR-17		<b>Roller</b> , Hanger 2.19" x .79" (55.5mm x 20mm), bearing 6202Z
SCHR-7		<b>Roller</b> , for Hanger 2.13" x .71" (54mm x 18mm) GD:48, bearing 6200 ID:10
SCHR-11		<b>Roller</b> , for Hanger 2.13" x .79" (54mm x 20mm) GD:48, bearing 6200 ID:10
OW-20	456FC1	<b>Hanger Roller</b> , LRV, 2" O.D.
OW-17	456CE4	<b>Roller</b> with eccentric shaft, 2" O.D. x 9/16" with threaded shaft 1/2-20
KOWH-21		<b>Roller</b> , 1.98" x .47" (50mm x 12mm), bearing 6002
KOWH-22		<b>Roller</b> , 1.89" x .34" (48mm x 9mm), bearing 608, GD:40 ID:8
OTHR-4	XAA520C1	<b>Roller</b> , for hanger, 84 mm, 3.3" O.D.
OTHR-6	FOC2215Z137	<b>Orly Roller</b> , Door Hanger, D50/40mm x 15mm M10 Eccentric Stud
KOHR-12		<b>Roller</b> , Eccentric for Hanger 1.80" x .67", bearing 6201, groove diameter 39mm
KOHR-7		<b>Roller</b> , Retainer for Hanger 1.80" x .63", bearing 6001, groove diameter 39mm, 6G-M12
KOHR-4		<b>Roller</b> , Nylon Hanger 1.73" x .47" (44mm x 12mm) M8, groove diameter 38mm, ID:12mm
KOHR-9		<b>Roller</b> , for Hanger 1.73" x .63" (44mm x 16mm) groove diameter 38mm, M10
KOHR-8		<b>Roller</b> , Retainer for SELCOM Hanger 1.69" x .63", bearing 6202 with Eccentric Shaft
KOHR-26		<b>Roller</b> , Hanger, 1.42" x .55" (36mm x 14mm) with Eccentric Shaft 10mm Thrd



OTHR-4



KOHR-12



KOHR-7



KOHR-4



KOHR-9



KOHR-8



SEES-BRG-6203

SEES-BRG-6306



MIS-152



MIS-233



MIS-233A



MIS-233B



MIS-233C

## Bearings

S.E.E.S. #	Description
SEES-BRG-608	Bearing, 608-ZZ
SEES-BRG-1602	Bearing, 1602-ZZ
SEES-BRG-1614	Bearing, 1614-2RS
SEES-BRG-1621	Bearing, 1621-2RS
SEES-BRG-5200	Bearing, 5200-2RS
SEES-BRG-5201	Bearing, 5201-2RS
SEES-BRG-5204	Bearing, 5204-2RS
SEES-BRG-5205	Bearing, 5205-2RS
SEES-BRG-5304	Bearing, 5304-2RS
SEES-BRG-6000	Bearing, 6000-2RS
SEES-BRG-6001	Bearing, 6001-2RS
SEES-BRG-6002	Bearing, 6002-2RS
SEES-BRG-6003	Bearing, 6003-2RS
SEES-BRG-6004	Bearing, 6004-2RS
SEES-BRG-6200	Bearing, 6200-2RS

S.E.E.S. #	Description
SEES-BRG-6201	Bearing, 6201-2RS
SEES-BRG-6201-8	Bearing, 6201-2RS-8
SEES-BRG-6202-10	Bearing, 6202-2RS
SEES-BRG-6203	Bearing, 6203-2RS
SEES-BRG-6204	Bearing, 6204-2RS
SEES-BRG-6205	Bearing, 6205-2RS
SEES-BRG-6206	Bearing, 6206-2RS
SEES-BRG-6208	Bearing, 6208-2RS
SEES-BRG-6302	Bearing, 6302-ZZ
SEES-BRG-6304	Bearing, 6304-ZZ
SEES-BRG-6305	Bearing, 6305-ZZ
SEES-BRG-6306	Bearing, 6306-ZZ
SEES-BRG-6800	Bearing, 6800-ZZ
SEES-BRG-99502H	Bearing, 99502H
SEES-BRG-R12	Bearing, R12-2RS
SEES-BRG-R4	Bearing, R4-2RS

S.E.E.S. #	Description
SEES-BRG-6203NR	Bearing, 6203-2RSNR with Retaining Ring
SEES-BRG-6202NR	Bearing, 6202-2RSNR with Retaining Ring
SEES-BRG-99502HNR	Bearing, 99502HNR with Retaining Ring

## Slide Guides

S.E.E.S. #	O.E.M. #	Description
ASCH-001-4		Slide Guide for ACSH-001
DDO-2	9838685	Slide Insert for DDO-21 assembly 2-1/2" L x 3/4" W
DDO-13	9805266, 10526	IVO Slide Guide Shoe, 5-1/2" x 1", 3-1/2" c/c mtg., used with DDO-13C Holder
DDO-21	9838697, 63869	Slide Assembly Complete
DDO-21A		Bracket and Bearing for slide assy DDO-21
DDO-21B	9806623	Slide Holder for DDO-21 assembly
DDO-44	9787768, 108768	Slide Guide, IVO "L" Shape
GGS-001		General Guide Shoe Insert, 15# Rail 5.625" L x 1" W
KM-001	KM-433371H29	Shoe Insert, folding slide
MIS-152		Nylon Gib, long wearing, self lubricating. 8-1/2" L x 1-11/16" W x 1-1/2" H, Slot: 1" D x 5/8" W
MIS-233	8S	Guide Shoe Assembly, Esco fixed, 5/8" rail with insert
MIS-233A	8ST	Slide Guide, Stile Style, Mount Fixed, 5/8" rail
MIS-233B	815DS	Slide Guide Assy, Double Swvle Self Aligning, 10,000 Lbs Cap
MIS-233C	816DS	Slide Guide Assy, Double Swvle Self Aligning, 10,000 Lbs Cap
MIS-233D	815SS	Slide Guide Assy, Single Swvle Self Aligning, 8,000 Lbs Cap
MIS-233E	816SS	Slide Guide Assy, Single Swvle Self Aligning, 10,000 Lbs Cap
MIS-233F		Guide Shoe Insert, 5-7/8" x 1-11/64" x 63/64", M10 x 1.5
MIS-233G		Guide Shoe Insert, 5/8" Rail, 6.25" L x 1.50" W x 1.625" with lip
MIS-233H	18FR	Freight Duty Fixed Guide Assembly, for 3/4" Rail
MIS-233J		Guide Shoe Insert, 1-3/8" x 1-3/8" x 9" L for 5/8" Rail
MIS-233K	30SS	Guide Shoe, Freight Duty 1.25" Rail
MIS-233L	16SS	Guide, Slide 20K/Car SS 3 x 5.5 Mount
ODO-79D	380CE1	Insert, Slide Guide 6 Knob Folding Type
SEES-HL-001G		Replacement Slide Guides for SEES Home Lift



MIS-233E



MIS-233F



MIS-233G