

ESCALATOR

QUICK LOCATOR GUIDE

Fujitec	49-52
Chains, Seals Switches	50
Comb Plates, Steps, Demarcation Strips	51
Rollers	49
General Use Escalator Parts and Supplies	44-48
Skirt Safety Brush, Anti-Slide Knobs, Step Cleaner, Tools	
Handrails, Rollers, Signs, Lamps, Switches, Chains, Oilers	
Hitachi	54-56
Comb Plates, Rollers	54
Demarcation Strips, Steps	55
Sprockets	56
Hyundai	56-59
Comb Plates	58
Demarcation Strips	56-57
Rollers, Boards	57
Steps, Chains	59
Kone / Montgomery / O&K	66-78
Chains	70
Comb Plates	68-69
Rollers	66-67
LG	92-93
Mitsubishi	59-62
Rollers	59
Chains, Steps, Printed Circuit Boards	61
Comb Plates, Demarcation Strips	60
Light covers, Gears, Brakes, Motors	62
Otis	78-91
Rollers	78-79
Chains	90
Comb Plates, Steps, Demarcation Strips	80-86
Schindler / Westinghouse	96-114
Belts and Pulleys	108
Brake Parts	111
Chains and Sprockets	103-104
Combs Plates, Steps, Demarcation Strips	99-102
Motors, Transformers	110-111
Handrail	110
Rollers	96-98
Switches	105-107
Thyssenkrupp	94-95
SJEC	52-53
Toshiba	62-66
Comb Plates, Steps	63
Demarcation Strips, Joint Strips	64
Inlet Covers	65
Rollers	62



MIS-EB-101



MIS-EB-101A-EC




SEES-H20-ALARM-002E



MIS-ESCL-010

MIS-ESCL-1



MIS-EST-001



MIS-EST-001M

Escalator Skirt Brush

S.E.E.S. #	Description
MIS-EB-101	Escalator Safety Dual Brush , This heavy duty deflector device meets safety code requirements worldwide and offers even more incentive to passengers to stay clear of escalator edges!
MIS-EB-101A	Escalator Skirt Brush , Single Brush with Aluminium Base, L = 2.4m
MIS-EB-101A-EC	End Cap , for MIS-EB-101A, Right Hand
MIS-EB-101A-EC-L	End Cap , for MIS-EB-101A, Left Hand

Escalator Flood Alarm

S.E.E.S. #	Description
SEES-H20-ALARM-002E	SEES Escalator Flood Alarm System , 110 VAC with bell and output

Anti-Slide Knob

S.E.E.S. #	Description
MIS-ESCL-010	Anti-Slide Knob , Escalator Puck 2-1/2" OD x 2" H with Toggle Bolt
MIS-ESCL-010-SPEC	Anti-Slide Knob , Escalator Special. Specify Dimensions
MIS-ESCL-011	Anti-Slide Knob , Escalator Dome 2-1/2" OD x 2" H with Toggle Bolt

Step Cleaner

S.E.E.S. #	Description
MIS-ESCL-1	Step Cleaner , Treadmaster escalator step cleaning machine 24" head 120 VAC
MIS-ESCL-2	Step Cleaner , Treadmaster escalator step cleaning machine 32" head 120 VAC
MIS-ESCL-3	Step Cleaner , Treadmaster escalator step cleaning machine 40" head 120 VAC
MIS-ESCL-4	Step Cleaner , Treadmaster escalator step cleaning machine 24" head 220 VAC
MIS-ESCL-5	Step Cleaner , Treadmaster escalator step cleaning machine 32" head 220 VAC
MIS-ESCL-6	Step Cleaner , Treadmaster escalator step cleaning machine 40" head 220 VAC
MIS-ESCL-7	Step Cleaner , Treadmaster 22" 120AC

Escalator Tools

S.E.E.S. #	O.E.M. #	Description
MIS-EST-001		Step Gauge Tool , for Escalator, Professional grade, aluminum
MIS-EST-001M		Step Gauge Tool , for Escalator, metric units, anodized aluminum
MIS-ESC-ACD		Escalator Anti-Climb Device , Clear Acrylic

Escalator Tools

S.E.E.S. #	O.E.M. #	Description
MIS-EST-002	14-300	Escalator Tool, Handrail removal
MIS-EST-003	KM50305098R01	Winch, Control Panel Lift Kit
OW-14	VP878095	Escalator Step Removing Tool, (Two required for safe step removal)
SEES-ISOP-002		SEES Isolation Pad, 1-1/2" Square x 1/8", Neoprene pad, 1/2" hole, set of 4




MIS-EST-002



OW-14

Handrails





Black Deep Ash Grey Dark Blue Sapphire Scarlet Red Dried Orange Orange Green

Handrails

S.E.E.S. #	Model	Description
MISHR-1	XF	Handrail Height: H=33(±1), h=14. Width: DI=82(±2), D=64, d=35(+2).
MISHR-2	SWE	Handrail Height: H=34(±1), h=12. Width: DI=82(±2), D=62(±2), d=33(+3 -1).
MISHR-3	SDS	Handrail Height: H=28.5(±1.5), h=10.6(±0.8). Width: DI=80(+3-1), D=62(+3), d=39(+3). Brand: SDS.
MISHR-4	J	Handrail Height: H=27, h=10. Width: DI=8, D=62(+3), d=41(±1.5).
MISHR-5	OTIS	Handrail Height: H=35.5(±1), h=15.9(+0.5). Width: DI=82.5(+1.5-0.5), D=63.5(±0.5), d=38(+1.6).
MISHR-6	HITACHI	Handrail Height: H=27.5, h=10(+1). Width: DI=80(+1-0.5), D=63(+1.5), d=40(+2 -1).
MISHR-7	F/SW	Handrail Height: H=28.5(-1), h=10(+1.5). Width: DI=80(-1), D=63(+2), d=40(+2 -1)
MISHR-8	HYUNDAI	Handrail Height: H=28.4(±0.7), h=10.4(±0.7). Width: DI=79.3(±0.7), D=63.58(±0.7), d=39.6(+1.5 -0.7).
MISHR-9	LG	Handrail Height: H=31.7(+1), h=11.5(+1). Width: DI=81(+1.5), D=63(+1.5), d=40(+1.5).
MISHR-10	OTIS-800	Handrail Height: H=28(±1), h=9.5(+1). Width: DI=76(-2), D=60(-2), d=39(+2 -1).
MISHR-11	FT-300	Handrail Height: H=35(±1), h=15(+1). Width: DI=88(+4 -2), D=68(-2), d=40(+3 -1).
MISHR-12	SDG	Handrail Height: H=32(±1), h=12. Width: DI=86(±2), D=62(±2), d=36(+2 -1).

*measurements in millimeters





Rollers



MISWH-1



MISWH-2



MISWH-3



MISWH-4



MISWH-5



MISWH-6



MISWH-7



MISWH-8



MISWH-9



MISWH-10

S.E.E.S. #	Description
MISWH-1	Roller, 76mm x 20mm, ID: 15mm, bearing 6202
MISWH-2	Roller, 70mm x 25mm, ID: 20mm, bearing 6204
MISWH-3	Roller, 80mm x 25mm, ID: 20, bearing 6204
MISWH-4	Roller, 80mm x 25mm, ID: 20.1mm
MISWH-5	Roller, Anti Deflection, 70mm x 25mm, bearing 6204
MISWH-6	Roller, 120mm x 30mm, ID: 17mm, double bearing 6203
MISWH-7	Roller, 80mm x 28mm, ID: 17mm, double bearing 6203
MISWH-8	Tach Wheel, 98mm x 30mm, ID: 17mm, double bearing
MISWH-9	Bottom Roller, 98mm x 31mm, ID: 17mm, bearing 6203
MISWH-10	Roller, central roller, ID: 35mm

Signs




S.E.E.S. #	Description
MIS-166G	Sign, Escalator Warning "CAUTION, Hold Handrail, Attend Children..." 4" x 7-1/2" Poly-vinyl, Self-adhesive
MIS-166G-1	Sign, Escalator Warning "CAUTION, No Strollers Permitted..." 4" x 7-1/2" Poly-vinyl, Self-adhesive
MIS-166T	Test Tag, Escalator (1 Year) 3-1/2" x 4" Aluminum Self-adhesive. Also available in rivet mount.
MIS-166W	Sign, Escalator Warning "CAUTION, Do not use as stairs" 4" x 7-1/2" Poly-vinyl, Self-adhesive



MIS-166G



MIS-166G-1



MIS-166T



MIS-166W

Escalator Lights

Demarcation Light Diffuser



S.E.E.S. #	O.E.M. #	Description
MIS-ESC-DLITE-A		Escalator Demarcation Box, LED, 115 VAC
MIS-ESC-DLITE-B		Escalator Demarcation Strip, LED, 24 VAC, Green, 18" x 1"
MIS-ESC-DLITE-C		Escalator Demarcation Strip, LED, 115 VAC, Green, 18" x 1"
ML-FLG-GREEN	S40	Fluorescent lamp guard, 4' long, green, (slit)



MIS-ESC-DLITE-A



ML-FLG-GREEN

Chain Oiler Kit

S.E.E.S. #	Description
MIS-ESC-001	Chain Oiler Kit, Motorized Dual Escalator Oiler for Drive Chains
MIS-ESC-001-1	Oil Throttle, for Each MIS-ESC-001
MIS-ESC-001-2	Tubing Connectors, for MIS-ESC-001B
MIS-ESC-001-3	Mounting Bracket, for MIS-ESC-001
MIS-ESC-001A LC120/1075	Oil Refill Kit, 120cc Includes Batteries
MIS-ESC-001B	Tubing, Oiler System For MIS-ESC-001, sold per foot
MIS-ESC-001C	Brush Replacement, Oiler Kit For MIS-ESC-001
MIS-ESC-001D	Replacement Motor, Oiler Kit With 120cc/1075 Oil Cartridge
MIS-SPOUT-OILER	Precision Spout Oiler, with All-Purpose Oil



MIS-ESC-001



SEES-SKIRT-SW-001



SEES-SKIRT-SW-002

Skirt Switches

S.E.E.S. #	O.E.M. #	Description
SEES-SKIRT-SW-001	PE0100710	Esc. Safety Skirt Switch, Left hand
SEES-SKIRT-SW-002	PE0100700	Esc. Safety Skirt Switch, Right hand
SEES-SKIRT-SW-003	PO7009A1	Esc. Safety Skirt Switch, Otis
SEES-SKIRT-SW-004		Esc. Safety Skirt Switch Set, Universal, L.H. and R.H.



SEES-SKIRT-SW-004

Chains

S.E.E.S. #	O.E.M. #	Description
MIS-CHA-35/50-BKR	CB-35/50	Chain breaker tool, #35 to #50
MIS-CHA-40		Roller chain, #40 riveted, 10' length
MIS-CHA-40-A		Chain link, #40 master link kit
MIS-CHA-40-B		Chain link, #40 offset half link kit
MIS-CHA-041		Courion Chain, #41
MIS-CHA-60		Roller Chain, #60 riveted, 10' length
MIS-CHA-60/100-BKR	CB-60/100	Chain breaker tool, #100 to #60
MIS-CHA-60-A		Chain link, #60 master link kit
MIS-CHA-60-B		Chain link, #60 offset half link kit
MIS-CHA-80		Roller chain, #80 riveted, 10' length
MIS-CHA-80-A		Chain link, #80 master link kit
MIS-CHA-80-B		Chain link, #80 offset half link kit
MIS-CHA-100		Roller chain, #100 riveted, 10' length
MIS-CHA-100-A		Chain link, #100 master link kit
MIS-CHA-100-B		Chain link, #100 offset half link kit



MIS-CHA-40



MIS-CHA-40-A



MIS-CHA-40-B



MIS-CHA-60



MIS-CHA-60 (closed)



MIS-CHA-60/100-BKR



MIS-CHA-60-A



MIS-CHA-60-B



MIS-CHA-80



MIS-CHA-80-A



MIS-CHA-80-B



MIS-CHA-100



MIS-CHA-100-A



MIS-CHA-100-B

FUJITEC

FUJITEC - Rollers & Wheels

S.E.E.S. #	O.E.M. #	Description
FUJ-022	C46036001	Roller Guide Handrail, Newel
FUJ-024	D62301001	Handrail return roller, 3-1/2" O.D.
FUJ-025	C62342001	Handrail return roller for Escalator, 2.36" O.D.
FUJ-026	C63060001	Step Roller for Escalator, 4-1/4" O.D.
FUJ-050	D62277001	Roller Assembly Chain, #80
FUJ-052	D62424001	Chain Roller for Escalator, 4.475" (12 mm) O.D.
FUJ-070	D6513001	Escalator Tach Wheel, 12" diameter for Tach #01039-2912
FUJ-076	G4003100	Escalator Step Roller, 80mm x23mm, 6202 Bearing
FJWH-1		Roller, 75mm x 23.5mm, ID:20mm, bearing 6204
FJWH-2		Roller, Nylon Hub, Dim 75mm x 23.5mm ID: 20.1mm, 75mm x 23.5mm
FJWH-3		Roller Assembly, Dim OD: 32mm
FJWH-4		Handrail press roller, 70mm x 75mm, 6004
FJWH-5		Handrail roller, nylon with aluminum, Black, 70mm x 50mm, 6204
FJFP-1		Handrail Drive Wheel, Dim OD: 440mm x 35mm
FJFP-2		Handrail Drive Wheel, Dim OD: 650mm x 30mm
FJFP-3		Friction Pulley, OD: 589mm x 306mm



FUJ-024



FUJ-025



FUJ-026

FUJ-052



FUJ-070



FUJ-076



FJWH-1



FJWH-2



FJWH-3



FJWH-4



FJWH-5



FJFP-2



FJFP-3

FUJITEC - Lamps

S.E.E.S. #	O.E.M. #	Description
FUJ-030	D68127001	Demarcation Fluorescent Lamp for Escalator
FUJ-031	D68078001	Demarcation Fixture for Escalator
FUJ-032	D68125001	Demarcation Compact Lamp, 13W
FUJ-065	D6813001	Demarcation Lamp, 9 watt
FUJ-073	D6809901	Lamp, Geen LED 120 VAC



FUJ-030



FUJ-031



FUJ-032



FUJ-065



FUJ-027



FUJ-051



FUJ-054



FUJ-055



FUJ-066



FUJ-061



FUJ-062



FUJ-036



FUJ-010



FUJ-035



FUJ-051A



FUJ-053



HRP-2



FJIC-1L



FJIC-2

FUJITEC - Chains

S.E.E.S. #	O.E.M. #	Description
FUJ-027	D62280001	Sprocket, Fujitec Escalator Chain
FUJ-051	D62447001	Step Chain Shim, 0.1 mm (.004") .90" ID x 1.181 OD, brass
FUJ-051B		Step Chain Shim, .005" ID.9 OD 1.181 Brass
FUJ-051J		Step Chain Shim, .005" ID.9 OD 1.181 Brass
FUJ-054	D62277005	Handrail Drive chain assembly, #80
FUJ-055	D63056001	Step Chain shim for Escalator
FUJ-066	D62531001	Collar, Fujitec Step Chain
FUJ-077	D62451001	Esc Handrail Chain, #60, 178 Pitch
FJCH-1		Reversing Chain, Pitch Line: 60, Width: 34mm, Length: 1100mm, Single fork
FJCH-3		Roller Chain, Roller Dim 75mm x 23.5mm Roller 75mm x 23.5mm, T133.33
FJCH-4		Reversing Chain



FJCH-1



FJCH-3

FUJITEC - Switches

S.E.E.S. #	O.E.M. #	Description
FUJ-036	D65211001	Switch Cover, Escalator Emergency Stop
FUJ-060	C65129002	Limit Switch
FUJ-061	D63069001	Comb Impact Switch
FUJ-062	D65082001	Limit Switch for Escalator
FUJ-063	D65129001	Limit Switch for Escalator, R.H.
FUJ-064		Proximity Switch for Escalator
FUJ-075	D64094001	Limit Switch, Manual Reset, 1NO & 1NC

FUJITEC - Washers & Seals

S.E.E.S. #	O.E.M. #	Description
FUJ-010	D64411001/D64K2-672C1	Inner Rubber Molding
FUJ-035	C68K2-672A1	Baggage Stop, Escalator, 2" O.D., 1" Center to center, 1/4" 20 thread
FUJ-051A	D62447002S	Washer Set, Step Axle Shim
FUJ-053	D62453001	Shaft Seal, "V" notch

FUJITEC - Bracket


S.E.E.S. #	O.E.M. #	Description
HRP-2	00-070804-00	Escalator bracket

FUJITEC - Inlets

S.E.E.S. #	Description
FJIC-1L	Inlet Cover Grey, L=371mm, W=240mm, Thick=125mm
FJIC-2	Fujitec Rubber Inlet
FJIC-1R	Inlet Cover, Color: Grey, Length: 371, Width: 240, Thickness:125, Remark: Right

FUJITEC - Steps

S.E.E.S. #	O.E.M. #	Description
FJST-1		Aluminum Step
FJST-2		Aluminum Step with Demarcation Strip
FJST-3	C63136001	Escalator Step , Fujitec 40" W x 16" D




FJST-1




FJST-2

FUJITEC - Combs & Demarcation Strips

S.E.E.S. #	O.E.M. #	Description
FJYDS-1C	5P1P5582P001, 0129CAC001	Demarcation Strip , Length: 202.6mm, Tooth Pitch: 9.068, Thick Width: 49.5mm, Front
FJYDS-1L	5P1P5581P001, 0129CAA001	Demarcation Strip , Length: 402mm, Thick: 32.5mm, Width: 109mm, Left
FJYDS-1R	5P1P5581P002, 0129CAB001	Demarcation Strip , Length: 402mm, Thick: 32.5mm, Width: 96.6mm, Right
FJYDS-2C	0129CAC001	Demarcation Strip , Length: 203mm, Width: 49.5mm, Thick: 15.6mm, Tooth Pitch: 9.07, Front
FJYDS-2L	0129CAA001	Demarcation Strip , Length: 402.5mm, Thick: 33.5mm, Width: 109.2mm, Left
FJYDS-2R	0129CAB001	Demarcation Strip , Length: 402.5mm, Thick: 33.5mm, Width: 96mm, Right
FJCP-1C	0129CAD001	Comb Plate , Yellow Length: 199.4mm, Hole Spacing: 145mm, Tooth Pitch: 9.068, Remark: PC Center
FJCP-1R	0129CAF001	Comb Plate , Yellow Length: 202.9mm, Hole Spacing: 130mm, Tooth Pitch: 9.068, Remark: PC Right
FJCP-1L	0129CAE001	Comb Plate , Yellow Length: 202.9mm, Hole Spacing: 135.8mm, Tooth Pitch: 9.068, Remark: PC Left
FJCP-5C	0129CAP001	Comb Plate , Yellow Length: 199.4mm, Hole Spacing: 72.5mm, Tooth Pitch: 9.068, Remark: PC Center 3 Holes
FJCP-5R	0129CAS001	Fujitec Comb Plate , Yellow Length: 202.9mm, Hole Spacing: 65.8mm, Tooth Pitch: 9.068, Remark: PC Right 3 Holes
FJCP-5L	0129CAR001	Fujitec Comb Plate , Yellow Length: 202.9mm, Hole Spacing: 67.5mm, Tooth Pitch: 9.068, Remark: PC Left 3 Holes
FUJ-001	A405024C	Comb , 20 teeth left and center, yellow
FUJ-002	D63007002	Comb , 20 teeth right end, yellow
FUJ-008	D63051001	Comb plate , Stainless steel screw
FJST-4		Escalator Step , Fujitec



FJYDS-1C



FJYDS-1L



FJYDS-1R



FJYDS-2C



FJYDS-2L



FJYDS-2R




FJCP-1C



FJCP-1R



FUJ-001



FUJ-002



FUJ-008



FJCP-1L



FJCP-5R



FUJ-001



FUJ-002

FUJITEC - Brush

S.E.E.S. #	Description
FJIC-3	Fujitec Brush



FJIC-3



FJDIS-1



FJBEA-1



FJBEA-2



FJCH-2



FJGL-2

FUJITEC - Misc. Parts

S.E.E.S. #	Description
FJDIS-1	Fujitec Indicator Panel
FJBEA-1	Sleeve
FJBEA-2	Gliding bushing
FJCH-2	Link
FJGL-2	Anti-deflection Plate

SJEC



SJWH-1



SJWH-2



SJWH-5



SJWH-3



SJWH-4

SJEC - Rollers

S.E.E.S. #	O.E.M. #	Description
SJWH-1		Roller, 100mm x 25mm, 6206 ID:30
SJWH-2		Roller, 100mm x 25mm, 6206 ID:20
SJWH-3	F01.FCCCA.0001A	Roller, 70mm x 25mm, 6204 ID:20
SJWH-4		Roller, 100mm x 25mm, 6204 ID:20
SJWH-5	F4011001	Roller, 100mm x 25mm, 6304 ID:20



SJCP-1L



SJCP-1C



SJCP-1R



SJCP-2

SJEC - Comb Plates

S.E.E.S. #	O.E.M. #	Description
SJFP-1		Friction Pulley, OD: 640mm
SJCP-1L	PX12171	Comb Plate, Length: 199.4mm, Height: 149.5mm, Hole Spacing: 145mm, Tooth Pitch: 9.068mm, Remark: Aluminum, Left
SJCP-1C	PX12161	Comb Plate, Length: 199.4mm, Height: 149.5mm, Hole Spacing: 145mm, Tooth Pitch: 9.068mm, Remark: Aluminum, Center
SJCP-1R	PX12172	Comb Plate, Length: 199.4mm, Height: 149.5mm, Hole Spacing: 145mm, Tooth Pitch: 9.068mm, Remark: Aluminum, Right
SJCP-2		Comb Plate, Length: 200mm, Height: 118mm, Hole Spacing: 145mm, Aluminum, 22 Teeth
SJCP-3		Comb Plate, Length: 200mm, Height: 105mm, Hole Spacing: 145mm, Plastic, 22 Teeth

SJEC - Inlet Covers

S.E.E.S. #	Description
SJIC-1	Inlet Cover , Color: Grey, Length: 292.9mm, Width: 115mm / 153mm, Thickness: 3mm
SJIC-2	Inlet Cover , Color: Black, Length: 496.4mm, Width: 162mm / 105.8mm, Thickness: 3mm



SJIC-1



SJIC-2

SJEC - Sensor

S.E.E.S. #	O.E.M. #	Description
SJSW-1	PR12-4DN	Autonics Inductive Proximity Sensor , Sensor Input: Inductive; Sensing Range: 0mm to 4mm; Supply Voltage Range DC: 12V to 24V; Frequency Response Max: 500Hz; Sensing Range Max: 4mm; Supply Voltage DC, Max: 24V

SJEC - Brake

S.E.E.S. #	O.E.M. #	Description
SJBRA-1	DZT-H	Jiangnan Express Brake , DZT-H 220V 0.3A >=400N



SJSW-1



SJBRA-1

SJEC - Chain

S.E.E.S. #	O.E.M. #	Description
SJCH-1		Handrail Tension Sheave Chain



SJCH-1

SJEC - Steps and Pallets

S.E.E.S. #	O.E.M. #	Description
SJST-1		Sidewalk Pallet
SJST-2		Aluminum Step
SJST-3	YJ1000SX-	Stainless Steel Pallet , 110 teeth
SJST-4	YJ1000SX-	Stainless Steel Pallet , 120 teeth
SJST-5	F1701038	Step , Aluminum, A=800, 5 deges of plastic inserts, black, flat teeth, without center demarcation
SJST-6	F1701029	Step , Aluminum, A=800, 5 deges of plastic inserts, silver, projected teeth, without center demarcation
SJST-7		Step , 800mm, Sliver Al, Flat Teeth
SJST-8		Movingwalk Pallet , 1098mm × 140mm



SJST-1



SJST-2

HITACHI



HITACHI - Rollers


S.E.E.S. #	O.E.M. #	Description
HIW-1	H2202101	Roller , handrail driving roller 5.525" diameter with extended hub and .7874" bearing I.D.
HIW-2	H2221702	Roller , handrail roller 5.525" diameter with 2-1/8" mounting hole
HIWH-3		Roller , aluminum Hub 80mm x 23mm ID: 15mm, bearing 6202
HIWH-4		Step Roller , Iron Hub, 80mm x 29mm diameter, 6202 Double Bearing ID:15
HIWH-5		Roller , Iron Hub, 90mm x 60mm diameter, 6204, ID: 20mm
HIWH-8		Roller , Driving Roller, 141mm x 32mm, ID: 57
HIWH-12		Roller , Iron Hub, 80mm x 29mm, ID: 15mm, double bearing 6202
HIWH-13		Roller , Iron Hub, 90mm x 60mm diameter, 6202
HWE-1	97662	Escalator wheel for chain roller, 3-1/2" O.D. x 1-1/32" wide, .7874" bearing I.D.
HWE-2	97444, 93485	Step roller , 3" O.D. x 1" wide
HWE-3	80004	Step roller , 3-1/2" O.D. x 1-1/32" wide
HI-X7	9921485	Handrail Drive Roller Assembly , 21 tooth, 4 hole

HITACHI - Comb Plates

S.E.E.S. #	O.E.M. #	Description
HI-ESC-001	9921291	Comb Plate , center, yellow 142.8mm long
HI-ESC-002	9921308	Comb Plate , center, yellow 159.6mm long
HICP-1C	H2200116	Comb Plate , Yellow, Length: 142mm, Height: 90mm, Hole Spacing: 90mm, Tooth Pitch: 8.4mm, Remark: Plastic, 17 Teeth, Center
HICP-1L	H2200122	Comb Plate , Yellow, Length: 164mm, Height: 90mm, Hole Spacing: 90mm, Tooth Pitch: 8.4, Remark: Plastic, 19 Teeth, Left
HICP-1R	H2200124	Comb Plate , Yellow, Length: 164mm, Height: 90mm, Hole Spacing: 90mm, Tooth Pitch: 8.4, Remark: Plastic, 19 Teeth, Right
HICP-2C		Comb Plate , Yellow, Length: 200.7mm, Hole Spacing: 99mm Tooth Pitch: 8.7, Remark: Iron Base, Polyurethane, Center
HICP-2L		Comb Plate , Yellow Length: 163.5mm, Hole Spacing: 90mm Tooth Pitch: 8.7, Remark: Iron Base, Polyurethane, Left
HICP-2R		Comb Plate , Yellow Length: 163.5mm, Hole Spacing: 90mm Tooth Pitch: 8.7, Remark: Iron Base, Polyurethane, Right
HICP-3R	L47312017A&B	Comb Plate , right
HICP-3L	L47312018A&B	Comb Plate , left
HICP-3C	L47312013A, LDTJ-B-3	Comb Plate , middle
HICP-4R		Comb Plate , Right, Teeth 19
HICP-4L		Comb Plate , Left, Teeth 19
HICP-4C		Comb Plate , Middle, Teeth 17



HI-ESC-001



HI-ESC-002



HICP-1C



HICP-2C



HICP-2R



HICP-4C



HICP-4L



HICP-4R

HITACHI - Demarcation Strips

S.E.E.S. #	O.E.M. #	Description
HI-ESC-005	9920274	Demarcation Strip , yellow, 319-25.3mm
HI-ESC-006	9920304	Demarcation Strip , yellow, 319.43.3mm
HIYDS-1C	32188939-C	Demarcation Strip , Center
HIYDS-1L	LL27332044	Demarcation Strip , Left
HIYDS-1R	LL27332044	Demarcation Strip , Right
HIYDS-2F	LDTJ-A-16B	Demarcation Strip , front
HIYDS-2B	LDTJ-A-13	Demarcation Strip , rear
HIYDS-2L	L47332045A	Demarcation Strip , left
HIYDS-2R	L47332045B	Demarcation Strip , right
HIYDS-3A	H2106230	Demarcation Strip , Length: 411mm Thick:18.7mm Width: 24.7mm, Left
HIYDS-3B	H2106231	Demarcation Strip , Length: 411mm Thick:18.7mm Width: 24.7mm, Right
HIYDS-3C	H2106223	Demarcation Strip , Length: 319mm, Thick: 25mm Width: 25.3 mm, Back
HIYDS-3D	H2106211	Demarcation Strip , Length: 319mm, Thick: 25mm Width: 43.4mm, Front
HIYDS-5L	L47332114B	Demarcation Strip , black, left side
HIYDS-5R	L47332114B	Demarcation Strip , black, right side



HI-ESC-005



HIYDS-1C



HIYDS-1L



HIYDS-3A



HIYDS-3B



HIYDS-3C



HIYDS-3D

HITACHI - Steps

S.E.E.S. #	Description
HIST-1	Step , Stainless Steel Step 30/35 Degree Flat Tooth
HIST-2	Sidewalk Pallet
HICH-1	Step Chain , Pitch=68.4



HIST-1



HIST-2



HICH-1

HITACHI - Sprockets



HI-X1

S.E.E.S. #	O.E.M. #	Description
HI-X1	H2214449	Sprocket , handrail idler sprocket, 20 teeth, 3-3/8" O.D. with .7874" bearing I.D.
HI-X2		Sprocket , handrail dual sprocket, 22 teeth, 3.765" O.D. with .7874" bearing I.D.
HI-X3		Sprocket , handrail 5-3/8" O.D. 32 teeth with .7874" bearing I.D.
HI-X4		Sprocket , handrail drive sprocket, 4-5/8" O.D., 22 teeth, no bearing
HI-X5		Sprocket , handrail drive sprocket, 4-1/8" O.D., 25 teeth with .7874" bearing I.D.
HI-X6		Sprocket , handrail drive sprocket, 13-1/4" O.D., 54 teeth, no bearing



HI-X2



HI-X3



HI-X4



HI-X5



HI-X6



HI-X7

HYUNDAI

HYUNDAI - Demarcation Strips



HYYDS-1C



HYYDS-1D



HYYDS-2L



HYYDS-2R



HYYDS-3L



HYYDS-3R



HYYDS-4A



HYYDS-4B



HYYDS-4C



HYYDS-4L



HYYDS-6B



HYYDS-6A



HYYDS-4R



HYYDS-7A



HYYDS-6C



HYYDS-8A





HYYDS-8B

S.E.E.S. #	O.E.M. #	Description
HYSC-001		Hardware kit for Hyundai demarcation strips 5mm x 15mm O.L.
HYYDS-1A	HE645B023 HO	Demarcation Strip , Length: 200mm Thick: 26mm Width: 43.4mm Tooth Pitch: 9.068mm
HYYDS-1C		Demarcation Strip , Length: 411mm, Thick: 25mm, Width: 43.4mm, Thick: 18.4mm, Left
HYYDS-1D		Demarcation Strip , Length: 411mm, Thick: 25mm, Width: 43.4mm Thick: 18.4mm, Right
HYYDS-2L		Demarcation Strip , Left
HYYDS-2R		Demarcation Strip , Right
HYYDS-3L	L47332130A	Demarcation Strip
HYYDS-3R	L47332130B	Demarcation Strip
HYYDS-4A	H645B028H06	Demarcation Strip , C2 H06, 22T
HYYDS-4B	H645B028H05	Demarcation Strip , C2 H05, 24T
HYYDS-4C	H645B028H01	Demarcation Strip , C2 H01, 14T
HYYDS-4L	H645B029H02	Demarcation Strip , Left
HYYDS-4R		Demarcation Strip , Right
HYYDS-6A	S645C606H01	Demarcation Strip , Right 225mm x 25mm
HYYDS-6B	S645C606H01	Demarcation Strip , Left 225mm x 35mm
HYYDS-6C	S645C605H01	Demarcation Strip
HYYDS-7A	645B025H01	Demarcation Strip , Left
HYYDS-8A	L57332061A	Demarcation Strip , Left
HYYDS-8B	L57332199/03B	Demarcation Strip , Left

HYUNDAI - Demarcation Strips

S.E.E.S. #	O.E.M. #	Description
HYYS-56A	L57332056A	Demarcation Strip, 224mm x 14mm x 27mm
HYYS-60A	L57332060A	Demarcation Strip, 225mm x 36mm x 14mm
HUN-001	645B028H01	Demarcation Strip, 5" W, 14 teeth, yellow plastic
HUN-002	645B028H02	Demarcation Strip, 6-7/16" W, 18 teeth, yellow plastic
HUN-002S		Demarcation Strip, Yellow Plastic with Machined Slots, 18 Tooth
HUN-008	9940467	Demarcation Tail Strip, 6" L, 17 teeth, yellow
HUN-009	9940455	Demarcation Tail Strip, 7-7/8" L, 22 teeth, yellow
HUN-010	645B023H03	Demarcation Tail Strip, 7-3/16" L, 20 teeth, yellow
HUN-011	9940480	Demarcation Strip, 16" L, 16 teeth, R.H., yellow, (3) 6mm mounting studs
HUN-012	9940492	Demarcation Strip, 16" L, 16 teeth, L.H., yellow, (3) 6mm mounting studs
HUN-018	9941150	Demarcation Strip, New Escalator Style 800 & 1200 L/H
HUN-019	9941149	Demarcation Strip, New Escalator Style 800 & 1200 R/H



HYUNDAI - Rollers

S.E.E.S. #	O.E.M. #	Description
HYSR-001		Step Roller Rubber Sleeve 37.6mm O.D. x 34mm L x 15.6mm I.D.
HYWH-1		Roller, 76mm x 22mm, ID: 17mm, bearing 6203
HYWH-2		Driving Pulley, 135mm x 34mm, ID: 44.8mm
HYWH-3	S613C020	Handrail Roller, 87mm x 42mm, ID: 20mm, bearing 6204
HUN-020	613C001G01	Handrail Drive Roller, 5-1/4" O.D.
HUN-021	613002G02	Pressure and Step Roller, 3" O.D.



HYUNDAI - Boards

S.E.E.S. #	Description
HPC-001	PCB, MCU Hyundai
HPC-S17	PCB, Hyundai Relay

HYUNDAI - Comb Plates



HYCP-1C



HYCP-1L



HYCP-1R



HYCP-2C


S.E.E.S. #	O.E.M. #	Description
HYCP-1C	S655B6	Comb Plate , Color: Yellow Length: 160mm, Height: 92.2mm Remark: Plastic, 17 Teeth, Center
HYCP-1L	S655B6	Comb Plate , Color: Yellow, Length: 154.2mm, Height: 92.2mm, Remark: Plastic 13 Teeth, 3 Holes, Left
HYCP-1R	S655B6	Comb Plate , Color: Yellow, Length: 154.2mm, Height: 92.2mm, Remark: Plastic, 13 Teeth, 3 Holes, Right
HYCP-2C	HE655B013H06	Combo Plate , 16 Teeth, center
HYCP-2L	HE655B013H0	Combo Plate , 15 Teeth, left
HYCP-2R	HE655B013H0	Combo Plate , 15 Teeth, right
HYCP-3C		Comb Plate , T=9.125, 155mm × 92mm HD=107mm, Teeth 17
HYCP-3L		Comb Plate , T=9.125, 155mm × 92mm HD=80mm, Teeth 12
HYCP-3R		Comb Plate , T=9.125, 155mm × 92mm HD=89mm, Teeth 13
HUN-003	655B013H06/9940649	Comb , 5-3/4" W, 16 teeth, center 800 & 1200 series, Old Style, yellow
HUN-004	655B013H04/9940625	Comb , 6-1/4" W, 15 teeth, right hand 1200 series, Old Style
HUN-005	655B013H05/9940637	Comb , 6-1/4" W, 15 teeth, left hand 1200 series, Old Style
HUN-006	655B013H02	Comb , 6-1/4" W, 16 teeth, right hand
HUN-007	655B013H03	Comb , 6-1/4" W, 16 teeth, left hand
HUN-013	9941060	Comb , 6-1/4" W, 15 teeth L.H. 1200 series, New Style
HUN-014	9941095	Comb , 6-1/4" W, 16 teeth L.H. 1200 series, New Style
HUN-015	9941071	Comb , 6-1/4" W, 15 teeth R.H. 1200 series, New Style
HUN-016	9941101	Comb , 6-1/4" W, 16 teeth R.H. 800 series, New Style
HUN-017	9941083	Comb , 5-11/16" W, 16 teeth center 800/1200, New Style



HYCP-3C



HYCP-3L



HYCP-3R




HUN-003



HUN-004



HUN-005




HUN-007



HUN-013



HUN-014



HUN-015



HUN-016



HUN-017

HYUNDAI - Steps & Step Chains

S.E.E.S. #	O.E.M. #	Description
HES-001		Drive Chain, Modular "B" Conv 130 Pitch L #60 with Offset & ML
HES-002		Roller Chain Assembly, Modular "B" Handrail Conversion Drive
HES-003		Houghton Esc Split Bushing
HYCH-1C		Step Chain
HYCH-1		Step Chain
HYCH-2		Step Chain, Old type
HYST-1	L42020030A	Step, Stainless Steel, 1200L L47332131A, 1200R L47332133A
HYST-2		Whole Aluminum Step
HYST-3		Sidewalk step
HYST-3		Sidewalk step
HYST-4		Hyundai step, 600mm Aluminum Model WBT2



HES-001




HES-002



HYCH-1C



HYCH-2



HYST-2



HYST-3

MITSUBISHI

MITSUBISHI - Rollers

S.E.E.S. #	O.E.M. #	Description
MIT-ESC-001	9902003S	Handrail idler wheel with sleeve
MIT-ESC-002	YS011C272f	Handrail drive wheel
MIT-ESC-003	9902005N	Handrail drive wheel
MIT-ESC-004	YS015D746	Follower wheel
MIT-ESC-005	A003001A	Step roller with axle
MIT-ESC-006	A003002N	Step roller
MIT-ESC-007	A003003N	Step roller
MIT-ESC-012	A007009N	Chain Guide Roller
MIWH-1		Guide Sheave
MIWH-4		Friction Roller
MIWH-5		Chain Roller
MIWH-7	YS005C520	Bearing Step Roller, 76mm x 25mm 6202 ID: 15mm
MIWH-13		Cleaning Roller, 83mm x 36mm
MIWH-16		Roller, 76mm x 25mm, ID:15mm, bearing 6202
MIWH-17		Iron Hub, 60mm x 55mm, ID:15mm, double bearing 6202
MIWH-18		Press Roller
MISWH-1		Roller, 76mm x 20mm, ID: 15mm, bearing 6202
MISWH-9		Bottom Roller, 98mm x 31mm, ID:17mm, bearing 6203
MISWH-10		Central Roller, ID: 35mm
MIGP-1		Gliding Bushing, ID: 25mm
MIGP-2		Gliding Bushing, ID: 25mm



MIT-ESC-002

MIT-ESC-006



MIT-ESC-007

MIT-ESC-012

MIWH-1



MIWH-4

MIWH-5

MIWH-7



MIWH-13



MIWH-16



MIWH-17



MIWH-18



MIGP-1



MIGP-2

MITSUBISHI – Escalator Parts

MITSUBISHI - Comb Plates

S.E.E.S. #	O.E.M. #	Description
MICP-1	YS013B578	Comb Plate , Yellow, Length: 126.9mm, Width: 92.4mm, Tooth Pitch: 9, Plastic, 14 Teeth
MICP-2		Comb Plate , Black, Length: 126.9mm, Width: 92.4mm, Tooth Pitch: 9, Plastic 14 Teeth
MICP-3	YS017B578	Comb Plate , Yellow, install hole=80mm
MICP-4	YS013B578	Comb Plate , Black, install hole=80mm
MICP-5	YS013B578	Comb Plate , Alluminum, 62mm distance between two holes



MICP-1



MICP-2



MIYDS-1



MIYDS-2



MIYDS-3



MIYDS-3A



MIYDS-4

MITSUBISHI - Demarcation Strips

S.E.E.S. #	O.E.M. #	Description
MIYDS-1	YS013B521-03	Demarcation Strip , Left
MIYDS-2	YS013B522-03	Demarcation Strip , Right
MIYDS-3	YS004B278-03	Demarcation Strip , Center
MIYDS-3A	YS000B079	Demarcation Strip , L=198mm, W=18mm
MIYDS-4		Demarcation Strip , Length: 413mm, Tooth Pitch: 18 Thick Width: 27mm, Left
MIYDS-5	J619000B202	Demarcation Strip , Length: 409mm, Thick: 13.6mm, Width: 103mm, Right
MIYDS-6	J619000B202	Demarcation Strip , Length: 409mm, Thick: 13.6mm, Width: 99mm, Left
MIYDS-7	J619000B203	Demarcation Strip , Length: 400mm, Tooth Pitch: 9.068
MIYDS-8		Demarcation Strip , Length: 413mm, Tooth Pitch: 18 Thick Width: 27mm, Right
MIYDS-41A	L47332141A	Demarcation Strip , for Stainless Steel Step
MIYDS-41B	L47332141B	Demarcation Strip , for Stainless Steel Step
MIYDS-42C	L47332142C	Demarcation Strip , for Stainless Steel Step
MIYDS-42D	L47332142D	Demarcation Strip , for Stainless Steel Step
MIYDS-43A	L47332143D	Demarcation Strip , for Stainless Steel Step
MIYDS-45A	L47332145A	Demarcation Strip , for Stainless Steel Step
MIT-ESC-017	YS013B522	Step riser , 1000mm, left
MIT-ESC-018	YS004B278	Step riser , 1000mm, center
MIT-ESC-019	YS013B521	Step riser , 1000mm, right



MIYDS-5



MIYDS-6



MIYDS-7



MIYDS-8



MIT-ESC-017



MIT-ESC-018



MIT-ESC-019

MITSUBISHI - Printed Circuit Boards

S.E.E.S. #	O.E.M. #	Description
MIPCB-80	YKOE0242	Printed Circuit Board
MIPCB-94	C731000B114	Printed Circuit Board, SUM630




MIPCB-80




MIPCB-94

MITSUBISHI - Steps

S.E.E.S. #	O.E.M. #	Description
MIST-1		Sidewalk Pallet
MIST-2	J619101A000G003	Step Strip, Stainless Steel
MIST-3	J619004A000	Aluminum Step, 21.5cm, Angle=30; J619000A201A/J619004A000
MIST-4	J619001A201	Aluminum Step, 24.5cm, Angle=35; J6019001A201B/ J6190003A000G03




MIST-1




MIT-ESC-020

S.E.E.S. #	O.E.M. #	Description
MIS-ESC-020	A311003Z	Step Assembly, 1000mm, 30 degree
MIT-ESC-016	9911022Z	Step Assembly, 600mm, 30 degree



MIST-2



MIST-3

MITSUBISHI - Chains

S.E.E.S. #	O.E.M. #	Description
MIT-ESC-011	15J TSUBAKI	Step chain unit assembly
MIT-ESC-013	YS002A314 G02	Duplex chain with pick up roller
MIT-ESC-014	T6	Step chain unit
MIT-ESC-015	T67G	Step chain unit
MICH-1		Step Chain, Pitch=68.4, install hole=25mm, shafts distance=406.4mm
MICH-2		Step Chain, Pitch=68.4, install hole=27mm, shafts distance=406.4mm
MICH-3		Step Chain, 15J Pitch=68.4, install hole=22mm
MICH-4A		Driving Chain, roller width=38mm
MICH-4B		Driving Chain, roller width=42.5mm



MIT-ESC-013



MICH-1, MICH-2



MICH-3



MICH-4A



MICH-4B



MIG-1



MIG-2



MIWS-1



MIBRA-1

MITSUBISHI - Light Covers

S.E.E.S. #	Description
MIHLC-1-BC	Handrail Light Cover, Button Curve
MIHLC-1-ST	Handrail Light Cover, Staight
MIHLC-1-TC	Handrail Light Cover, Top Curve

MITSUBISHI - Gears

S.E.E.S. #	Description
MIG-1	Gear Single, 22T
MIG-2	Gear with bearing, 30T

MITSUBISHI - Wearing Strip

S.E.E.S. #	Description
MIWS-1	Wearing strip

MITSUBISHI - Brake

S.E.E.S. #	O.E.M. #	Description
MIBRA-1	YS101B034-01	DHL Brake

MITSUBISHI - Motor

S.E.E.S. #	O.E.M. #	Description
MITM-1	S147R-13; 5.5KW	Motor, 50Hz, 11.8A

TOSHIBA



TOS-ESC-001



TOWH-1



TOWH-2



TOWH-7



TOWH-6



TOWH-5

TOSHIBA - Rollers

S.E.E.S. #	O.E.M. #	Description
TOS-ESC-001	9903003N	Escalator Step Roller
TOWH-1		Roller, Polyurethane, 70mm diameter x 25mm, ID: 20mm
TOWH-2		Roller, Iron Hub, 149mm diameter x 36mm, 6202 Double Bearing ID:15
TOWH-5		Roller Assembly
TOWH-6		Roller Assembly, Old style
TOWH-7		Roller, 70mm x 36mm, 6202 Double ID:15mm

TOSHIBA - Chain




TOCH-1

S.E.E.S. #	Description
TOCH-1	Handrail Tension Sheave Chain

TOSHIBA - Comb Plates

S.E.E.S. #	O.E.M. #	Description
TOS-ESC-010	9905001N	Comb , Dong Yang, die cast, center, 14 teeth
TOS-ESC-011	9905002N	Comb , Dong Yang, die cast, left, 14 teeth
TOS-ESC-012	9905026N	Comb , Dong Yang, die cast, right, sec, 14 teeth
TOCP-1C		Comb Plate , Length: 134.4mm, Hole Spacing: 86mm, Tooth Pitch: 8.4, Remark: Aluminum
TOCP-3R	5P1P5422P1	Comb Plate , Length: 199.5mm, Hole Spacing: 145mm, Tooth Pitch: 9, Remark: Aluminum, 22 Teeth, Left
TOCP-3C	5P1P5422P2	Comb Plate , Length: 206mm, Hole Spacing: 145mm, Tooth Pitch: 9.068, Remark: Aluminum, Center
TOCP-5A		Comb Plate , Color: Yellow, Length: 199.7mm, Hole Spacing: 145mm, Tooth Pitch: 8.5, Remark: Plastic, 22 Teeth
TOCP-5B		Comb Plate , Color: Yellow, Length: 205.6mm, Hole Spacing: 145mm, Tooth Pitch: 8.5mm, Remark: Plastic, 22 Teeth
TOCP-5B		Comb Plate , Yellow, Length: 199.7mm, Hole Spacing: 145mm, Tooth Pitch: 8.5, Remark: Plastic, 22 Teeth
TOCP-8		Comb Plate , Color: Yellow, Length: 202mm, Hole Spacing: 140mm, Tooth Pitch: 9, Remark: Plastic, 22 Teeth
TOCP-9C		Comb Plate , Color: Yellow, Length: 101mm, Hole Spacing: 51mm, Tooth Pitch: 8.4, Remark: Plastic, 12 Teeth Center
TOCP-13		Comb Plate , Color: Black Length: 115 Hole Spacing: 65 Tooth Pitch: 9.068 Remark: ABS 12 Teeth
TOCP-14R	5311P1	Comb Plate , Length: 199.5mm Hole Spacing: 145mm Tooth Pitch: 9.068 Remark: Aluminum Right
TOCP-14L	5311P3	Comb Plate , Length: 199.5mm Hole Spacing: 145mm Tooth Pitch: 9.068 Remark: Sidewalk Aluminum Left
TOCP-14C	5311P2	Comb Plate , Length: 204mm Hole Spacing: 145mm Tooth Pitch: 9.068 Remark: Sidewalk Aluminum Center
TOCP-15C	5P1P5171-1	Comb Plate , Black Length: 197.8mm Height: 152mm Hole Spacing: 145mm Tooth Pitch: 9.068 Remark: ABS 22 Teeth GTE
TOCP-15L	5P1P5171-2	Comb Plate , Black Length: 203mm Height: 152mm Hole Spacing: 145mm Tooth Pitch: 9.068 Remark: ABS 22 Teeth GTE
TOCP-15R	5P1P5171-3	Comb Plate , Black Length: 203mm Height: 152mm Hole Spacing: 145mm Tooth Pitch: 9.068 Remark: ABS 22 Teeth GTE



TOS-ESC-010



TOS-ESC-011



TOS-ESC-012



TOCP-1C



TOCP-3R



TOCP-3C



TOCP-5A




TOCP-5B



TOCP-8



TOCP-9C



TOCP-13



TOCP-14C



TOCP-15C



TOST-1



TOSHIBA - Steps

S.E.E.S. #	Description
TOST-1	Step , Aluminum, With Demarcation (Riser Without Demarcation)



TOYDS-1



TOYDS-3



TOYDS-4



TOYDS-72A



TOYDS-72B



TOYDS-73A



TOYDS-74A



TOYDS-74B




TOYDS-75A



TOYDS-75B



TOYDS-76A



TOSHIBA - Demarcation Strips

S.E.E.S. #	O.E.M. #	Description
TOYDS-1		Demarcation Strip, Length: 202.6mm Tooth Pitch: 9.07 Width: 49.5mm
TOYDS-3		Demarcation Strip, Length: 308.6mm Tooth Pitch: 9 Width: 37.5mm
TOYDS-4		Demarcation Strip, Length: 403.5mm Tooth Pitch: Thick 25.7mm Width: 90.7mm
TOYDS-72A	L47332172A	Demarcation Strip
TOYDS-72B	L47332172B	Demarcation Strip
TOYDS-73A	L47332173A	Demarcation Strip
TOYDS-74A	L47332174A	Demarcation Strip
TOYDS-74B	L47332174B	Demarcation Strip
TOYDS-75A	L47332175A	Demarcation Strip
TOYDS-75B	L47332175B	Demarcation Strip
TOYDS-76A	L47332176A	Demarcation Strip



TOPP-1



TOPP-2



TOPP-3



TOPP-4




TOPP-5

TOSHIBA - Joint Strips

S.E.E.S. #	Description
TOPP-1	Joint Strip
TOPP-2	Joint Strip
TOPP-3	Joint Strip
TOPP-4	Joint Strip
TOPP-5	Joint Strip

TOSHIBA - Inlet Covers

S.E.E.S. #	Description
TOIC-5	Inlet Cover, Color: Black, Length: 287mm, Width: 103.5mm, Thickness:10
TOIC-6	Inlet Cover, Color: Black, Length: 287mm, Width: 202mm, Thickness: 10
TOIC-7	Inlet Cover, Color: Black, Length: 287mm, Width: 202mm, Thickness: 10



TOSHIBA - Rubber Parts

S.E.E.S. #	Description
TOP-9	Rubber Part
TORP-1	Rubber Part
TORP-10	Rubber Part
TORP-11	Rubber Part



TOSHIBA - Misc. Parts

S.E.E.S. #	Description
TOBEA-1	Shaft Seat
TORP-3	Fixing Part





TOSHIBA - Inlets

S.E.E.S. #	O.E.M. #	Description
TOIC-1	5PSC0005P1	Inlet Cover Black , Length: 132.5mm, Width: 110.5mm/80.5mm, Thickness:3mm
TOIC-2	5PSC0005P3	Inlet Cover Black , Length: 132.5mm, Width: 80.5mm/110.5mm, Thickness: 3mm
TOIC-4		Inlet Cover Black , Length: 287mm, Width: 103.5mm, Thickness: 10mm
TOIC-8	0215CBJ001	Rubber Inlet
TOIC-9		Rubber Inlet
TOIC-12		Rubber Inlet

KONE / MONTGOMERY



KONE / MONTGOMERY - Rollers

S.E.E.S. #	O.E.M. #	Description
ME-10	P16353 P22723	Wheel and Bracket Assembly , 2-3/4" O.D. x 15/16" W, 1/4" mounting holes 3-5/8" center to center
ME-10A	USP27652	Newel Roller Assembly , Ecowalk 3-3/4" C-C
ME-10B	USP32583	Newel Roller Assembly , Ecowalk 4" C-C
ME-11	A32885	Roller , Nylon handrail guide roller, 3" O.D. x 3-3/8" wide 1" I.D.
ME-11A	44412, P26936	Roller , Nylon handrail guide roller 3" O.D. x 2-3/4" wide with two bearings .7874" bearing I.D.
ME-11S		Escalator Roller Shaft , for ME-11 Handrail Roller
ME-12E	67036	Guide , HR, CRYST ESC, incline
ME-18	28834	Coupling , cushion
ME-19	USP27233	Step Roller Set , Flange Assembly 3-15/16" x 1-1/4" W x .7874" I.D. Set of 2
ME-20	USP27266	Step Roller Set , Flange Assembly 3-15/16" x 7/8" W x .7874" I.D., Set of 2
ME-20A	P29864	Step Roller Set , Spindle Assembly 3-15/16" x 7/8" W x .7874" I.D, Set of 2
ME-20B	USP32713001 USP27879	Step Roller , Spindle Assembly 3-15/16" x 1-1/4" W x .7874" I.D.
ME-20C	USP27166	Step Roller , 3" O.D. x 7/8" W, Flange Assembly
ME-27	US94653001	Switch , Roller / Plunger
ME-35	P26650	Tension Roller , Handrail Assembly, 4" O.D. x 7/16" W
ME-36	P27508	Roller Assembly , 2-13/16" diameter x 1-1/8" W, newel crystal
MW-3B	P5985	Step Roller , 3-15/16" x 1-1/8" x .7874" I.D.
MW-3C	P23230	Trail Roller , 3" x 7/8", .7874" I.D
KE-201	DEE2465357	Screw , Amtec-10.9-A1B
KE-200	69480-001	Bushing , Guide Wheel, Spacer
KE-202	16085-011	Snap Ring , Ext. .733" I.D. x 0
KE-203	68738-004	Screw , HSC/SK, Low, M6, L=16MM
KOCH-202	US69207003	Bushing , Step Guide, Outer (Replaces US42430)
KOWH-26	DEE2173045	Handrail Base Roller , Kone 60mm, 64mm 6204 Brg
KW-003	US33563002	Wheel , CWT R.G 3.937" O.D. Yellow
KW-004	US506872	Wheel , Door Clutch 2-1/4" O.D. Style T

KONE / MONTGOMERY - Wheels & Rollers

S.E.E.S. #	O.E.M. #	Description
KOCH-6		Roller, for Chain, 75mm x 23.5mm, T133.33
KOGS-1		Black Guide Shoe insert, 16mm
KOGS-2		Black Guide Shoe insert, 10mm
KOGS-11		Black Guide Shoe insert, 131mm x 22mm x 16mm
KOGS-17		Roller, Kone Guide Shoe Roller 195mm x 38mm x 2-6003
KOGS-18		Roller, Kone Guide Shoe Roller 80mm x 28mm x 2-6203
KOHB-2		Brush
KOWH-6	DEE4008753	Skeleton Roller, 100mm x 25mm diameter, 6204 ID:20
KOWH-7		Roller, Aluminum Hub 75mm diameter x 19mm, 6204 ID:20
KOWH-8		Roller, Iron Hub, 76.5mm x 32mm, 6203 ID: 17mm
KOWH-15		Roller Group, Distance Between Two Side Roller Centers: 467mm
KOWH-16		Roller, E3H
KOWH-24		Skeleton Roller, 100mm x 19mm, 6003 ID:17mm
KOWH-27	DEE4008754	Step Roller, 75mm x 23.5mm, 6204
KOWH-28	48865G01	Guide Roller
KOWH-1	KM650808G01	Tachometer Wheel, 37.3mm x 30mm ID:11mm
KOWH-1B		Tachometer Wheel, 75mm
KOWH-2		Tachometer Wheel, 75mm
KOWH-3	3685362	Roller, 75mm x 23mm ID: 20mm, bearing 6204
KOWH-4	3685360	Nylon Hub Roller, 75mm x 25mm ID:20.1mm
KOWH-5		Roller, 100mm x 19mm ID:20mm, bearing 6204
KOWH-10		Pressure Roller, L: 74mm, W: 60mm, bearing 6202
KOWH-11		Support Roller, L: 65mm, W: 76mm, Roller 60mm x 63.8mm
KOWH-12		Roller, L: 74mm, W: 69.5mm Roller: 60mm x 32mm
KOWH-13		Mid Roller, L: 80mm, W: 60mm, Roller: 60mm x 64mm
KOWH-14		Mid Roller, L: 90mm, W: 75mm, Roller: 60mm x 64mm
KOWH-17		Roller, 110mm x 19.3mm ID: 20mm, bearing 6204
KOWH-18		Roller, 80mm x 28mm ID: 17mm, double bearing 6203Z
KOWH-19		Roller, 30mm x 12mm, bearing 608Z
KOWH-21		Wheel, 50mm x 12mm GD: 43.5 ID: 10mm, bearing 6002
KOWH-22		Wheel, 48mm x 9mm 608 GD: 40 ID: 8mm
KOWH-23		Roller, L: 200mm W: 90mm ID: 70mm
KOWH-30		Roller, Handrail Guide
KOWH-201		Wheel, 1.5" O.D., Step Guide
KEW-001	USP27505	Kone Esc Wheel Assembly, Handrail take up
ME-59	P24811	Handrail Idler Roller, 3" O.D. x 2-1/4" W, 12 pins
ME-64	26936	Handrail Idler Roller without pins
ME-73	US519267	Step Roller, 4-3/8" O.D. x 1" W, bearing ID: .784"




KOWH-1 KOWH-2



KOWH-3 KOWH-4



KOWH-5 KOWH-6



KOWH-7 KOWH-8



KOWH-10 KOWH-11



KOWH-12 KOWH-13



KOWH-14



KOWH-15




KOWH-17



KOWH-18



KOWH-27



KOWH-28



KOWH-30



KEW-001



ME-59



ME-64



ME-73



ME-13



ME-13A



ME-14



ME-14Y



ME-16



ME-16Y



ME-78



ME-82



ME-88A



ME-88D



ME-89A



KE-1



KE-209



KOCP-11L



KOCP-11C



KOCP-11R



KOCP-2C




KOCP-2R



KOCP-2L



KOCP-3C



KOCP-3R



KOCP-3L

KONE / MONTGOMERY - Comb Plates

S.E.E.S. #	O.E.M. #	Description
ME-13	US68505005	Comb plate, center, 8-3/8" W, 25 teeth for 3E, 4E and 5E
ME-13A	US59827	Screw, mounting, for comb plates 5/16-18 x 5/8"
ME-13Y	B32484	Comb plate, yellow, center, 8-3/8" W, 25 teeth for 3E, 4E and 5E
ME-14	B46671	Comb plate, L.H., 8" W, 23-1/2 teeth, for 3E
ME-14Y	US68509005	Comb plate, yellow, as above
ME-15	B46670	Comb plate, R.H., 8" W, 23-1/2 teeth, for 3E & 4E
ME-15Y	US68508005	Comb plate, yellow, as above
ME-16	B46635	Comb plate, R.H., 7-5/8" W, 22-1/2, teeth for 5E
ME-16Y	US68507005	Comb plate, yellow, as above
ME-17	B46634	Comb plate, L.H., 7-5/8" W, 22-1/2 teeth for 5E
ME-17Y	US68506005	Comb plate, yellow, as above
ME-78	US69972005	Comb Plate, 7-5/8" W, 22 teeth, L.H., yellow aluminum
ME-82	US69955001	Comb plate, L.H. 21-1/2 teeth
ME-82A	US97177001	Comb plate, R.H. 21-1/2 Teeth 7W, Raw
ME-88A	US69182005	Comb Segment, Left Hand URH grey
ME-88C	US69181002	Comb Segment, 7-3/4" W, 23 teeth, center, yellow plastic
ME-88D	US69181005	Comb Segment, Center grey plastic
ME-89	US69183002	Comb Segment, 7-3/4" W, 23 teeth, L.H., yellow plastic
ME-89A	US69183005	Comb Segment, Grey LRH ULH plastic
KE-1	US516423H03	Comb plate, 4" W, 12 teeth, center
KE-2	US516423H02	Comb plate, 4" W, 12 teeth, L.H.
KE-3	US516423H01	Comb plate, 4" W, 12 teeth, R.H.
KE-209	69181-001	Comb plate, Middle, Black

S.E.E.S. #	O.E.M. #	Description
KOCP-11L	KM3711042	Comb Plate, Color: Yellow Length: 200.7 Hole Spacing: 99 Tooth Pitch: 9 Remark: Iron Base, 22 Teeth, Polyurethane
KOCP-11C	KM711044	Comb Plate, Color: Yellow Length: 197.4 Hole Spacing: 99 Tooth Pitch: 9 Remark: Iron Base, 22 Teeth, Polyurethane
KOCP-11R	KM3711043	Comb Plate, Color: Yellow Length: 200.7 Hole Spacing: 99 Tooth Pitch: 9 Remark: Iron Base, 22 Teeth, Polyurethane
KOCP-2C	KM5002052H01	Comb Plate, Length: 197.4 Height: 188.5 Hole Spacing: 99 Tooth Pitch: 9 Remark: Aluminum Center
KOCP-2R	DEE2209591	Comb Plate, Length: 202.7 Height: 188.5 Hole Spacing: 99 Tooth Pitch: 9 Remark: Aluminum Right
KOCP-2L	DEE2209592	Comb Plate, Length: 202.7 Height: 188.5 Hole Spacing: 99 Tooth Pitch: 9 Remark: Aluminum Left
KOCP-3L	3703287	Comb Plate, Length: 200 Height: 180 Hole Spacing: 99 Tooth Pitch: 9 Remark: Aluminum Left
KOCP-3C	3703280	Comb Plate, Length: 197.6 Height: 180 Hole Spacing: 99 Tooth Pitch: 9 Remark: Aluminum Center
KOCP-3R	3703288	Comb Plate, Length: 200.4 Height: 180 Hole Spacing: 99 Tooth Pitch: 9 Remark: Aluminum Right

KONE / MONTGOMERY - Comb Plates

S.E.E.S. #	O.E.M. #	Description
KOCP-4L	KM5009371H01	Comb Plate, 202" x 132" x 140", Black, Left
KOCP-4C	KM5009380H01	Comb Plate, 197" x 132" x 140", Black, Center
KOCP-4R	KM5009370H01	Comb Plate, 202" x 132" x 140", Black, Right
KOCP-5L	KM5009370H02	Comb Plate, 202" x 132" x 140", Yellow, Left
KOCP-5C	KM5009380H02	Comb Plate, 97" x 132" x 140", Yellow, Center
KOCP-5R	KM5009380H02	Comb Plate, 202" x 132" x 140", Yellow, Right
KOCP-11R	KM3711043	Comb Plate, Right, Eco 3000B
KOCP-11L	KM3711042	Comb Plate, Left, Eco 3000A
KOCP-11C	KM711044	Comb Plate, Center, Eco 3000C



KOCP-4L

KOCP-4C

KOCP-4R




KOCP-5L

KOCP-5C


KOCP-5R

KONE / MONTGOMERY - Switches

S.E.E.S. #	O.E.M. #	Description
ME-23A	P23625-601, P32309	Stop switch for escalator
ME-23	P13184	Cover, for stop switch, spring hinged 3" L x 2" W x 1/4" Thick
ME-23-BR-HELP		Lift Cover, Red with Braille "Help"
ME-23Y	P23893	Cover for emergency stop switch, yellow
ME-23Y-BLANK		Cover for emergency stop switch, yellow, blank
ME-26	44253	Switch for lower stations and front plate
ME-27	41129	Switch access cover
ME-27A	US94653001	Switch, Escalator Roller/Plunger Maintaining/Reset, 250 VAC



ME-23A (front)



ME-23A (side)



ME-23



ME-23Y



ME-26



ME-27



ME-27A



ME-43



ME-53



KOCH-1



KOCH-2



KOCH-3



KOCH-4



KOCH-5



KOCH-6



KOCH-8



KOCH-10

KONE / MONTGOMERY - Chains

S.E.E.S. #	O.E.M. #	Description
ME-43	519726	Chain Clip, O&K
ME-53	300233-180	Belt Chain Key for Escalator
ME-75	67883	Chain set for single step Escalator
ME-76	67884	Chain set for 6-step matched escalator
ME-94	44789/67999	Chain, Master Link
KE-4	US94418102, USP34393001	Step chain, 24 pitch, matched pair, HR W
KOCH-1	DEE2758680	Reversing Chain, Pitch Line: 45mm Width: 30.5
KOCH-2	KM5071663G01	Reversing Chain, Pitch Line: 45 Width: 30.5
KOCH-3		Reversing Chain, Pitch Line: 46 Width: 32.5 - One
KOCH-4		Reversing Chain, Pitch Line: 45 Width: 30.5
KOCH-5	KM5130070G01	Tension Sheave Chain
KOCH-6		Chain Roller, 75mm x 23.5mm, T133.33
KOCH-8		Kone Link
KOCH-10	KM5070679G01	Reversing Chain with bearing
KOCH-201		Chain, HR DR, #50, 64.375", CL&OL
KOCH-202	US69207003	Bushing, Step Guide, Outer (Replaces US42430)
KOS-001	KM5072443H01	Kone, Spring R20



ME-28



ME-29



ME-30



ME-31



ME-56



ME-66



ME-67

KONE / MONTGOMERY - Switches

S.E.E.S. #	O.E.M. #	Description
ME-28	94708-015	Proximity Switch for Montgomery escalator
ME-29	37456	Switch for front plates and lower station
ME-30	44252	Switch for access covers, upper comb and skirts
ME-31	16486	Switch for skirts
ME-56	519926	Handrail Proximity Switch for Kone
ME-66	P24860	Handrail Proximity Switch for Escalator
ME-67	US94708-015	Proximity Switch, 12-24 VDC

KONE / MONTGOMERY - Demarcation Strips

S.E.E.S. #	O.E.M. #	Description
KE-204	DEE4004457	Demarcation Strip, L-197.5, Black
KE-205	DEE4004458	Demarcation Strip, L-189.8, Black
KE-206	DEE2145490	Demarcation Strip, L-197.5, Yellow
KE-213	DEE3704413	Demarcation Strip, L.H., Kone Crystal 5000, Yellow
KE-214	DEE3704414	Demarcation Strip, R.H., Kone Crystal 5000, Yellow



KONE / MONTGOMERY - Steps

S.E.E.S. #	O.E.M. #	Description
KOST-1	3000-80-35-2-4800	Escalator Step without Demarcation Strip, Silver, 800mm, E3C-80/35
KOST-2		Escalator Step, Kone 1000mm
KOST-3		Steel Step, Stainless
KOST-4	DEE1564237	Sidewalk Pallet
KOST-5	O&K KONE	O&K STEP
KOST-6	DEE1985530	Pallet Body, O&KTYPE80 B=805MM ROH FSC
KE-215	WK361020G01	Escalator Step Cap, Kone L.H.
KE-5	KM5070530H01	Skirt Light, Led Spot Light, White, 24 VDC
KET-001	US58176	Kone Escalator Tool, Clearance Gauge Imperial
KET-001M	KM51367636	Kone Escalator Tool, Clearance Gauge Metric



KOST-1



KOST-3



KE-5



KOST-4



KOST-6

KONE / MONTGOMERY - Lamps

S.E.E.S. #	O.E.M. #	Description
ME-37	519724	Skirt Lamp, O&K, 20 watt, 2' L
ME-57	2296612	Fluorescent Lamp for Kone, 20 watt, 2' L
ME-61	68144003	Demarcation Light Assembly see ME-74
ME-65	92219-001	Light Assembly, Double ballast
ME-72	68153-001/520069	Lamp
ME-74	MKR26GTG	Lamp (4) & green filter kit for ME-61



ME-37



ME-57



ME-61





ME-65




KONE / MONTGOMERY - Treads

S.E.E.S. #	O.E.M. #	Description
ME-1	B29102	Step tread, 16" L x 8" W, 24 treads, center
ME-2	B29104	Step tread, 16" L x 8" W, 24 treads, R.H.
ME-3	B29103	Step tread, 16" L x 8" W, 24 treads, L.H.
ME-3A	27917	Screw, 1-1/4", 6-32 for step treads
ME-3B	5304-50	Retaining Clip, 1/2", Bat Wing
ME-38	69465-004	Center Tread Insert for Escalator, 8-3/16" L, 24 treads, Silver
ME-40	69463-004	Left Hand Tread Insert, 16" L, L.H. Silver Flake
ME-58	69465-004	Step Tread Insert, 8-3/16" L, 24 treads
ME-63	US69464104	Tread Insert, 16" L, R.H., silver flake
ME-63A	US69464105	Tread Insert, 16" L, L.H., dark grey
ME-68	69464-001	Tread Insert, 16" L, R.H., black plastic
ME-68A	69465-101	Tread Insert, Black mid
ME-69	69463-001	Tread Insert, 16" L, L.H., black plastic
ME-69A	US69463102	Tread Insert, Yellow Plastic L.H.
ME-87	US69465102	Tread Insert, 8-3/16" L, 24 teeth, center, yellow
ME-93	64465-105	Tread insert, mid dark Gray



KONE / MONTGOMERY - Risers


S.E.E.S. #	O.E.M. #	Description
ME-4	US59434002	Cleated Riser, L.H.
ME-5	US59433002	Cleated Riser, R.H.
ME-6	US29105002	Cleated Riser, center
ME-62	69461-004	Insert Riser, 8" L, silver, left hand
ME-62A	US69461105	Insert Riser, dark grey, L.H.
ME-91	69462101/69462001	Insert Riser, 8" L, R.H., silver flake
ME-91A	69462102/69462002	Insert Riser, 8" L, R.H., Yellow
ME-91B	69462103/69462003	Insert Riser, 8" L, R.H., Red
ME-91C	69462104/69462004	Insert Riser, 8" L, R.H., Silver flake
ME-91D	69462105/69462005	Insert Riser, 8" L, R.H., Dark Grey
ME-92	69461101/69461001	Insert Riser, 8" L, L.H., Black
ME-92A	69461102/69461002	Insert Riser, 8" L, L.H., Yellow
ME-92B	69461103/69461003	Insert Riser, 8" L, L.H., Red
ME-92C	69461104/69461004	Insert Riser, 8" L, L.H., Silver flake
ME-92D	69461105/69461005	Insert Riser, 8" L, L.H., Dark Grey



KONE / MONTGOMERY - Seals

S.E.E.S. #	O.E.M. #	Description
ME-9	P15363	Seal and Shim Kit, for gear box P-15
ME-9A		Seal and Shim Kit, for gear box
ME-49	30024	Retainer Seal, BG/GB left
ME-51	37455	Retainer Seal, BG/GB right
ME-55	15363	Shaft Oil Seal for Escalator
ME-98	18150	Gasket, Casehead, 8" x 8"
ME-21	A32926	Support curve, Novatex board 35-3/8" L
ME-22	59259	Support, Novatex board

KONE / MONTGOMERY - Inlet Parts



S.E.E.S. #	O.E.M. #	Description
KOST-1	3000-80-35-2-4800	Escalator Step without Demarcation Strip, Silver, 800mm, E3C-80/35
KOST-2		Escalator Step, Kone 1000mm
KOIC-2	5072734D10, 5072740D10	Inlet Cover Grey, Length: 216mm, Width: 130.5mm/126.5mm Right
KOIC-3	5072733D10, 5072730D10	Inlet Cover Grey, Length: 216mm, Width: 130.5mm/126.5mm Left
KOIC-4	5072735D10, 5072740D10	Inlet Cover Grey, Length: 216mm, Width: 130.5mm/141.5mm Right
KOIC-5	5072733D10, 5072731D10	Inlet Cover Grey, Length: 216mm, Width: 130.5mm/141.5mm Left
KOIC-6	5072738D10, 5072736D10	Inlet Cover Grey, Length: 216mm, Width: 130.5mm/165mm
KOIC-7	5072733D10, 5072732D10	Inlet Cover Grey, Length: 216mm, Width: 130.5mm/165mm
KOIC-10		Inlet Cover Black, Length: 304.9mm, Width: 169mm, Thickness: 10mm
KOIC-30	4001875	Inlet Faceplate, Black
KOIC-32	4001876	Inlet Faceplate, Black, Length: 262mm, Width: 155mm, Thickness: 10mm
KOIC-33	4007877	Inlet Faceplate, Black, Length: 262mm, Width: 155mm, Thickness: 10mm
KOIC-35	4001872	Inlet Faceplate, Black, Length: 263mm, Width: 126mm, Thickness: 10mm
KOIC-21	4001871	Inlet Faceplate, Black, Length: 263mm, Width: 130mm, Thickness: 10mm
KOIC-23		Inlet Faceplate, Color: Black, Length: 262, Width: 130, Thickness: 10
KOIC-25		Inlet Faceplate, Color: Black
KOIC-28		Inlet Faceplate, Color: Black
KOIC-31		Inlet Faceplate, Color: Black
KOIC-39		Inlet Faceplate, Color: Black, Remark: Combined Faceplate
KOIC-41		Inlet Faceplate, Color: Black
KOIC-44		Inlet Faceplate, Color: Black

KONE / MONTGOMERY - Brushes

S.E.E.S. #	O.E.M. #	Description
KOIC-48	13804015	Inlet Brush
KOIC-49		Inlet Brush
KOIC-50		Inlet Brush
KOWH-200	94572-001	Bearing, for Newel Roller, 5MMX19MMX6M
ME-34	29325-00A	Handrail Inlet Brush
KOIC-51	DEE4001877	Inlet Brush



ME-34



KOIC-51



ME-18A ME-24 ME-24A ME-25



ME-25B ME-25A ME-25D ME-41



ME-42 ME-44 ME-45



ME-46 ME-47 ME-48



ME-54 ME-79 ME-80



ME-81 ME-83 ME-84



ME-200 ME-207



ME-12 (profile) ME-12C (profile) ME-86



ME-12A



ME-12B


ME-12E



ME-86A

ME-86B

KOGL-2



MW-9D

KONE / MONTGOMERY - Misc. Hardware


S.E.E.S. #	O.E.M. #	Description
MHDW-001	28974	Snap Ring, External, 510
MHDW-002	59826011	Screw, 10-32 x 1-1/5" L Oval Phillips Head
MHDW-003	16085053	Snap Ring, External .460" diameter
MHDW-004	65349-022	Stud Receiver, Flat .175"
MHDW-005	46663	Clip Ring
MHDW-006	44875	Nut, Speed captive
MHDW-007	46662-003	Nut, #6 K-Lock Zinc Plated
ME-18A	34925	Washer, for Brake Cusion, .64" O.D.
ME-24	37598	Screw for access cover, 1/2" x 2"
ME-24A	59892	Screw for access cover, 3/8" x 2-1/2"
ME-25	59826	Screw, S.S. Phillips machine 10/32 x 1.5"
ME-25A	59892	Nut for stainless trim
ME-25B	US27917	Screw, socket head cap screw for step tread 6/32 x 1"
ME-25C	US68751002	Screw, Hex Drive hd mach screw
ME-25D	49282-009	Screw, Flat/SL, 8-32 Thread
ME-42	49399-003	Screw for Escalator
ME-44	61080-014	Screw for Escalator
ME-45	48839-003	Hex Nut
ME-46	61690-012	Screw for Escalator, dog point
ME-47	47401-009	Screw for Escalator, hex nut
ME-48	59333-001	Hex Nut for Escalator
ME-49	30024	Retainer Seal, BG/GB left
ME-50	44276/22216	Spherical Bearing for Escalator
ME-52	30022	Bearing Spacer for Escalator, 746
ME-54	61219-012	Screw set for Escalator, CP/SK
ME-79	US16085053	Snap Ring
ME-80	US69727001	Nut for Montgomery escalator
ME-81	US67854	Spacer
ME-83	US67071	Retaining Bearing, newel crystal
ME-84	US58351	Spring clip, inner panel
ME-200	68228-002	Nut, Hex Flange, Lock, Grade 5, 8-32 Thread (Replaces US48994)
KOWH-200	94572-001	Bearing, for Newel Roller, 5MMX19MMX6M
KE-207	67436-001	Sleeve, for Step Axle End
KE-208	CLU9-0045	Shim, 16 GA HRS
KE-210	US69819002	Stub Shaft, Middle, Black
KE-211	US68460001	Nut, Lock 1/2-13
KE-212	US93182001	Spacer, Tube Shaft for Step Adaptor
KOBE-1	DEE3721645	Belt, L-2500mm W-29mm Thickness-8mm

KONE / MONTGOMERY - Handrails

S.E.E.S. #	O.E.M. #	Description
ME-12	US60263010	Handrail Guide, polyguide, 13' L
ME-12A	P7395	Guide, Step polyguide
ME-12B	US67282	Handrail Guide, Incline, SEC
ME-12C	US67106	Handrail Guide for Escalator
ME-12D	US69161001	Handrail Guide, E5000
ME-86	US60440	Guide, newel, MOD 4000, 5000
ME-86A	US60510	Handrail Guide, stop, standard
ME-86B	US46716	Handrail Guide, support return
ME-90	US519434	Roller Handrail, 4-5/8" Dia. x 1-1/2" W, groove width for 1", bearing ID: .687"
MW-9D	67036	Guide, handrail, escalator, incline
KOGL-2		Anti Deflection Plate
KOGL-4		Guide Piece

KONE / MONTGOMERY - Misc. Parts

S.E.E.S. #	O.E.M. #	Description
ME-32	35981	Tach generator, 24V, 1500 RPM, Flange Mount
ME-33	29442	Step shim tool
ME-60	519766	Shim, 1.5mm, O&K
ME-61A	68149-001	Starter, for class 2 Demarcation Replaces US508575
ME-70	19501-1080	Belt fractional HP
ME-95	57922	Track, Flat 1-1/4" x 1-1/2" for escalator
ME-97	US58214	Timer, 1.5 S, Delay-On, 230 VAC, 1A
ME-99	P-32743-001	Brake, 8.25", magnet, 90V
ME-99A	P-32894-002	Caststep ASM, with Box, 5E, Alum
ME-201	94459-001	Axle, for Roller Guide, Handrail
KW-001	KM3689873	Guide, 10mm glass (replaces DEE3713311)
KW-002	KM3691814	Clip, Fastening
MIS-700		Wheel Puller for escalator wheels MW-3C, P23230 and MW-3, P12963
KET-001	US58176	Kone Escalator Tool, Clearance Gauge Imperial
KET-001M	KM51367636	Kone Escalator Tool, Clearance Gauge Metric
KOCH-7	KM5070648H01	Kone Link, 47mm x 16mm
KOIC-46		Skirt Bar
KONT-1		Iron Parts
KONT-2		Iron Parts
KOPP-1		Protective Plate
KOPP-2		Protective Plate
KOPP-3		Protective Plate
KOPP-4		Skirt Bar
KOPP-5		Stopper
KOPP-6		Stopper
KOPP-7		Joint Strip, (3 Holes)
KOPP-8		Joint Strip, (2 Holes)



ME-32



ME-33



ME-61A



KW-001



ME-201



KW-002




MIS-700



KOCH-7




KOIC-46



KONT-1



KONT-2



KOPP-1



KOPP-2




KOPP-3



KOPP-4



KOPP-5



KOPP-6



KOPP-7

KONE / MONTGOMERY - Misc. Parts

S.E.E.S. #	O.E.M. #	Description
KOBEA-1	DE70101	Rubber Bush
KOBEA-2	DEE2258672	Slide Bushing, Axle Sleeve, D30mm L=45mm
KOBEA-11		Sleeve
KOCAB-1	KM5072999H01	Nylon Part
KOCAB-2	KM5072998H01	Nylon Part
KOCAB-3		Nylon Part, OD: 20mm / 12.5mm
KOCAB-4		Nylon Part
KOCAB-5	KM5052095	Fastening Clip, 30mm × 20mm × 11mm, PA 6.6
KOCAB-6		Clip
KOGL-1		Anti Deflection Plate
KOGL-2		Anti Deflection Plate
KOGL-3		Anti Deflection Plate
KOGL-5		Anti Deflection Plate



KOBEA-1

KOBEA-2



KOBEA-11



KOCAB-1



KOCAB-2



KOCAB-3



KOCAB-4



KOCAB-5



KOCAB-6



KOGL-1




O&K-ESC-100



O&K-ESC-101



O&K-ESC-102



O&K-ESC-103



O&K-ESC-104



O&K-ESC-105

KONE / MONTGOMERY / O&K

KONE / MONTGOMERY / O&K - Escalator Combs


S.E.E.S. #	O.E.M. #	Description
O&K-ESC-100	DEE1718890	Escalator comb, 7-3/4" W, 22 teeth, center, metal finish type RTK-A4, R.H.
O&K-ESC-101	DEE1718891	Escalator comb, 7-15/16" W, 22 teeth, L.H., metal finish type RTK-B4
O&K-ESC-102	DEE1718892	Escalator comb, 7-3/4" W, 22 teeth, center, metal finish type RTK-C4 Center
O&K-ESC-103	DEE2209591	Escalator comb, 8" W, 22 teeth, L.H., metal finish type RTV-B
O&K-ESC-104	DEE2209592	Escalator comb, 8" W, 22 teeth, R.H., metal finish type RTV-A
O&K-ESC-105	DEE2209590	Escalator comb, 7-3/4" W, 22 teeth, center, metal finish type RTV-C
O&K-ESC-106	US519566	Escalator comb, metal yellow finish Type RTK-B L.H.
O&K-ESC-107	US519663	Escalator comb, metal yellow finish Type RTK-B R.H.
O&K-ESC-108	US519571	Escalator comb, metal yellow finish Type RTK-B CNTR

KONE / MONTGOMERY / O&K - Wheel

S.E.E.S. #	O.E.M. #	Description
ME-39	69006-002	Escalator Wheel, O&K, 1.5" O.D., .38" I.D. .5" H
O&KEW-001		O&K Step Roller, 110mm x 27mm x 20mm (6204 Brg)
O&K-ESC-004	DEE3646651	Roller, Escalator Step chain Alt# 32-06-1114
O&K-ESC-005	KM960895	Roller, Escalator Step tralling Alt# 32-06-1115



ME-39



O&K-ESC-001



O&K-ESC-003



O&K-ESC-020



O&K-ESC-012




O&K-ESC-040


KONE / MONTGOMERY / O&K - Misc. Parts

S.E.E.S. #	O.E.M. #	Description
O&K-ESC-001	DEE1701757	Escalator Step with roller, 1000mm
O&K-ESC-002	DEE4004952	Escalator Step with roller, 800mm
O&K-ESC-003	A107019Z	Chain and Roller Assembly, O&K newel
O&K-ESC-006		Escalator Step, O&K with 110mm Roller
O&K-ESC-012	0002796	Escalator contactor K-14
O&K-ESC-013	DEE404837	Chain Assembly, O&K 10 Roller Step 22HDV-C 4000LG 2 Strand Set
O&K-ESC-014	DEE107432	Comb Screw, M4 X 10 Oval Phil HD Steel Ni PL DEE0107432
O&K-ESC-020	8243-402K	Relay, 250 VAC, 10amp
O&K-ESC-040	0002666, US520154	Tension Switch, O&K
O&K-ESC-200		Locking Plate, O&K
ME-41	3692320	Screw for Comb plate, O&K escalator, M8 x 16 slot


Otis



OW-5



OW-5A



OW-5B



OW-5C

OTIS - Rollers


S.E.E.S. #	O.E.M. #	Description
OW-5	290AJ2	Escalator Roller, 3" O.D. x 7/8" wide, Polyurethane tire, .750" bearing I.D. 3/4" surface
OW-5A	290BP4	Escalator Roller, 3" O.D., 7/8" wide, 3/4" tire surface, alum. die cast, .6993" I.D., for Model 32R & 48R escalators
OW-5B	290BR2	Escalator Roller, 3" O.D. x 7/8" wide, polyurethane tire, same as OW-5, but with 1/2" bearing I.D.
OW-5C	GAA290CF2, 290AJ4	Escalator Roller, 3" OD x 7/8" wide, 3/4" surface, Urethane encapsulated bearing, .6693" I.D.
OW-22	290F1Y-SV	Step Chain Roller with poly tire, for "ML-C" escalator, 5-1/2" O.D., 1-1/2" wide, 1-1/8" tire face, 1-1/2" I.D.
OW-26	290CA2	Escalator Roller for Otis, 3" diameter x 3/4" wide
OW-31	RR6858, 25030604	Escalator Roller, Renold/Otis 4" OD 1" Face, .7874" I.D., 6304 Bearing



OW-22





OW-26



OW-31


OTIS - Rollers

S.E.E.S. #	O.E.M. #	Description
OW-41		Roller, 50mm x 15.25mm x 10mm 6200-2RS
OW-41A		Roller, 50mm x 16.75mm x 10mm 6200-2RS
OTWH-2		Iron Roller, 70mm x 36mm ID: 15mm
OTWH-3	GAA456DJ	Nylon Roller, 70mm x 34mm ID: 12mm, bearing 6201
OTWH-5		Roller, 80mm x 25mm ID: 30mm, bearing 6206
OTWH-5D		Roller, 80mm x 25mm ID: 30mm, bearing 6206
OTWH-6		Roller, 80mm x 25mm ID: 20mm, bearing 6204
OTWH-7		Roller, 80mm x 25mm ID: 20mm, bearing 6304
OTWH-8		Roller, for Hanger Nylon Hub 76.2mm x 21.4mm ID:19.1
OTWH-9		Nylon Hub Roller, 76.2mm x 21.4mm ID: 21mm
OTWH-10		Nylon Hub Roller, 80mm x 25mm ID: 21mm
OTWH-11		Roller, 80mm x 25mm, ID: 20mm, bearing 6204
OTWH-12		Roller, 80mm x 25mm, ID: 25mm, bearing 6205, Alum. hub
OTWH-13		Roller, Iron hub 130mm x 30mm ID: 25mm, bearing 6205
OTWH-14		Roller, 70mm x 25mm ID: 20mm, bearing 6204
OTWH-19		Roller, 76mm x 22mm ID: 17mm, bearing 6203
OTWH-20	506 NCE	Roller, 76.2mm x 22mm D: 17mm, bearing 6203
OTWH-21		Handrail Drive Wheel, XIZI OTIS 131mm x 34mm ID:44mm
OTWH-22		Handrail Roller, 76mm x 53mm ID:12mm, double bearing 6201
OTWH-23		Roller, 80mm x 25mm, 6203 ID:17mm GD:56. 4 Belt Roller
OTWH-24		Roller, 76.2mm x 21.6mm, ID:12.7mm, bearing 6203
OTWH-24A		Roller, 76.2mm x 21.6mm, ID:15.1mm, bearing 6203
OTWH-25		Chain Roller, 76.2mm x 21.6mm, ID:12.7mm, bearing 6203
OTWH-25A		Chain Roller, 76.2mm x 21.6mm, ID:15.1mm, bearing 6203
OTWH-26		Skeleton Roller, 76.2mm x 22mm, ID:17mm (No Bearing)
OTWH-27		Skeleton Roller, 76.2mm x 22mm, ID:20mm, bearing 6204
OTWH-28		Iron Roller, for Pulley Block
OTWH-29		Roller, with shaft 70mm x 35mm
OTWH-30		Handrail support roller, 50mm x 55mm, bearing 6203
OTWH-31		Tension Chain Roller, 76mm x 54mm, bearing 6201 Dul, Nylon
OTFP-3	GAA265AT1	Escalator Drive Sheave, Friction Wheel 456/218 X 35mm
OTFP-15	DAA265K11	Friction Wheel



Otis

Comb Plates – Aluminum, Model “J” & “UB”




OE-2

OE-2B



OE-2C

OE-2D



OE-1



OE-1A




OE-1C




OE-1D




OE-1F



OE-5



OE-5A



OE-5D

S.E.E.S. #	O.E.M. #	Description	# Teeth
OE-2	G0A453A1	152.355 x 140 x 6.4mm	18
OE-2A	G0A453A4	145.904 x 140 x 6.4mm	17
OE-2B	G0A453A5	136.479 x 140 x 6.4mm, Type 48 “J” and 48 “UB”	16
OE-2C	G0A453A6	142.830 x 140 x 6.4mm, Type 48 “J” and 48 “UB”	17
OE-2D	G0A453A9	126.954 x 140 x 6.4mm, Type 48 “J” and 48 “UB”	15

Comb Plates – Black Lexan, Model “O”

S.E.E.S. #	O.E.M. #	Description	# Teeth
OE-1	A453Z1	5.992" x 4-1/4" x 1/4"	18
OE-1A	A453Z2	5-7/16" x 4-1/4" x 1/4"	16
OE-1B	A453Z3	5.71" x 4-1/4" x 1/4"	17
OE-3	A453Z4	5.738" x 4-1/4" x 1/4"	17
OE-1C	A453Z5	5.367" x 4-1/4" x 1/4"	16
OE-4	A453Z6	5.617" x 4-1/4" x 1/4"	17
OE-1D	A453Z7	5-9/16" x 4-1/4" x 1/4"	16
OE-1E	A453Z8	5-13/16" x 4-1/4" x 1/4"	17
OE-1F	A453Z90	5" x 4-1/4" x 1/4"	15
OE-1G	A453Z10	5-7/8" x 4-1/4" x 1/4"	18
OE-1H	A453Z13	5.863" x 4-1/4" x 1/4"	17

Comb Plates – Aluminum, Model “R”

S.E.E.S. #	O.E.M. #	Description	# Teeth
OE-5A	453Y1	5.99" x 4-1/4" x 1/4"	18
OE-5B	453Y2	5.46" x 4-1/4" x 1/4"	16
OE-5C	453Y3	5.71" x 4-1/4" x 1/4"	17
OE-5D	453Y4	5.738" x 4-1/4" x 1/4"	17
OE-5	453Y5	5.367" x 4-1/4" x 1/4"	16
OE-5E	453Y6	5.617" x 4-1/4" x 1/4"	17
OE-5F	453Y9	4.992" x 4-1/4" x 1/4"	15

OTIS - Comb Plates

S.E.E.S. #	O.E.M. #	Description
OE-2A-Y	G0A453A4	Comb, yellow, 17 teeth
OE-2A-YP	G0A453A4	Comb, yellow/plastic 17 teeth
OE-2B-Y	G0A453A5	Comb, yellow, 16 teeth
OE-2B-YP	G0A453A5	Comb, yellow/plastic, 16 teeth
OE-2C-Y	G0A453A6	Comb, yellow, 17 teeth,
OE-2C-YP	G0A453A6	Comb, yellow/plastic, 17 teeth
OE-2D-Y	G0A453A9	Comb, yellow, 15 teeth
OE-2D-YP	G0A453A9	Comb, yellow/plastic, 15 teeth
OE-2-Y	G0A453A1	Comb, yellow/plastic, 18 teeth
OE-208-Y-R	AAA453AJ26	Comb Plate, Yellow Right
OE-208-Y-L	AAA453AJ23	Comb Plate, Yellow Left
OE-209-G-R	AAA453AJ1	Comb Plate, Green Glow Left
OE-1J-Y	453Z12Y	Comb Plate, 17 Teeth, Yellow
OE-1H-Y	453Z13Y	Comb Plate, 17 Teeth, Yellow
OE-1-Y	453Z1Y	Comb Plate, 18 Teeth, Yellow



OE-2A-Y



OE-2B-Y



OE-2C-Y



OE-2D-Y



OE-208-Y-R



OE-208-Y-L



OE-209-G-R



OE-1J-Y




OE-1H-Y



OE-1-Y

OTIS - Comb Plates




OTCP-1B



OTCP-8



OTCP-8A



OTCP-9



OE-10-Y




OE-10A-Y



OE-10B-Y

S.E.E.S. #	O.E.M. #	Description
OTCP-1A	XAA453P2	Comb Plate, FT (plastic)
OTCP-1B	XAA453P1	Comb Plate, FT0702-1 Comb (aluminum)
OTCP-2	GOA453A1	Comb Plate, Aluminium 152.2mm x 140.5mm, 18 teeth
OTCP-7		Comb Plate, Aluminium Alloy Comb Plate, 22 teeth
OTCP-8		Comb Plate, Aluminium Alloy Comb Plate, 22 teeth
OTCP-9	G0453D	Comb Plate, Aluminium Alloy Comb Plate, 24 teeth
OTCP-7A	XAA453AB6	Comb Plate, Aluminium 193.2mm x 111.2mm, Pitch = 8.4mm, Install hole = 142.8mm, 23T
OTCP-7B	XAA453AB7	Comb Plate, Aluminium 214.2mm x 111.2mm, Pitch = 8.4mm, Install hole = 142.8mm, 23T
OTCP-7C	XAA453AB8	Comb Plate, Aluminium 214.2mm x 111.2mm, Pitch = 8.4mm, Install hole = 142.8mm, 23T
OTCP-8A	XAA453BC1	Comb Plate, Aluminium 204.3mm x 132.6mm, Pitch = 9.068mm, Install hole = 145mm, 22T
OTCP-8B	XAA453BC2	Comb Plate, Aluminium 199.5mm x 132.6mm, Pitch = 9.068mm, Install hole = 145mm, 22T
OTCP-8C	XAA453BC3	Comb Plate, Aluminium 204.3mm x 132.6mm, Pitch = 9.068mm, Install hole = 145mm, 22T
OE-10-Y	AAA453AJ15	Comb Plate, Center Yellow
OE-10A-Y	AAA453AJ20	Comb Plate, Right Hand Yellow
OE-10B-Y	AAA453AJ19	Comb Plate, Left Hand Yellow
OTCP-10C	XAA453J	Comb Plate, Aluminium Alloy, Length: 193.2mm Height: 145.3mm Hole Spacing: 142.4mm Tooth Pitch: 8.4 Remark: Aluminum, Center
OTCP-10L	XAA453J	Comb Plate, Aluminium Alloy, Length: 214.2mm Height: 145.3mm Hole Spacing: 142.4mm Tooth Pitch: 8.4 Remark:Aluminum, Left
OTCP-10R	XAA453J	Comb Plate, Aluminium Alloy, Length: 214.2mm Height: 145.3mm Hole Spacing: 142.4mm Tooth Pitch: 8.4 Remark: Aluminum, Right
OTCP-11L	XAA453BJ1	Aluminum Alloy Comb Plate, 203.184mm x 132.64mm 8.466 101.7 24T
OTCP-11C	XAA453BJ2	Aluminum Alloy Comb Plate, 197.994mm x 132.64mm 8.466 101.7 23T
OTCP-11R	XAA453BJ3	Aluminum Alloy Comb Plate, 206.39mm x 132.64mm 8.466 101.7 24T
OTCP-12A	GAA453BV1	Comb Plate, Aluminum Esc 24 Tooth, L.H. Travolator
OTCP-12B	GAA453BV5	Comb Plate, Aluminum Esc 24 Tooth, Center
OTCP-12C	GAA453BV6	Comb Plate, Aluminum Esc 23 Tooth, R.H.
OTCP-19	XAA453CD	Comb Plate, Length: 206mm Height: 139.2mm Hole Spacing: 101.6mm Tooth Pitch: 8.4 Remark: Aluminum 24 Teeth, Right



OTCP-11L



OTCP-19

OTIS - Comb Plates


S.E.E.S. #	O.E.M. #	Description
OTCP-20A	GAA453BM1	Comb Plate , Length: 203mm Height: 139.2mm Hole Spacing: 101.7mm Tooth Pitch: 8.4 Remark: Aluminum 24 Teeth, Center
OTCP-20B	GAA453BM7	Comb Plate , Length: 195mm Height: 139.2mm Hole Spacing: 101.7mm Tooth Pitch: .8.4 Remark: Aluminum 23 Teeth, Left
OTCP-20C	GAA453BM5	Comb Plate , Length: 206mm Height: 139.2mm Hole Spacing: 101.6mm Tooth Pitch: 8.4 Remark: Aluminum 24 Teeth, Right
OTCP-20D	GAA453BM6	Comb Plate , Length: 195mm Height: 139.2mm Hole Spacing: 101.7mm Tooth Pitch: .8.4 Remark: Aluminum 23 Teeth, Left
OTCP-20E	GAA453BM3	Comb Plate , Length: 198 Height: 139.2 Hole Spacing: 101.7 Tooth Pitch: 8.4 Remark: Aluminum 24 Teeth Left
OTCP-24R	XAA453AV1 PNS1.18-1/2	Comb Plate , Length: 202.9mm Hole Spacing: 145.3mm Tooth Pitch: 9.068mm Remark: Aluminum 22 Teeth, Right
OTCP-24C	XAA453AV2	Comb Plate , Length: 199.4mm Hole Spacing: 145mm Tooth Pitch: 9.068 Remark: Aluminum 22 Teeth, Center
OTCP-24L	XAA453AV3 PNS1.18-1/3	Comb Plate , Length: 202.9mm Hole Spacing: 145.3mm Tooth Pitch: 9.068mm Remark: Aluminum 22 Teeth, Left
OTCP-25C	L47312023A	Comb Plate , E type comb plate W=199.4
OTCP-25L	L47312024A	Comb Plate , E type comb plate
OTCP-25R	L47312022A	Comb Plate , E type comb plate
OTCP-29C		Comb Plate , Yellow Length: 192.6mm Height: 107.5mm Hole Spacing: 145mm Tooth Pitch: 9.068 Remark: Plastic, Center
OTCP-29L		Comb Plate , Yellow Length: 213mm Height: 107.5mm Hole Spacing: 142.4mm Tooth Pitch: 8.4 Remark: Plastic, Left
OTCP-29R		Comb Plate , Yellow Length: 213mm Height: 107.5mm Hole Spacing: 142.4mm Tooth Pitch: 8.4 Remark: Plastic, Right



OTCP-20D



OTCP-20E



OTCP-24C



OTCP-25C



OTCP-29C



OTCP-29L



OTCP-29R


OTIS - Comb Plates



OE-10


S.E.E.S. #	O.E.M. #	Description
OE-10	G0453D1	Comb, 8" W, 24 teeth, center, Aluminum, 506 series
OE-10A	G0453D6	Comb, 7-3/4" W, 23 teeth, R.H., Aluminum, 506 series
OE-10B	G0453D5	Comb, 8-1/8" W, 24 teeth, L.H., Aluminum, 506 series
OE-10E	G0453D4	Comb, aluminum, 506, 506SL, 510 (before 1991), 7.7" L, 24 Teeth
OE-10C	G0453D2	Comb, aluminum, 506, 506SL 7.7" L, 23-teeth 453D2
OE-10D	G0453D3	Comb, aluminum, 506, 506SL 8.1" L, 23-teeth, w/ demarcations

OTIS - Demarcation Strips



OTYDS-7A
OTYDS-7B
OTYDS-7C
OTYDS-7D
OTYDS-7E

S.E.E.S. #	Description
OTYDS-7A	Demarcation Strip, Length: 277.2mm Tooth Pitch: 8.4mm Width: 32.8mm
OTYDS-7B	Demarcation Strip, Length: 252mm Tooth Pitch: 8.4mm Width: 32.8mm
OTYDS-7C	Demarcation Strip, Length: 319.2mm Tooth Pitch: 8.4mm Width: 32.8mm
OTYDS-7D	Demarcation Strip, Length: 319.2mm Tooth Pitch: 8.4mm Thick Width: 41.5 mm
OTYDS-7E	Demarcation Strip, Length: 267.6mm Tooth Pitch: 22.5mm Thick Width: 24mm
OTYDS-8A	Demarcation Strip, Length: 317mm Tooth Pitch: 9.068mm Width: 41.7mm
OTYDS-8B	Demarcation Strip, Length: 317mm Tooth Pitch: 9.068mm Width: 32.8mm
OTYDS-8C	Demarcation Strip, Length: 211.2mm Tooth Pitch: Width: 19.1mm
OTYDS-8D	Demarcation Strip, Length: 403.5mm Tooth Pitch: 26.8mm Thick Width: 25.5 mm
OTYDS-8E	Demarcation Strip, Length: 397.5mm Tooth Pitch: 26.8mm Thick Width: 25.5mm
OTYDS-9A	Demarcation Strip, Length: 211.2mm Tooth Pitch: 8.466mm Width: 22.6 mm
OTYDS-9B	Demarcation Strip, Length: 211.2mm Tooth Pitch: 8.466mm Width: 17.9mm
OTYDS-9C	Demarcation Strip, Length: 321.6mm Tooth Pitch: 8.466mm Width: 45.5mm
OTYDS-9D	Demarcation Strip, Length: 321.6mm Tooth Pitch: 8.466mm Width: 39.5mm
OTYDS-9E	Demarcation Strip, Length: 411mm Tooth Pitch: 25.5mm Thick Width: 24.5mm
OTYDS-9F	Demarcation Strip, Length: 409mm Tooth Pitch: 25.5mm Thick Width: 24.5mm



OTYDS-8A
OTYDS-8B
OTYDS-8C
OTYDS-8D
OTYDS-8E


S.E.E.S. #	O.E.M. #	Description
OTYDS-10L	L47332136A	Demarcation Strip, Left
OTYDS-10R	L47332136B	Demarcation Strip, Right
OTYDS-10F	L47332127A	Demarcation Strip, Front Left
OTYDS-10FC	L47332128A	Demarcation Strip, Front Center
OTYDS-10FR	L47332135A	Demarcation Strip, Front Right
OTYDS-10RL	L47332137A	Demarcation Strip, Rear Left
OTYDS-10RC	L47332138A	Demarcation Strip, Rear Center
OTYDS-10RR	L47332139A	Demarcation Strip, Rear Right
OTYDS-14A		Demarcation Strip, Length: 319.2mm Tooth Pitch: 8.4mm Width: 41.5mm
OTYDS-14B		Demarcation Strip, Length: 267.6mm Tooth Pitch: 25.5mm Thick Width: 24mm
OTYDS-15A		Demarcation Strip, Length: 203mm Tooth Pitch: 8.4mm Width: 32mm
OTYDS-15B		Demarcation Strip, Length: 411mm Thick: 17mm Width: 25mm, yellow



OTYDS-9A
OTYDS-9B
OTYDS-9C
OTYDS-9D
OTYDS-9E
OTYDS-9F



OTYDS-10L
OTYDS-10C
OTYDS-10R




OTYDS-14A



OTYDS-15A
OTYDS-15B

OTIS - Demarcation Strips

S.E.E.S. #	O.E.M. #	Description
OTYDS-17A	H2106212 32188940-M	Demarcation Strip , Length: 319mm Tooth Pitch: 8.4 Width: 42mm, yellow
OTYDS-17B		Demarcation Strip , Length: 319mm Tooth Pitch: 8.4mm Width: 41mm
OTYDS-17C	H2106223 32188939-M	Demarcation Strip , Length: 319mm Tooth Pitch: 8.4 Width: 25.3 mm, yellow
OTYDS-17D		Demarcation Strip , Length: 395mm Tooth Pitch: 12 Thick Width: 24.7mm, yellow
OTYDS-25	XAA26143A530	Demarcation (the Stainless Steel Step)
OTYDS-26A	XAA455Q1	Demarcation 508 (pallet L)
OTYDS-26B	XAA455R1	Demarcation 508 (pallet R)
OTYDS-26C	XAA455K1	Demarcation (pallet behind) Length: 321.6mm Width: 31.4mm Tooth Pitch: 8.4
OTYDS-26D	XAA455J1	Demarcation (pallet front) Length: 321.6mm Width: 55mm Tooth Pitch: 8.4
OTYDS-27A	L47312039A/B	Demarcation Strip , Black Long
OTYDS-27B	L47312038A/B	Demarcation Strip , Black Short
OTYDS-27C	L47312027A	Demarcation Strip , Strip Yellow
OTYDS-27D	L47312028A	Demarcation Strip , Strip Yellow
OTYDS-31L	XAA455L1	Demarcation (pallet L) Length: 403mm Width: 24.2mm Tooth Pitch: 8.4, yellow
OTYDS-32L	LL8 034 024	Demarcation Strip , Yellow Length: 268mm Tooth Pitch: 8.4 Width: 24mm Front Thick: 25mm Left, yellow
OTYDS-32C	HE00528 LL8 034 023	Demarcation Strip , Black Length: 319 Tooth Pitch: 8.4 Width: 42mm Front Thick: 25mm Front, yellow
OTYDS-32R	LL8 034 024	Demarcation Strip , Yellow Length: 268mm Tooth Pitch: 8.4 Width: 24mm Front Thick: 25mm Right, yellow
OTYDS-37	LDTJ-A-14	Demarcation Strip , Length: 395mm Tooth Pitch: 12 Thick Width: 24.7mm Right, yellow



OTYDS-15B



OTYDS-17A



OTYDS-17C




OTYDS-17D



OTYDS-26C



OTYDS-26D



OTYDS-27C



OTYDS-31L




OTYDS-32L



OTYDS-32C




OTYDS-37



OTST-1



OTST-3



OTST-4




OTST-7



OTST-8



OTST-13



OTST-14



OTST-15



OTST-20

Otis - Steps

S.E.E.S. #	O.E.M. #	Description
OE-001	GAA26140F9	Escalator step assembly, 40/1000mm, black
OTST-1		Step, Otis 1000mm
OTST-3		Step, Stainless Steel (600mm)
OTST-3A		Step, Otis 1000mm With Yellow Demarcation
OTST-4	GAA26340H5	Step, Aluminum With Demarcation Strip, 1000mm
OTST-5	XAA26145A1	Steps, 508 Stainless Steel 1000mm
OTST-6	XAA26145A2	Steps, 508 Stainless Steel 800mm
OTST-7	XAA26340B1	Sidewalk Pallet
OTST-8		Step, Complete
OTST-9	XAA455A28	Step, Aluminum, Black, 1000mm
OTST-10	XAA26340B1/B2	Stainless Steel Pallet
OTST-13	GAA26340H5	Pallet, Otis 606, 1000mm with paint demarcation
OTST-14		Step, OTIS 506, 800mm with paint Demarcation Line
OTST-15	XAA26340B1	Stainless Steel Pallet
OTST-20		Adjusting washer, O.D. = 31.5mm, I.D. = 22mm, Thickness: 0.2mm

OTIS - Bushings

S.E.E.S. #	Description
OTBEA-1	Otis Bushing, XIZI
OTBEA-2	Otis Bushing, XIZ



OTBEA-1



OTBEA-2

OTIS - Belts

S.E.E.S. #	O.E.M. #	Description
OTBE-1		Multi-Wedge Rubber Belt
OTBE-2		Multi-Wedge Rubber Belt
OTBE-5		Handrail Traction Belt
OTBE-6		Drive Belt for Handrail, Otis 506, 2476mm
OE-9	V717AAA1	Handrail Drive Belt



OTBE-5



OTBE-6



OE-9



OE-200



OE-200A

OTIS - Step Treads and Risers

S.E.E.S. #	O.E.M. #	Description
OE-200	455AD1-26BR1	Step Tread, Right Hand Black N
OE-200A	455BA1-26BR1	Step Tread, Left Hand Black NR
OE-200B	455CA1-26BR1	Step Tread, Center Black NR
OE-200C	455BA1-26BR2	Step Tread, Left Hand Gray NR
OE-200D	455R2-26BR1	Step Tread, Left Hand RH Black NR
OE-200E	455R1-26BR1	Step Tread, Black NR
OE-202	454T2-BLEP	Riser, for Step Right Hand Black
OE-203	454R2-BLEP	Riser, Cleated Left Hand



OE-200B



OE-200C



OE-200E



OE-202

OTIS - Lamp Fixtures

S.E.E.S. #	O.E.M. #	Description
OE-20	AAA417CF1	Lamp Fixture, for demarcation light, 24", 120V, 60Hz without lamp or switch



OE-20

OTIS - Switch Boxes

S.E.E.S. #	Description
OTCOP-7	Switch Box
OTCOP-8	Switch Box
OTCOP-9	Switch Box



OTFP-1



OTFP-3



OTFP-4




OTFP-5

OTIS - Hall Switches

S.E.E.S. #	O.E.M. #	Description
OTSW-27-1	GAA177HB1	Hall Switch, RED, PNP, Normal Open, S
OTSW-27-2	GAA177HB2	Hall Switch, YELLOW, PNP, Normal Close, N
OTSW-27-3	GAA177HB3	Hall Switch, Truck NI25U-CK40-AP6X2-H1141
OTSW-27-4	GAA177HB4	Hall Switch, Truck NI25U-CK40-AP6X2-H1141
OTSW-27-5	GAA177HB5	Hall Switch, Truck NI25U-CK40-AP6X2-H1141
OTSW-27-6	GAA177HB6	Hall Switch, Truck NI25U-CK40-AP6X2-H1141
OTSW-28-2	DAA177AX2	Hall Switch, Truck NI25U-CK40-AP6X2-H1141

OTIS - Friction Wheels

S.E.E.S. #	O.E.M. #	Description
OTFP-1	DAA565NNN1	Friction Wheel, O.D. = 456mm
OTFP-3	DAA261NNN1	Friction Wheel, 460mm x 35mm
	DAA265NNN1	
OTFP-4		Friction Wheel, 455mm x 50mm x 30mm
OTFP-5	GAA265AT1	Friction Wheel, OTIS 606, 692mm
OTFP-6	GAA265AP1	Friction Wheel, 392mm x 35mm, I.D. = 316mm, w/ screw
OTFP-7	GAA265NNN-P	Friction Wheel, O.D. = 455mm, I.D. = 220mm, Thickness=35mm
OTFP-8		Friction Wheel, O.D. = 557mm, NO thread in install holes
OTFP-8A		Friction Wheel, O.D. = 557mm, Has thread in install holes
OTFP-15	DAA265K11	Friction Wheel



OTFP-6

OTIS - Pallet Parts

S.E.E.S. #	O.E.M. #	Description
OTAX-1	GAA81EH1	Front pallet axle, long
OTAX-2	GAA81EH2	Front pallet axle, short
OTCL-1	GAA94BF1	Front Left Clip
OTCL-2	GAA94BF2	Front Right Clip
OTCL-3	GAA94BF3	Rear Left Clip

OTIS - Guide Rails

S.E.E.S. #	Description
OTGR-1	Guide Rail, OTIS 506 AI
OTGR-2	Guide Rail, OTIS 508 AI

OTIS - Key Switch


S.E.E.S. #	O.E.M. #	Description
OTSW-33	50044082	Key Switch, for OTIS 508 72mm x 32mm x 32mm

OTIS - Step Sensors

S.E.E.S. #	O.E.M. #	Description
OTSW-26	XAA177BE1	Step Sensor, Truck NI25U-CK40-AP6X2-H1141

OTIS - Sprockets

S.E.E.S. #	Description
OTSPK-1	Sprocket, 9-Teeth sprocket with friction teeth, without blue ring
OTSPK-2	Sprocket, 9-Teeth sprocket with friction teeth, with blue ring



OTSPK-1



OTSPK-2



OTSW-26



OTGR-1



OTGR-2



OE-7



OTHR-1



OTCH-1



OTCH-2



OTCH-3



OTCH-4



OTCH-5



OTCH-6



OTCH-8



OTCH-10



OTCH-7



OE-201

OTIS - Handrail Parts

S.E.E.S. #	O.E.M. #	Description
OE-6	GOA456AY1	Handrail Roller Bearing
OE-7	A6337P1	Handrail Guard Assembly , Includes rubber handrail boots. Hardware: plastic plate, metal plate
OE-14	GAA50AHA1	Handrail J Track
OE-212	G02215AB10	Escalator Handrail Roller , 76mm x 35mm x 12mm Black Delrin, Double 6201
OTHRD-1	GBA26180D1	Handrail Drive
OTHDR-1		Handrail wearing strip , Width=26mm, Thick=6mm

OTIS - Chains

S.E.E.S. #	O.E.M. #	Description
OTCH-1		Reversing Chain Pitch Line: 60/45mm, Width: 33.6mm Twin fork
OTCH-2		Driving Chain Pitch Line: 70mm, O.D. of Roller: 60mm diameter, Width: 55mm, Link Width 35mm, Thickness: 3mm
OTCH-3		Chain for OTIS 506, Pitch Line: 135.6mm O.D. of Roller: 76.2mm diameter
OTCH-3A		Chain for OTIS 506, Pitch Line: 135.47mm O.D. of Roller: 76.2mm diameter
OTCH-4		Chain , XIZI OTIS Chain, Pitch Line: 135.47mm O.D. of Roller: 76.2mm diameter
OTCH-5		Chain , XIZI OTIS Chain, Roller Pitch Line: 131.33mm OD of Roller: 80mm diameter
OTCH-6		Chain , Heavy type T131
OTCH-7		XIZI OTIS Chain Tension And Protection
OTCH-8		XIZI OTIS Chain Tension And Protection
OTCH-10	GAA332Z4	Driving Chain
OE-201	YYJ0332J4	Chain Assembly
OE-204	A59P2	Bolt
OE-210	GX237AW1	Guide Shoe , Nylon for Brake AC Dev 6.75" L Models J, UBSL
OE-211	198AD2	Pully , Guide for Handrail Models R, RB, RBC

OTIS - Misc. Parts


S.E.E.S. #	O.E.M. #	Description
OE-6A	G0221594	Roller Bearing & Roll Pin , Handrail roller and pin kit
OE-6A-1	G0456BA1	Roll pin sleeve
OE-8	G0678A42	Roller Bearing , Handrail Roller
OE-8A	207BN1, 2700AEJ1	Roller Bearing & Pin , Handrail roller and pin kit
OE-8A-1	6800HL1	Knurled steel pin
OE-11		Sensor , Otis Motion Handrail Used On One Step Style Escalator
OE-12		Roller , Newel Otis 508NCE
OE-13	DAA402CR3	Handrail Bearing Assembly ,
OW-6		Spacer for Escalator Roller, 11/16" I.D., 1-5/8" O.D.
OW-14	VP878095	Escalator Step Removing Tool (Two required for safe step removal)
OTGP-1		Guide Piece
OTGP-2	XAA385DI	Guide Piece Small
OTIC-1		Inlet Cover Holder
OTIC-1R	GAB438BNX	Inlet Cover
OTIC-1L	GAB438BNX	Inlet Cover
OTIC-3		Otis Rubber Inlet
OTBRA-2	XAA232W3	Resistor for Brake 1000W, 100
OTBRA-4	TAB330AJ1	Coil , Brake
OTBRA-6		Brake Magnet
OTGS-10	XAA385X	Return Guide , for Escalator 170mm x 57mm Hole Distance: 150mm
OTGS-11		Otis Shoe Guide
OTGS-29	XAA835AJ1	Escalator Slider , 20mm x 58mm x 27mm Hole Distance: 56mm
OTBRA-5	G0222P1	Break
OTLO-14		Escalator Lock
OTLO-2K		Key , Triangle



OE-6A



OE-8A



OW-6



OW-14



OTGP-1



OTGP-2



OTIC-3



OTBRA-4




OTIC-1R



OTIC-1L




OTGS-29



OTGS-10



OTGS-11



OTGS-29



OTBRA-5



OTLO-14



OTLO-14


LG
LG - Comb Plates

S.E.E.S. #	O.E.M. #	Description
LCP-3L	2L05755	Comb Plate , 160mm x 90mm, 17 teeth
LCP-3M	2L05753	Comb Plate , 160mm x 90mm, 16 teeth
LCP-3R	2L05754	Comb Plate , 160mm x 90mm, 17 teeth
LCP-4C	DSA2000168-M	Comb Plate , Yellow, Length: 142.2mm, Height: 94.5mm, Hole Spacing: 90mm, Tooth Pitch: 8mm, Remark: Plastic 17 Teeth, Center
LCP-4L	DSA2000168-L	Comb Plate , Yellow, Length: 146.4mm, Height: 94.5mm, Hole Spacing: 90mm, Tooth Pitch: 8mm, Remark: Plastic 17 Teeth Right
LCP-4R	DSA2000168-R	Comb Plate , Yellow, Length: 146.4mm, Height: 94.5mm, Hole Spacing: 90mm, Tooth Pitch: 8mm, Remark: Plastic 17 Teeth Left
LCP-6		Sigma Comb Plate , Length: 206mm, Hole Spacing: 110mm, Tooth Pitch: 8.4mm, Remark: Aluminum, 24 Teeth Left
LCP-7		Sigma Comb Plate , Length: 203mm, Hole Spacing: 110mm, Tooth Pitch: 8.4mm, Remark: Aluminum, 24 Teeth Center
LCP-8		Comb Plate , Length: 206mm, Hole Spacing: 110mm, Tooth Pitch: 8.4mm, Remark: Aluminum, 24 Teeth
LCP-9		Comb Plate , Length: 197.5mm, Hole Spacing: 110mm, Tooth Pitch: 8.4mm, Remark: Aluminum, 23 Teeth
LCP-10		Comb Plate , Length: 205mm, Hole Spacing: 110mm, Tooth Pitch: 8.4mm, Remark: Aluminum, 24 Teeth
LCP-11		Comb Plate , Length: 199mm, Hole Spacing: 110mm, Tooth Pitch: 8.4mm, Remark: Aluminum, 23 Teeth
LCP-12CL		Comb Plate , Yellow, Length: 109.4mm, Height: 90mm, Hole Spacing: 60mm, Tooth Pitch: 9mm, Remark: Plastic, 12 Teeth Center, Short
LCP-12CS		Comb Plate , Yellow, Length: 145.40mm, Height: 90mm, Hole Spacing: 90mm, Tooth Pitch: 9mm, Remark: Plastic, 16 Teeth, Center, Long
LCP-12L		Comb Plate , Yellow, Length: 160mm, Height: 90mm, Hole Spacing: 90mm, Tooth Pitch: 9mm, Remark: Plastic, 17 Teeth, Left
LCP-12R		Comb Plate , Yellow, Length: 160mm, Height: 90mm, Hole Spacing: 90mm, Tooth Pitch: 9mm, Remark: Plastic, 17 Teeth, Right
LCP-13R	2L08298R	Al Escalator Comb Plate
LCP-13M	2L08298M	Al Escalator Comb Plate
LCP-13L	2L08298L	Al Escalator Comb Plate
LCP-14C	DSA2001489-M	Comb Plate , 202.6mm x 94.4mm, 22T, ABS, Yellow, Center
LCP-14L	DSA2001488A-L	Comb Plate , 202.6mm x 94.4mm, 22T, ABS, Yellow, Left
LCP-14R	DSA2001488B-R	Comb Plate , 202.6mm x 94.4mm, 22T, ABS, Yellow, Right


*measurements in millimeters



LCP-4C




LCP-4L



LCP-12CL




LCP-12CS



LCP-13R



LCP-14C



LCP-14L



LCP-14R

LG - Demarcation Strips

S.E.E.S. #	O.E.M. #	Description
LYDS-1B	H2106233	Demarcation Strip, black, rear
LYDS-1F	H2106211	Demarcation Strip, black, front
LYDS-2L	1L05214-L	Demarcation Strip, yellow, left
LYDS-2R	L05214-R	Demarcation Strip, yellow, right
LYDS-3B	2L05914-M	Demarcation Strip, yellow, rear
LYDS-3F	2L05913-M	Demarcation Strip, yellow, front
LYDS-4C	2L09005-MS	Demarcation Strip, yellow, mid
LYDS-5L	DSA3000583A	Demarcation Strip, yellow, left
LYDS-5R	DSA3000583B	Demarcation Strip, yellow, right
LYDS-05A	L48034005A	Demarcation Strip
LYDS-6	2L05914-M	Demarcation Strip, 22T, ABS, yellow
LYDS-6L	DSA2001530	Demarcation Strip, left
LYDS-6R	DSA2001530	Demarcation Strip, right
LYDS-7	DSA2001531	Demarcation Strip, 20T, ABS, yellow
LYDS-8	DSA2001533	Demarcation Strip, Center
LYDS-20A	L48034020A	Demarcation Strip



LYDS-2L



LYDS-2R



LYDS-3B



LYDS-3F



LYDS-05A



LYDS-6



LYDS-7



LYDS-8



LYDS-20A

LG - Steps

S.E.E.S. #	Description
LST-1	Aluminum Step
LST-2	Step, Stainless
LST-5	LG Step, DSA1005170



LST-1

LG - Friction Pulleys

S.E.E.S. #	Description
LFP-1	Friction Pulley, 692mm x 35mm ID: 45mm Keyway: 10
LFP-2	Friction Pulley, 610mm x 35mm ID: 45mm Keyway: 10
LFP-3	Friction Pulley, OD: 458mm x 35mm ID: 45mm



LFP-1



LFP-2



LFP-3

LG - Rollers

S.E.E.S. #	O.E.M. #	Description
LGR-1	LG-3L10592A	Guide Rail Reversing Section 14 Rollers
LWH-3		Roller, 80mm x 22mm ID: 20mm, bearing 6204
LWH-4		Roller, LG-SIGMA escalator Press Roller 90mm x 64mm x 60mm-6202 (DBL)
LWH-5		Roller, LG 14 Wheel Gate Roller Assembly
LWH-6	3L10902A 4L08177B	Roller, LG Idle Tension Roller with Shaft 70mm x 60mm x 15mm-6202 (DBL)



LWH-3





LWH-4



LWH-6

THYSSENKRUPP



THYSSENKRUPP - Steps

S.E.E.S. #	Description
THST-1	Step, Aluminum
THST-2	Step, Stainless Steel
THST-3	Sidewalk Pallet


Inlet Covers

S.E.E.S. #	Description
THIC-1	Inlet Cover, with holes
THIC-2	Inlet Cover, without holes

THYSSENKRUPP - Chains

S.E.E.S. #	Description
THCH-2	Reversing Chain, 24-roller
THCH-3	Step Chain, 14.63mm diameter

THYSSENKRUPP - Demarcation Strips



S.E.E.S. #	O.E.M. #	Description
THYDS-1		Demarcation Strip, Length: 284mm, Tooth Pitch: 8.5 Width: 33.3mm
THYDS-2		Demarcation Strip, Length: 327.8mm, Tooth Pitch: 8.5, Width: 33.3mm
THYDS-3		Demarcation Strip, Length: 410.2mm, Tooth Pitch: 14.2, Thick Width: 26mm
THYDS-4		Demarcation Strip, Escalator Yellow, L: 284.5mm, W: 33.3mm
THYDS-5		Demarcation Strip, Length: 327.8mm, Tooth Pitch: 8.5, Width: 33.3mm, Thick: 14.2mm
THYDS-6		Demarcation Strip, Length: 410.2mm, Tooth Pitch: 8.5, Width: 26mm, Thick: 14.2mm, Left
THYDS-7		Demarcation Strip, Length: 410.2mm, Tooth Pitch: 14.2, Thick Width: 26mm, Right
THYDS-8		Demarcation Strip, Length: 410.2mm, Tooth Pitch: 8.5, Width: 26mm, Thick: 14.2mm, Right
THYDS-53B	L47332153B	Demarcation Strip, 15 Teeth
THYDS-54A	L47332154A	Demarcation Strip
THYDS-55A	L47332155A	Demarcation Strip



THYSSENKRUPP

THYSSENKRUPP - Rollers

S.E.E.S. #	Description
THWH-1	Roller, 88mm x 30mm, 6204, ID: 20mm
THWH-2	Multi-Wedge Belt Sheave, 111mm x 60mm, 6204 Double Bearing, ID: 20mm
THWH-3	Multi-Wedge Belt Sheave, 111mm x 60mm, 6304 Double Bearing, ID: 20mm
THWH-4	Roller, 80mm x 60mm, 6204, ID: 20mm
THWH-5	Roller, 75mm x 23mm, 6204, ID: 20mm
TGRT-001	Target, Guide Rail
THWH-6	Groove Roller, 100mm x 32mm, 6204, GD: 86mm, ID: 20mm



THWH-1



THWH-2



THWH-3



THWH-4



THWH-5



THWH-6

THYSSENKRUPP - Comb Plates

S.E.E.S. #	Description
THCP-1	Comb Plate for Escalator Length: 204mm, Height: 115.8mm, Hole Spacing: 66mm, Tooth Pitch: 8.4mm, Remark: Aluminum 3 Holes 24 Short Teeth
THCP-2	Comb Plate for sidewalk Length: 204mm, Height: 127.8mm, Hole Spacing: 66mm, Tooth Pitch: 8.4mm, Remark: Aluminum 3 Holes 24 Long Teeth
THCP-3	Comb Plate, 205 * 116mm



THCP-1



THCP-2



THCP-3

THYSSENKRUPP - Misc. Parts

S.E.E.S. #	Description
THY-FELT-001	Felt Pad, 0.12" TH x 1.75" L x 2.875" W
THCH-2	Reversing Chain, 24-roller
TBLT-001	Belt, Poly, V72544
THLO-2	Power Lock, with Stop Button
THBEA-3	Hollow Shaft Cap
THCH-1	Tension Station Support
THGS-2	Slider
THLI-1	Lighting Curtain
THLI-2	Lamp Clip



THY-FELT-001



TBLT-001



THLO-2



THBEA-3



THCH-1



THGS-2




THLI-1




THLI-2

SCHINDLER / WESTINGHOUSE

Rollers & Wheels



S.E.E.S. #	O.E.M. #	Description
WEW-1	217B235H07	Step chain roller with double bearing for types S, L, M, N & NT. Trail roller for Type S, .6693" I.D., 5-1/4" O.D., 1-3/16" wide, 7/8" tire face.
WEW-1A	322C363G01	Escalator Wheel , with single bearing for Type L & M, .6693" I.D., 5-1/4" O. D., 1-3/16" wide, 7/8" tire face
WEW-1S		Escalator roller , 5-1/4" x 1-3/16" W 7/8" Face, Soft poly
WEW-2	216B509G04	Escalator roller , 4" diameter, with 3/4" tire face, .6693" I.D. bearing
WEW-3	691B759G02	Handrail pressure roller , 3" dia. x 1-5/8" wide, tire face 1-3/32", bearing .6693" I.D.
WEW-5	691B785G05, 691B785G07	Escalator trail roller , for type BB&BT. 3" diameter x 1-1/4", single bearing, .6693" I.D.
WEW-5A	691B785G06, 691B785G08	Escalator trail roller , 3" diameter x 1-1/4", same as above but with double bearing
WEW-6	691B785G01, 691B785G03	Step guide roller for Type BB&BT 3" dia. x 1-1/4", single bearing, .6693" I.D.
WEW-6A	691B785G02, 691B785G04	Step guide roller , 3" diameter x 1-1/4" same as above but double bearing
WEW-7	152B238G01, 152B238G02	Handrail drive roller , Type N & NT. 5.312" diameter x 1.375" wide
WEW-13	196C271G01	Handrail drive roller , 5-11/64" dia., 3/4" I.D.
SJWH-3A	SSEF50110	Roller , 70mm x 25mm, 6204 bearing, poly, with aluminum hub, for SJEC Escalator
SEW-006		Roller Chain Assembly , Newel SWE/ SWU Style 2 Req 17 rollers
SEW-007		Stub Assembly , Newel Handrail Guide SWE Style 11 Req Per Newel
SEC-020	SLH243447	Escalator roller
SEW-001	SMS405029	Step Roller
SEW-003	SMH405045	Handrail newel roller for Escalator
SEW-004	SDS242073 & 27	Escalator Step Roller
SEW-005	241534	Roller , Step roller



Rollers & Wheels


S.E.E.S. #	O.E.M. #	Description
SCHR-5		Handrail Support Roller
SCHR-6		Handrail Support Roller Assembly
SCWH-2		Roller, 70mm x 25mm, 6204 ID: 20mm
SCWH-4		Skeleton Roller, 76.2mm diameter x 22mm, ID:17
SCWH-5		Roller, Nylon Aluminum Hub Handrail Roller 70mm x 50mm, 6204DU ID: 20mm
SCWH-6		Support Roller, Aluminum Hub, 70mm diameter x 50mm, 6302 ID:15
SCWH-7		Multi-Wedge Belt Sheave, 97mm x 70mm GD: 86 Double Bearing 6204, ID: 20mm
SCWH-8		Multi-Wedge Belt Sheave, 89.5mm x 70mm Double Bearing 6204, GD: 85.4 ID: 20
SCWH-9		Multi-Wedge Belt Sheave, 85m x 70mm, Double Bearing 6204, ID: 20mm
SCWH-11	SSEF50110	Roller, 70mm x 25mm, 6204 ID: 20mm
SCWH-12		Blue Step Roller, 76mm diameter x 25mm
SCWH-13	SSEF50110	Roller, 70mm x 25mm, 6204 ID: 20mm
SCWH-14		Wheel, Central, ID: 35mm
SCWH-18		Roller, 70mm x 70mm
SCWH-19		Guide Roller
SCWH-20		Skeleton Roller, 76mm diameter x 25mm, 6204
SCWH-20B		Anti-Static Roller, 98mm x 30mm




SCHR-5



SCHR-6



SCWH-2



SCWH-5



SCWH-6



SCWH-7




SCWH-8



SCWH-9



SCWH-11




SCWH-12



SCWH-13



SCWH-14



SCWH-18



SCWH-19




SCWH-20




SCWH-20B

SCHINDLER / WESTINGHOUSE - Wheels & Rollers




WEW-9




WEW-9-1A

WEW-9-1B




WEW-9A

WEW-3



WEW-12

WEW-12A



WEW-16

S.E.E.S. #	O.E.M. #	Description
WEW-9	5199D27G01	Pressure roller assembly coil spring type, c/c 5-1/2" shaft to shaft
WEW-10	5199D28G01	Pressure roller assembly coil spring type, c/c 6-1/2" shaft to shaft
WEW-9-1A		Replacement roller , 3" O.D. x 2-1/2" W .6203" bearing tire face for above assemblies WEW-9 and WEW-10
WEW-9-1B		Escalator roller , 3" O.D. x 2-1/2" W with (2) face for 5204 bearing (.7874" I.D.)

■ Old style pressure roller assembly


S.E.E.S. #	O.E.M. #	Description
WEW-9A	5193D59G02	Pressure roller assembly , leaf spring type, c/c 5-1/2" shaft to shaft
WEW-10A	5193D59G01	Pressure roller assembly , leaf spring type, c/c 6-1/2" shaft to shaft
WEW-3	691B759G02	Replacement roller for above assemblies WEW-9A & WEW-10A, 6203 bearing, 3" O.D., 1-5/8" Face

■ New style pressure roller assembly

S.E.E.S. #	O.E.M. #	Description
WEW-12	325C359G01	Pressure roller , 2-1/2" x 3" L, .6693" I.D.
WEW-12A		Axle for above roller
WEW-12B	325C359G01	Handrail Roller and bracket assembly
WEW-15	196C272G01	Take up roller , steel roller, 4.25" x 1.25", double bearings .6693" I.D.
WE-45	5193D53G03	Roller bracket assembly 7" x 3" x 3/8" thick, with tension adjustment bracket on back
WEW-16	197C527G03	Handrail roller , bracket assembly, R.H.
WEW-16A-NT		Roller , roller only, no tire, for WEW-16
WEW-18	MSC1197G04	Handrail pressure roller , 6" O.D., fiber
WEW-19	1724C20G01	Escalator Roller , newell, end



WEW-12



WEW-15



WE-45

SCHINDLER / WESTINGHOUSE - Comb Plates

S.E.E.S. #	O.E.M. #	Description
SCCP-1	SMR313609	Sliding Piece
SCCP-2		Sliding Piece
SCCP-1C		Stopper
SCCP-1YC	SMR313283	Comb Plate , 9300, Length:199.4mm, Height:107mm, Hole Spacing: 145mm, Tooth Pitch: 9.068, Remark: Yellow, 22 Teeth, Center
SCCP-1YL	SMR57410420Y	Comb Plate , 9300, Length: 203mm, Height: 107mm, Hole Spacing: 145mm, Tooth Pitch: 9.068, Remark: Yellow, 22 Teeth, Left
SCCP-1YR	SMR57410421Y	Comb Plate , 9300, Length: 203mm, Height: 107mm, Hole Spacing: 145mm, Tooth Pitch: 9.068, Remark: Yellow, 22 Teeth, Right
SCCP-1BC	SMR313762	Comb Plate , 9300, Length: 199.4mm, Height: 107mm, Hole Spacing: 145, Tooth Pitch: 9.068, Remark: Black, 22 Teeth, Center
SCCP-1BL	SMR57410420H	Comb Plate , 9300, Length: 203mm, Height: 107mm, Hole Spacing: 145mm, Tooth Pitch: 9.068, Remark: Black, 22 Teeth, Left
SCCP-1BR	SMR57410421H	Comb Plate , 9300, Length: 203mm, Height: 107mm, Hole Spacing: 145mm, Tooth Pitch: 9.068, Remark: Black, 22 Teeth, Right
SCCP-1L	SMR313609	Comb Plate , 9301 Length: 203mm, Height: 10mm, 7 Hole Spacing: 145mm, Tooth Pitch: 9.068, Remark: Aluminum, 22 Teeth, Left
SCCP-1R	SMR313609	Comb Plate , 9302 Length: 203mm, Height: 107mm, Hole Spacing: 145mm, Tooth Pitch: 9.068, Remark: Aluminum, 22 Teeth, Right
SCCP-3		Comb Plate , Length: 205mm, Height: 153mm, Hole Spacing: 145mm Tooth Pitch: 9, Remark: Sidewalk Aluminum, 22 Teeth, Center
SCCP-6A1		Comb Plate , Length: 205.5mm, Hole Spacing: 145, Tooth Pitch: 9.068, Aluminum, 22 Teeth
SCCP-6A2		Comb Plate , Length: 205.5mm, Hole Spacing: 145mm, Tooth Pitch: 9.068, Aluminum, 22 Teeth
SCCP-6Y1		Comb Plate , Length: 205.5mm, Hole Spacing: 145mm, Tooth Pitch: 9.068, Yellow, 22 Teeth
SCCP-6Y2		Comb Plate , Length: 205.5mm, Hole Spacing: 145mm, Tooth Pitch: 9.068, Yellow, 22 Teeth
SCCP-6B1		Comb Plate , Length: 205.5mm, Hole Spacing: 145mm, Tooth Pitch: 9.068, Black, 22 Teeth
SCCP-6B2		Comb Plate , Length: 205.5mm, Hole Spacing: 145mm, Tooth Pitch: 9.068, Black, 22 Teeth
SCCP-11C	513208	Comb Plate , Yellow, Length: 205.2mm, Height: 107.8mm, Hole Spacing: 145mm, Tooth Pitch: 9.068, Remark: Plastic, Center
SCCP-11S	513207	Comb Plate , Yellow Length: 199.4mm Height: 107.8mm Hole Spacing: 145mm Tooth Pitch: 9.068 Remark: Plastic Side
SCCP-13L	BEVG	Comb plate , Left
SCCP-13R	BEVG	Comb plate , Right
SCCP-7		Comb Plate , Length: 199mm, Height: 153mm, Hole Spacing: 145mm Tooth Pitch: 9, Remark: Sidewalk Aluminum, 22 Teeth, Side



SCCP-1C




SCCP-1YC



SCCP-1BC



SCCP-3



SCCP-7



SCCP-11C



SCCP-13L



SCCP-13R



SEC-001



SEC-001B



SEC-002




SEC-002Y



WE-9



WE-10



WE-11A

WE-11B




WE-11C



WE-11C-Y



WE-11-Y



WE-11A-Y



WE-11C-Y



WE-11D-Y

SCHINDLER / WESTINGHOUSE - Comb Plates

S.E.E.S. #	O.E.M. #	Description
SEC-001	SMR898462	Comb plate, Aluminum
SEC-001B	SMR898462	Comb plate, Finger Center, Black Powder Coat
SEC-001Y	SMR898632	Comb plate, Aluminum, yellow
SEC-002	SMR898515	Comb end, Left
SEC-002B	SMR898515	Comb Plate, Left Hand, Black Powder Coat
SEC-002Y	SMR898743	Comb end, Left, yellow
SEC-003	SMR898516	Comb end, Right
SEC-003B	SMR898516	Comb Plate, Right Hand, Black Powder Coat
SEC-003Y	SMR898744	Comb end, Right, yellow
SEC-009	A305005C	Comb, for Schindler, moving walkway, center, yellow
SEC-010	A305005R	Comb, for Schindler, moving walkway, right, yellow
SEC-011	A305005L	Comb, for Schindler, moving walkway, left, yellow




SEC-003



SEC-003Y



SEC-002B



SEC-009



SEC-010

S.E.E.S. #	O.E.M. #	Description
WE-9	X5BFS1H06	Screw for comb plates
WE-10	R9502H04	Aluminum comb plate, 34 teeth, 12", L.H.
WE-10A	R9502H03	Aluminum comb plate, 35 teeth, 12", R.H.

S.E.E.S. #	O.E.M. #	Description
WE-11	626D315H04	Escalator comb plate, 6-1/4", L.H. for 48N, 15 teeth
WE-11A	626D315H05	Escalator comb plate, 6-1/4", R.H. for 48N, 15 teeth
WE-11B	626D315H06	Escalator comb plate, 5-3/4", Center for 32BT & 48BB, 16 teeth
WE-11C	626D315H02	Escalator comb plate, 6-1/4", L.H., 16 teeth
WE-11D	626D315H03	Escalator comb plate, 6-1/4", R.H., 16 teeth

S.E.E.S. #	O.E.M. #	Description
WE-11-Y		Comb plate, yellow, 6-1/4", L.H. for 48N, 15 teeth
WE-11A-Y		Comb plate, yellow, 6-1/4", R.H. for 48N, 15 teeth
WE-11B-Y	626D315H19	Comb plate, yellow, 5-3/4", Center for 32BT & 48BB, 16 teeth
WE-11C-Y		Comb plate, yellow, 6-1/4", L.H., 16 teeth
WE-11D-Y		Comb plate, yellow, 6-1/4", R.H., 16 teeth

S.E.E.S. #	O.E.M. #	Description
WE-11-Y	9905023Y	Comb, yellow plastic, 6-1/4", 15 teeth, L.H.
WE-11A-Y	9905025Y	Comb, yellow plastic, 6-1/4", 15 teeth, R.H.
WE-11B-Y	626D315H06YP	Comb, yellow plastic, 5-3/4", 16 teeth, center
WE-11C-Y	9905027Y	Comb, yellow plastic, 6-1/4", 16 teeth, L.H.
WE-11D-Y	9905028Y	Comb, yellow plastic, 6-1/4", 16 teeth, R.H.

SCHINDLER / WESTINGHOUSE - Demarcation Strips

S.E.E.S. #	O.E.M. #	Description
SCYDS-1A		Demarcation Strip , Length: 319mm, Tooth Pitch: 8.4mm, Width: 42mm
SCYDS-1B		Demarcation Strip , Length: 319mm, Tooth Pitch: 8.4, Width: 42mm
SCYDS-1C		Demarcation Strip , Length: 268mm, Tooth Pitch: 26 Thick Width: 24.4mm
SCYDS-2A	SCS319900	Demarcation strip , Length: 202.5mm, Tooth Pitch: 9.068, Width: 49.6mm (Front)
SCYDS-2B	SCS319905	Demarcation strip , Length: 222mm, Thick: 28mm Width: 28.5mm (Right Radian)
SCYDS-2C	SCS319901	Demarcation strip , Length: 403mm, Thick: 25mm Width: 109mm (Left)
SCYDS-2D	SCS319902	Demarcation strip , Length: 403mm, Tooth Pitch: 25, Thick Width: 96mm (Right)
SCYDS-2E	SCS319903	Demarcation strip , Length: 222mm, Thick: 28mm Width: 28.5mm (Left Radian)
SCYDS-3L	BEVG	Demarcation Strip , Left
SCYDS-3R	BEVG	Demarcation Strip , Right
SEC-005	SCS319901	Step K-edge , LHS
SEC-007	SCS 319902	Step K-edge , RHS
WE-12	321C596H11	Demarcation strip , R.H.
WE-12A	321C596H11	Demarcation strip , R.H. #321C59 6H11/ Bright Yellow
WE-13	321C596H12	Demarcation strip , L.H.
WE-13A	321C596H12	Demarcation strip , L.H. #321C59 6H11/ Bright Yellow
WE-14	321C596H13	Demarcation strip , Center 5-3/4" Long, 23-1/2 Teeth
WE-15	321C596H14	Demarcation strip , Center 5-3/8" Long, 24 Teeth
WE-15S	144A542H03	Screw for Demarcation strip
WE-101	6999C71H01	Demarcation step edge , yellow plastic



SCYDS-2A



SCYDS-2B



SCYDS-2C



SCYDS-3L



SCYDS-3R



SEC-005



SEC-007



SCYDS-1A SCYDS-1B SCYDS-1C




WE-12



WE-101



SEC-018



SEC-019


SCHINDLER / WESTINGHOUSE - Steps & Pallets



SCST-1



SCST-2




SCST-3



SCST-5



SCST-6



SCST-7



WE-41T

S.E.E.S. #	O.E.M. #	Description
SEC-019	S-SCS468546	Step, 1000mm silver step no demarcation strips
SCST-1		Pallet, Moving Walkway, 1138mm x 140mm
SCST-2		Step, 800mm, aluminum
SCST-3		Escalator with Demarcation, 1000mm
SCST-5		Step, Aluminum, 1000mm
SCST-9		Pallet, Moving Walkway, 1138mm x 140mm
SCST-010	VS265271	Step, 1000K Step 9700-blk w/o n.rng or HK w/ SC
SEC-012	SLS243001	Schindler 9500 Unit, 1000mm movable walkway pallet
SEC-013	SLS243000	Schindler 9500 Unit, 800mm movable walkway pallet
SEC-016	S-SCS568549	Step, 1000mm silver step with yellow demarcation strips
SEC-021		Guide Pad, escalator step
SES-003	SMS405139	Escalator step, 1000mm
WE-41T	864A893H15	Step key, 11-1/2" L
WE-43	215B768H01	End plate, L.H.
WE-44	215B768H02	End plate, R.H.
WE-44A	X52S1H29	Screw for end plates
SCST-1A		Moving Walk Pallet, 1128mm x 140mm
SCST-1B		Moving Walk Pallet, 1138mm x 140mm
SCST-1C		Moving Walk Pallet, 928mm x 140mm
SCST-1D		Moving Walk Pallet, 938mm x 140mm




SEC-017



WE-43



WE-44



SEC-016


 SCST-1A
SCST-1C

 SCST-1B
SCST-1D

SCHINDLER / WESTINGHOUSE - Chains

S.E.E.S. #	O.E.M. #	Description
SE-1	498347-C	Chain
SE-3	SCH437468	Interm. Shaft
SE-5	741335	Chain, Escalator
SDO-024	741320A	Step Chain
SDO-025	SCH409585	Reversing Chain
SDO-026	SCS241457	Step Chain
SDO-026A		Master Link for SWE Chain

S.E.E.S. #	O.E.M. #	Description
WEW-8A	2898C84H13	Drive chain for handrail
WEW-8B	2898C84H14	Handrail Drive chain, 4/210 links
WEW-8C	NAA297454	Drive Chain, Esc Step, 93 Link 20B-2 9300-10
WEW-8D		Drive Chain, Esc. Step 20B-2 x 91 Links DIN 8187
SEW-006	498347-C	Roller Chain Assy, Newel SWE/SWU Style 2 Req 17 rollers, Reversing Pitch Line: 75 Width: 26mm Length: 1350mm Pulley Block
SCCH-1	SEH498347-C	Roller Chain Assembly, Newel SWE/SWU Style 2 Req 17 rollers
SCCH-3		Chain, Sidewalk T133.33
SCCH-4		Chain Roller, 70mm x 25mm, T133.33
SCCH-5	409585	Reversing Chain, Schindler Escalator
SEC-HDW-004	SUS499197	Escalator chain oiler brush
WE-103	694B780H01	Tire, for chain comp wheel 16.62" I.D.



SDO-024



SDO-026A



WEW-8A



WEW-8B



SEW-006



SCCH-1



SCCH-3



SCCH-5



SCCH-4



WE-20



WE-20H

SCHINDLER / WESTINGHOUSE - Sprockets

S.E.E.S. #	O.E.M. #	Description
WE-20	691B734G01	Idler Sprocket, double 45 teeth
WE-20B	2898C89B01	Drive Sprocket, 45 teeth
WE-20D	2898C63H02	Drive Sprocket, 45 teeth
WE-20F	1724C26G03	Sprocket Assembly, includes WE-20D
WE-20G	1724C24G01, 5199D56G01	Dual Sprocket
WE-20H	5199D53G01	Handrail Idler Sprocket Assembly
WE-22	2898C70G01	Drive Sprocket, 17 teeth, 1.1811" I.D. sprocket side, .9843" I.D. shoulder side
WE-23	2898C70G02	Idler Sprocket, 17 teeth, 1.1811" I.D.
WE-24	2898C81H01	Handrail Drive Sprocket, 46 teeth
WE-25	R75998G05	Handrail Drive Sprocket, 35 teeth
WE-88	1724C18G01	Sprocket teeth split, MOD 250 46
SCCH-2		Chain Gear, Thick: 44mm, OD: 22.4mm



WE-22



WE-23



WE-24



WE-25



SCCH-2



SCIC-1



SCIC-2

SCHINDLER / WESTINGHOUSE - Inlet Covers

S.E.E.S. #	Description
SCIC-1	Inlet Cover
SCIC-2	Inlet Cover
SCIC-3	Rubber Inlet
SCIC-4	Inlet Brush



SCIC-3



SCIC-4

SCHINDLER / WESTINGHOUSE - Switches

S.E.E.S. #	O.E.M. #	Description
MISSW-2		Limit Switch , ZR231-11YR1881
WE-2	321C201G01	Hatch limit switch , normally close
WE-2A	321C201G02	Inching switch , normally open
WE-2B	144A362G01	Roller , only, for WE-2 & WE-2A
WE-30	7428C92H30	Safety Switch mechanical reset SPDT
WE-31	5063A04H01	Safety Switch , SPDT. No mechanical reset
WE-32	5063A04H02	Safety Switch , DPDT. No mechanical reset
WE-32A	5063A04H04	Escalator Safety Switch , DPDT
WE-33	864A928H01	Safety Switch , DPDT, combination
WE-34K	1727C81G03	Switch Skirt kit , Schindler
WE-59	1760C20G02	Switch , L.H., handrail
WE-60	1760C20G01	Switch , R.H., handrail
WE-62	2898C51G03	Switch , Broken chain switch
WE-70	692B226H02	Key Switch assembly, 2 position
WE-73	693B221H04	Key Switch assembly, 2 position, spring loaded, key# T112




MISSW-2



WE-2



WE-2A



WE-2B



WE-30



WE-31



WE-32



WE-32A



WE-33



WE-59



WE-60



WE-62



WE-70



WE-73



WE-96



WE-98

SCHINDLER / WESTINGHOUSE - Switches

S.E.E.S. #	O.E.M. #	Description
WE-96	337202	Limit switch assembly
WE-98	337204	Limit switch, locked left
WE-110	6947C64G02	Escalator stop switch and cover
WE-110A	7431C23H01	Escalator stop switch cover for WE-110
WE-110B		Escalator stop switch, switch only
WEW-11A	96C125G03	Chain switch assembly, L.H.
WEW-11B	96C125G04	Chain switch assembly, R.H.
SEM-002	337205	Limit Switch locked right
SEM-003	337215	Limit Switch
SEM-007	337101	Limit Switch
SEM-008	299929	Switch, Escalator missing step proximity switch
SEM-011	HA-1600-CR2	Switch, Handrail Motion For Schindler MOD 100
SCL0-16	720Y	Key Switch, for Schindler 9300
SCL0-16S		Short Key Switch, for Schindler 9300



WE-110



WE-110A



WEW-11A



SEM-008



SEM-011



SCL0-16



SCL0-16S

SCHINDLER / WESTINGHOUSE - Switches

S.E.E.S. #	O.E.M. #	Description
WE-56	X50GS1H04	Reset switch, 5 amps @ 125 VAC, 1/2 AMP
WE-62	2898C51G03	Broken chain switch
WE-77	8538C91H03	Missing step switch
WE-87	8538C91H03	Missing step proximity switch



WE-56

S.E.E.S. #	O.E.M. #	Description
WE-18	694B930H01	Button Base, for safety switch
WE-18A	681A641H01	Button, nylon escalator button
WE-19	692B012G01	Cover for Escalator stop switch 2-7/8" x 3-5/8" x 5/16" plexiglass engraved and filled
WE-19A	692B012G01	Cover as above but bronze plexiglass
WE-19B	692B013H05	Spring, R.H. for switch cover
WE-19C	692B013H04	Spring, L.H., for switch cover
WE-19E	5405C61G04	Emergency Stop Switch Assembly, with Alarm and cover, 1 N.O., 1 N.C., MIS-19F included
WE-19E-SPECIAL		Emergency Stop Switch Assembly, with Alarm Special, 1 N.O., 1 N.C.
WE-19F	693B326G01	Lift Cover, for Emergency Stop Switch
WE-19F-SS	693B326G01-SS	Lift Cover Assy, for Emergency Stop Switch, SS Version



WE-87



WE-18



WE-18A



WE-19



WE-19C



WE-19E



WE-19F

ESCALATOR

SCHINDLER / WESTINGHOUSE - Belts and Pulleys



WBLT-20



WE-8



WE-21



WE-74



S.E.E.S. #	O.E.M. #	Description
WBLT-20	691B789H05	Drive belt for "BB" & "BT" escalators, 1" wide, 140" circumference, 1/2" pitch
WBLT-20A	691B789H07	Drive belt, steel cord, for "BB" & "BT" escalators 1" wide, 170" circ., 1/2" pitch
MIS-BLT11	5211D92H09	Belt, 3V450, 45" circumference
MIS-BLT12	2898C66H10	Belt, 3V475, 47.5" circumference
MIS-BLT13	5211D92H08	Belt, 3V500, 50" circumference
MIS-BLT14	5211D92H07	Belt, 3V530, 53" circumference
MIS-BLT19	5211D92H17	Belt, 3V710, 71" circumference
MIS-BLT20	1298D56H30	Belt, 3V750, 75" circumference
MIS-BLT21	5211D92H16	Belt, 3V800, 80" circumference
MIS-BLT22	5211D92H18	Belt, 3V950, 95" circumference
MIS-BLT29		Belt, 3VX560, 56" circumference
MIS-BLT30	3R3VX530	Belt, 3 Rib Drive V 53" IG Westinghouse Escalator Drive Belt
MIS-BLT31	260J8	Belt, Gates 260J8 Micro-V Belt, 8 Rib J Sec. 260J Size, 26" L 3/4" W
SE-4	SMH273916	Handrail Belt
WE-8	196C269G01	Timing Drive Pulley, HR Drive Pulley, MOD 100
WE-21	5191D53G01	Drive Pulley, handrail, 84 teeth for WBLT-20 & WBLT-20A timing belts
WE-74	52311D92H03	Steel Pulley, 3-belt, 5.3"
WE-85	5211D92H01	Sheave, 3 belt, 10.6"
SCFP-1		Friction Pulley, OD: 588mm x 30mm, 8 Mounting Holes
SEW-002	310676	Friction Wheel, Schindler
SCBE-1		Multi-Wedge Rubber Belt
SCBE-2		Multi-Wedge Rubber Belt, Black L=1841MM
SCBE-3		Multi-Wedge Rubber Belt
SCBLT-001		Belt, Timing for Schindler, VARIDOR 30 8mm pitch 20mm wide 3500mm long



SCFP-1



SEW-002



WE-85



SCBE-3



SE-4

SCHINDLER / WESTINGHOUSE - PCBs

S.E.E.S. #	O.E.M. #	Description
SCPCB-28	598765	PCB Catalog
SCPCB-31	ID. NR. 590811	Escalator Board



SCPCP-28



SCPCB-31

SCHINDLER / WESTINGHOUSE - Lamps

S.E.E.S. #	O.E.M. #	Description
WE-46	865A144H02	Lamp Indicator Light assembly
SE-001	SRE38764324V	Light Fixture
SEM-006	334104	Escalator green flourescent lamp
SEM-006A	F15T8-G	Lamp, Tube flourescent green 18"



WE-46





SE-001



SEM-006




SEM-006A



SCHINDLER / WESTINGHOUSE - Handrails

S.E.E.S. #	O.E.M. #	Description
WEW-4A	5199D18G05, 5193D54G05	Shaft & bearing double wide bearings, includes keys & retaining clips for shaft housing
WEW-4B	5199D18G05	Escalator Handrail Shaft , Double bearing new style
WE-80	1297D24G02	Drive channel , 4 hole
WE-80A	5199D18G09	Handrail drive assembly , complete 4-wheel
WE-81	5193D53G04	Drive channel , 6 hole, 3' 9-5/16" L x 3-7/8" W
WE-81A	692B14G02	Handrail drive assembly , complete 6-wheel
WE-16	630B226H05	Handrail guide track , J shaped plastic channel, specify length
WE-16A	864A976H01	Handrail guide , 12 foot length
WE-16B	5060A33H01	Handrail "J" track trim , .060" thick (100' coil)
WE-17	5060A88H01	Handrail guide , 2-3/8" W x 5' L
WE-17A	5060A88H01	Handrail guide , 2-3/8" W x 12' L
WE-17B	5060A88H02	Handrail guide , 24' section or cut to length
WE-1	626D142G01	Handrail brush , for type M or N escalator
WE-1A	103D291G03	Handrail brush , for modular units
SCPP-3		Joint Strip



WE-16B

WE-16

WE-81A

WE-16A

WE-17

WE-17B

SCPP-3



WE-55




WE-58

SCHINDLER / WESTINGHOUSE - Transformers

S.E.E.S. #	O.E.M. #	Description
WE-55	630B775H01	Transformer , .32@600MA
WE-58	2633C05H01	Transformer , 200VA Primary voltage, 115/160 Secondary voltage
WE-58A	6925C91H01	Transformer , 450VA 230 Primary voltage, 115/160 Secondary voltage

SCHINDLER / WESTINGHOUSE - Motors

S.E.E.S. #	O.E.M. #	Description
WE-93	7428C77G05	Flywheel, Escalator motor
WE-94	2630C55H01	Motor, Escalator, 7.5 HP



WE-93



WE-94

SCHINDLER / WESTINGHOUSE - Seals

S.E.E.S. #	O.E.M. #	Description
WE-35	RPO8001H03	Seal, Output shaft either side, 6-3/4" O.D., 4-1/2" I.D.
WE-36	RPO8001H01	Seal, Input shaft driven side 1-31/32" I.D., 4.331" O.D., width 3/8"
WE-37	RPO8001H02	Seal, Input shaft brake side 1.375" I.D., 4.331" O.D. width 3/8"
WE-38	7196D16H03, X30AS1H24	Seal, Brake
WE-39	X30AS2H47	Seal, Brake
WE-39B	2175C78G01	Seal split kit, 4.330" x 5.315" for gear case
WE-76	X30ES2H24	Seal, gear box
WE-86	X30ES2H24	Split Seal
WE-100	X30AS3H54	Input seal, for 220 220 x 30AS3H54



WE-35

WE-86



Front

WE-100

Back

SCHINDLER / WESTINGHOUSE - Brake Parts

S.E.E.S. #	O.E.M. #	Description
WE-41G	649B659H02	Gauge, Warner 825 brake
WE-48	RP08002H10	Arm, actuator, escalator brake
WE-82	2898G83G03	Glide stop brake assembly
SCBRA-1		Brake Right
SCBRA-2	897200	Brake, (single action solenoid) DF-SAS.S AC110/120V 50/60Hz
SCBRA-3	ID. NR. 296732	Brake Coil, 80V (11E 13E 14E 16E)
SCBRA-4		Brake Band
SEM-010	SWT463954	Brake Band Kit, Complete for SWE, SWT, SWU, EWE, EWG
WPC-205	5206D68H01	Brake, 48B/32B hi-rise Ogura
WPC-206	5206D68H02	Brake, 32B Rise <20' Ogura




WE-41G



WE-48



WE-82



SCBRA-4

SCBRA-1



WPC-206

SCHINDLER / WESTINGHOUSE - Electrical & Signal Parts



SEC-065

WE-53



WE-61



WE-57



WE-5



WE-79

S.E.E.S. #	O.E.M. #	Description
SC-200	SSB897396	Solenoid , for Brake 97 VDC
SEC-065	55A897200	Solenoid Assembly , Schindler Escalator Brake 110VAC
SES-001	345452	Escalator contactor , 3 pole with 120 AC coil
WE-53	196C493H04	Alarm Audible buzzer 120 VAC 2" O.D. with 7-1/2" leads
WE-57	865A136H01	Time Meter
WE-61	X45AD54H18	Glide Stop rectifier 10 Amp 400V
WE-79	691B955G04	Fuse Block kit , with 2 fuses
WE-83	X25D51H22	Terminal Block for Westinghouse
WER-01	6925C86H33	Resistor , 150 ohm 50 watt adjustable for escalator
WRT-5	M7488.2	Rectifier , 1-phase for Westinghouse escalator
WRT-6	342132	Rectifier Bridge



WE-83



WER-01



WRT-5

SCHINDLER / WESTINGHOUSE - Sensors



WE-5A

WE-5AA

S.E.E.S. #	O.E.M. #	Description
WE-5	864A978H02	Magnetic pickup speed sensor
WE-5A	1722C01H01	Zero speed sensor , digital magnetic
WE-5AA		Female Connector , Speed Sensor Socket & Strain Relief, (WE-5)
WE-5B	865A691H0	Sensor , temperature, 160 degrees
WE-5C	2898C94H05	Pulse wheel , 7-1/2" Diameter x 4-5/8" I.D. x 3/16" Thick, 180 teeth, for MOD 250
WE-5D	2898C99H03	Relay motion detector
WE-5E	2898C99H04	Relay motion detector
WE-5F	865A116H01	Power supply , 115 VAC - 90 VDC@1.25A
WE-27	2898C99H02	Reflex Photohead retroreflective photo unit
WE-54	2898C99H05	Reflector Prism reflector 5/8" diameter
SEM-009	337311CL3R	Sensor , Escalator RPM Monitor 24 VAC with 5 meter cable

WE-5B

WE-5C

WE-5D



WE-5E



WE-5F



WE-27



WE-54



SEM-009

SCHINDLER / WESTINGHOUSE - Misc. Hardware

S.E.E.S. #	O.E.M. #	Description
WE-26	1726C09H01	Stub Shaft
WE-26B	7428C71H01	Drive shaft MOD250
WE-26S	2898C60H03	Spacer
WE-28	X18RS1H01	Bearing, sprocket drive
WE-28A	X18B53H68	Bearing assembly
WE-28B	X18BS2H50	Bearing assembly
WE-34	1727C81G02	Plunger assembly
WE-34A	196C266H03	Actuator
WE-34B	X9BS3H59	Spring for plunger assembly
WE-34C	1727C81G0	Plunger assembly kit
WE-40	X4WS1-H03	Plug Nut, used on hinge cap
WE-41	864A925H01	Screw, socket head cap screw
WE-41R	144A541H01	O Ring, for WE-41 & WE-41S
WE-41S	864A925H02	Screw, stainless steel socket head cap screw 2-5/16" long, 5/16 -18 thread
WE-42	X6ZAS1H06	Ring, retaining for sprocket
WE-44B	K4715H01	Screw, Allen head, for trim
WE-47	X6ZS6H82	Ring, snap ring set (pkg/10)
WE-49A	2179C12G04	Bracket assembly, 8-3/4 x 7-1/4"
WE-50	691B738H01	Bearing assembly, fixed
WE-50B		Flange Bearing, Escalator Floating For Mod 100 Esc/Opp WE-50
WE-51	6929C24G02	Bushing set, standard 1.38" O.D. x 1.28" I.D. washers, spacers
WE-52	6929C24G01	Bushing set, oversize, 1.423" x 1.28" I.D.
WE-63	X6ZAS1H09	Retainer ring for MOD100
WE-64	X6ZS2H24	Retainer ring
WE-65	691B783H01	Bushing, Step Axle Neoprene
WE-66	X4QS1H07	Retaining nut, 3/8-16 Captive
WE-78	691B378H01	Bearing stub
WE-84	2633C066G01	Plate and Bushing Adapter assembly, with hardware
WE-89	691B873H01	Bushing, isolation
WE-90	865A099H02	Trim Retainer, 13" strip
WE-91	2898C54G02	Adjusting rod for mod 250 escalator
WE-92	5211D9H06	Bushing, taper lock, 1-15/16"
WE-95	5211D92H14	Bushing, taper lock, 1-5/8"
WE-99	X9ES3H62	Rod Spring, escalator idler adjuster, MOD 250



WE-26



WE-28



WE-34B



WE-34



WE-40



WE-41




WE-44A



WE-44B



WE-47



WE-49A



WE-50B



WE-90



WE-51




WE-65



WE-66



WE-84



WE-89




WE-92



WE-95

SCHINDLER / WESTINGHOUSE - Misc. Hardware

S.E.E.S. #	O.E.M. #	Description
WEW-4K	X10DS1H35	Key way, 3/16" x 3/8" x 1"
WEW-4N		Nut, self-locking 3/4" nut for WEW-4A
WEW-11	196C126H07	Shoe, slack chain shoe
SCGP-1		Guide Piece 2 Holes
SCGP-2		Guide Piece 1 Hole
SEC-HDW-001	DIN798403	Escalator Comb Screw, Allen, flat head
SEC-HDW-002		Comb plate screw low SOC HD
SEC-HDW-003	NAA248864	Retaining ring
SEM-001	SUS496193	Escalator rod connector
SEW-003SB	R38-30-0442	Splice bar, Schindler, 3/4" x 8"
SCGS-14		Polyurethane Sliding Rail
SCGS-23		Polyurethane Sliding Rail
SCPP-1		Sliding piece
SCPP-2		Stopper
SCG-4		Aluminum Sector Rack, 120 x 70mm
SCMIB-720	KZ-720B	Inspection Box
SCPLG-1	PPG-16	Plug
SCPLG-2	ZGG-16	Socket
SCST-8		Pallet Buckle
SCCD-1		Automatic Closing Device, For Rope



WEW-4K



WEW-11



SCGP-1



SCGP-2



SEC-HDW-003



SEC-HDW-002



SEC-HDW-001



SEW-003SB



SCGS-14



SCGS-23



SCPP-2



SCMIB-720



SCPP-1

Miscellaneous Escalator Parts

S.E.E.S. #	O.E.M. #	Description
MISWH-11		Support Roller Assembly
MISYDS-1		Screw , for Demarcation Strip 3.5mm diameter, L24MM
MISGL-1		Guide Rail , Tangential Polyurethane
MISGL-2		Guide , Tangential Nylon, left
MISGP-1		Guide Piece , for Schindler
MISOC-1		Oil Can
MISSS-3		Photo Electric Sensor , TELCO
MISEB-1	LA-720P	Stop button
MISERL-1		Escalator Green Light
MISDL-1		Arrow Light
MISDL-2		Arrow Light , :Φ59mm, :4-Φ7.5 48mm × 48mm
MISDL-3		Arrow Light , :Φ59mm, :4-Φ7.5 48mm × 48mm
KLCH-1		Canny Step Chain , Pitch=133.5mm, Roller: 75mm × 25mm, 6204
KLCP-1C		Canny Comb Plate , Middle
KLCP-1L		Canny Comb Plate , Left
KLCP-1R		Canny Comb Plate , Right
KLYDS-1L		Canny Demarcation Strip , Left
KLYDS-1R		Canny Demarcation Strip , Right
KLYDS-1C		Canny Demarcation Strip , Middle
VPC-001		Vermaport Cone , for Shopping Carts Escalators



MISDL-1



MISDL-2




MISDL-3



MISEB-1



MISERL-1



MISGL-1



MISOC-1



MISGP-1



MISGL-2

get SILLy!



See page 241
in the
SEES
Catalog

SEES sells SILLs by the Seashore.

IN STOCK: Aluminum Hatch and Car Sills, all types...



@SEESinc



SEESinc.com/blogs



SEESinc

Always Smooth Sailing



2781 West McNab Rd., Pompano Beach, FL 33069 • 800-526-0026 • www.SEESinc.com

SOUTHERN ELEVATOR
& ELECTRIC SUPPLY